# 449 Series Fuse





Agency	/ App	provals

AGENCY	AGENCY FILE NUMBER	AMPERE RANGE	
c <b>PU</b> °us	E10480	0.375A - 5A	
PS	NBK030205-E10480B	1A - 5A	

#### **Electrical Characteristics for Series**

% of Ampere Rating	Opening Time	
100%	4 hours, Minimum	
200%	1 sec., Min.; 60 sec., Max.	
300%	0.2 sec., Min.; 3 sec., Max	
800%	0.002 sec., Min.; 0.1 sec., Max.	

## **Additional Information**







Resources



Samples

# **Description**

The lead free NANO<sup>2®</sup> Slo-Blo<sup>®</sup> fuse is RoHS compliant, Halogen Free and 100% lead-free. This product is fully compatible with lead-free solder alloys and higher temperature profiles associated with lead-free assembly. The Slo-Blo® fuse design has enhanced inrush withstand characteristics over the NANO<sup>2®</sup> Fast-Acting Fuse. The unique time delay feature of this fuse design helps solve the problem of nuisance "opening" by accommodating inrush currents that normally cause a fast-acting fuse to open.

## **Features**

- Lead-free, Halogen free and RoHS compliant
- Small size
- Wide range of current ratings available
- Wide operating temperature range
- Low temperature rerating

#### **Applications**

Secondary protection for space constrained applications:

- Notebook PC
- LCD/PDPTV
- LCD monitor
- LCD/PDP panel
- LCD backlight inverter
- Portable DVD player
- Power supply
- Networking
- PC server
- · Cooling fan system

- Storage system
- Telecom system
- Wireless basestation
- White goods
- Game console
- Office Automation equipment
- Battery charging circuit protection
- Industrial equipment


## **Electrical Specifications by Item**

Ampere Max		Nominal Cold Nominal	Nominal	Agency Approvals			
Rating (A)	Amp Code	Voltage Rating (V)	Interrupting Rating	Resistance (Ohms)	Melting I²t (A²sec)	c <b>'911</b> °us	PS
0.375	.375	125	50A @125 VAC/VDC	1.5130	0.088	х	
0.500	.500	125		0.7633	0.258	х	
0.750	.750	125		0.4080	0.847	Х	
1.00	001.	125		0.2516	1.76	Х	х
1.50	01.5	125		0.1186	4.70	Х	×
2.00	002.	125	·	0.0708	6.76	Х	х
2.50	02.5	125	PSE: 100A @100 VAC	0.0400	13.18	Х	х
3.00	003.	125		0.0352	19.55	Х	×
3.50	03.5	125		0.0261	32.70	×	х
4.00	004.	125		0.0227	40.80	×	×
5.00	005.	125		0.0171	59.59	Х	×

Notes: - I2t calculated at 8ms. Resistance is measured at 10% of rated current, 25°C




# **Temperature Re-rating Curve**



#### Note:

 Rerating depicted in this curve is in addition to the standard derating of 25% for continuous operation.

# **Average Time Current Curves**




# **Soldering Parameters**

Wave Soldering Parameters

Reflow Condition		Pb – Free assembly	
	-Temperature Min (T <sub>s(min)</sub> )	150°C	
Pre Heat	-Temperature Max (T <sub>s(max)</sub> )	200°C	
	-Time (Min to Max) (t <sub>s</sub> )	60 – 120 secs	
Average ramp up rate (Liquidus Temp (T <sub>L</sub> ) to peak		3°C/second max.	
T <sub>S(max)</sub> to T <sub>L</sub> - Ramp-up Rate		3°C/second max.	
Reflow	-Temperature (T <sub>L</sub> ) (Liquidus)	217°C	
	-Temperature (t <sub>L</sub> )	60 - 90 seconds	
PeakTemp	erature (T <sub>P</sub> )	260+0/-5 °C	
Time within 5°C of actual peak Temperature (t <sub>p</sub> )		20 - 40 seconds	
Ramp-down Rate		5°C/second max.	
Time 25°C to peak Temperature (T <sub>P</sub> )		8 minutes max.	
Do not exceed		260°C	
		2000C DI-	
		260°C Peak	

Temperature, 3 seconds max.






#### **Product Characteristics**


Materials	Body: Ceramic Terminations: Gold-plated Caps		
Product Marking	Brand, Amperage Rating		
Operating Temperature	-55°C to 125°C		
Moisture Sensitivity Level	Level 1, J-STD-020		
Solderability	MIL-STD-202, Method 208		
Insulation Resistance (after Opening)	MIL-STD-202, Method 302, Test Condition A (10,000 ohms minimum)		

Thermal Shock	MIL-STD-202, Method 107, Test Condition B, 5 cycles, -65°C to 125°C, 15 minutes @ each extreme	
Mechanical Shock	MIL-STD-202, Method 213, Test I: Deenergized. 100G's pk amplitude, sawtooth wave 6ms duration, 3 cycles XYZ+xyz = 18 shocks	
Vibration	MIL-STD-202, Method 201: 0.03" amplitude, 10-55 Hz in 1 min. 2hrs each XYZ=6hrs	
Moisture Resistance	MIL-STD-202, Method 106, 10 cycles	
Salt Spray	MIL-STD-202, Method 101, Test Condition B (48hrs)	
Resistance to Soldering Heat	MIL-STD-202, Method 210, Test condition B (10 sec at 260°C)	

#### **Dimensions**



# **Part Numbering System**



# **Packaging**

Packaging Option	Packaging Specification	Quantity	Quantity & Packaging Code
12mm Tape and Reel	EIA RS-481-2 (IEC 286, part 3)	1000	MR

Disclaimer Notice - Littelfuse products are not designed for, and shall not be used for, any purpose (including, without limitation, automotive, military, aerospace, medical, life-saving, life-sustaining or nuclear facility applications, devices intended for surgical implant into the body, or any other application in which the failure or lack of desired operation of the product may result in personal injury, death, or property damage) other than those expressly set forth in applicable Littelfuse product documentation. Warranties granted by Littelfuse shall be deemed void for products used for any purpose not expressly set forth in applicable Littelfuse documentation. Littelfuse shall not be liable for any claims or damages arising out of products used in applications not expressly intended by Littelfuse as set forth in applicable Littelfuse documentation. The sale and use of Littelfuse products is subject to Littelfuse Terms and Conditions of Sale, unless otherwise agreed by Littelfuse. Information furnished is believed to be accurate and reliable. However, users should independently evaluate the suitability of and test each product selected for their own applications. Littelfuse products are not designed for, and may not be used in, all applications. Read complete Disclaimer Notice at <a href="https://www.littelfuse.com/disclaimer-electronics">www.littelfuse.com/disclaimer-electronics</a>.