

## Product Discontinuation Notices

Limit Switches

Issue Date  
September 1, 2014

No. 2014063CE-3

### Discontinuation Notice of Two-circuit Limit Switch WL series. (Without China and Taiwan area)

#### Product Discontinuation

Two-circuit Limit Switch



**Model WL series**



#### Recommended Replacement

Two-circuit Limit Switch

**Model WL-N series**

#### [ Discontinuation date ]

The end of March, 2016

#### [ Caution on recommended replacement ]

For all recommended replacement, the dimensions, mounting dimensions and operating characteristics are almost compatible.

(Please contact to our sales person about the details of the recommended replacement.)

#### [ Difference from discontinued product ]

Recommended replacement Model	Body Color	Dimen-sions	Wire connection	Mounting Dimensions	Charact-eristics	Operation ratings	Operation methods
WL-N series	*	*	*	*	*	*	*

\*\* : Compatible

\* : The change is a little/Almost compatible

-- : Not compatible

- : No corresponding specification

#### [ Product Discontinuation and recommended replacement ]

Product discontinuation	Recommended replacement
WLRG2-TH	WLRG2-TH-N
WLRG2	WLRG2-N
WLRG2-LDS	WLRG2-LDS-N
WLRG2-LD	WLRG2-LD-N
WLRH2-P1	WLRCA2-P1-N
WLRCA2	WLRCA2-N
WLRH2	WLRCA2-N
WLRH2-LES	WLRCA2-LES-N
WLRH2-LE	WLRCA2-LE-N
WLRCA2-LE	WLRCA2-LE-N
WLRCA2-LDS	WLRCA2-LDS-N
WLRH2-LDS	WLRCA2-LDS-N
WLRCA2-LD	WLRCA2-LD-N
WLRH2-LD	WLRCA2-LD-N
WLRCA2-2N	WLRCA2-2N-N
WLRCA2-2NLE	WLRCA2-2NLE-N
WLRCA2-2NLD	WLRCA2-2NLD-N
WLRCA2-2	WLRCA2-2-N

Product discontinuation	Recommended replacement
WLGL-TH	WLGL-TH-N
WLGL-P1G1	WLGL-P1G1-N
WLGL	WLGL-N
WL01GL	WLGL-N
WLGL-LE	WLGL-LE-N
WLGL-LD	WLGL-LD-N
WL01GL-K51	WLGL-K51-N
WLGL-DK1EJ03	WLGL-DK1EJ-N
WLG2-TSLDS	WLG2-TSLDS-N
WLG2-TSLD	WLG2-TSLD-N
WLG2-TH	WLG2-TH-N OMR
WLG2-THG1 CE	WLG2-THG1-N
WLG2-TC	WLG2-TC-N
WLG2-RS-DHJS03-A	WLG2-RS-DHJS-A-N
WLG2-P1	WLG2-P1-N
WLG2	WLG2-N OMR
WL01G2	WLG2-N OMR
WLG2-M1J	WLG2-M1J-N
WLG2-LES	WLG2-LES-N
WLG2-LE	WLG2-LE-N
WLG2-LEAS	WLG2-LEAS-N
WLG2-LEA	WLG2-LEA-N
WLG2-LDS	WLG2-LDS-N OMR
WL01G2-LDS	WLG2-LDS-N OMR
WLG2-LDS-DK1EJ03	WLG2-LDS-DK1EJ-N
WLG2-LDS-DGJS03	WLG2-LDS-DGJS-N
WLG2-LDS2	WLG2-LDS2-N
WLG2-LD	WLG2-LD-N OMR
WL01G2-LD	WLG2-LD-N OMR
WLG2-LD-M1TJ	WLG2-LD-M1TJ-N
WL01G2-LD-M1J	WLG2-LD-M1J-N OMR
WLG2-LD-M1J	WLG2-LD-M1J-N OMR
WLG2-LD-M1JB 0.3M	WLG2-LD-M1JB-N OMR
WLG2-LD-M1JB 0.5M	WLG2-LD-M1JB05-N
WLG2-LD-M1GJ 0.3M	WLG2-LD-M1GJ-N OMR
WLG2-LD-M1GJ 0.5M	WLG2-LD-M1GJ05-N
WLG2-LDK43	WLG2-LDK43-N
WLG2-LDK17	WLG2-LDK17-N
WLG2-LDK15	WLG2-LDK15-N
WLG2-LDK13	WLG2-LDK13-N
WLG2-LDFS-DTGJS03	WLG2-LDFS-DTGJS-N
WLG2-LDFS-DGJS03	WLG2-LDFS-DGJS-N OMR
WLG2-LD-DK1EJ03	WLG2-LD-DK1EJ-N
WLG2-LD-DK1EJ203	WLG2-LD-DK1EJ2-N
WLG2-LD-DK1EJ10	WLG2-LD-DK1EJ10-N
WLG2-LD-DGJ03	WLG2-LD-DGJ-N OMR
WL01G2-LD-DGJ03	WLG2-LD-DGJ-N OMR
WLG2-LDAS	WLG2-LDAS-N
WLG2-LDAS-DGJS03T	WLG2-LDAS-DGJST-N
WLG2-LDAS-DGJS03	WLG2-LDAS-DGJS-N
WLG2-LDA	WLG2-LDA-N
WLG2-LD-AGJ03	WLG2-LD-AGJ-N
WLG2-GLE	WLG2-GLE-N
WL01G2-G1LES	WLG2-G1LES-N
WLG2-G1LE	WLG2-G1LE-N
WLG2-G1LDS	WLG2-G1LDS-N
WLG2-G1LD	WLG2-G1LD-N
WL01G2-G1LD	WLG2-G1LD-N
WLG2-FS-DGJS03	WLG2-FS-DGJS-N

<b>Product discontinuation</b>	<b>Recommended replacement</b>
WLG2-DGJ03	WLG2-DGJ-N
WLG2-7	WLG2-7-N
WLG2-7LD	WLG2-7LD-N
WLG2-7GLE	WLG2-7GLE-N
WLG12-TH	WLG12-TH-N OMR
WLG12-TC	WLG12-TC-N
WLG12-P1	WLG12-P1-N
WLG12	WLG12-N OMR
WL01G12	WLG12-N OMR
WLG12-LE	WLG12-LE-N
WLG12-LD	WLG12-LD-N
WLG12-LDK13	WLG12-LDK13-N
WLG12-LD-DK1EJ03	WLG12-LD-DK1EJ-N
WLCL-Y	WLCL-Y-N
WLCL-YLE	WLCL-YLE-N
WLCL-TS	WLCL-TS-N
WLCL-TH	WLCL-TH-N
WLHL-TH	WLCL-TH-N
WLCL-THG	WLCL-THG-N
WLCL-TC	WLCL-TC-N
WLCL-P1	WLCL-P1-N
WLHL-P1	WLCL-P1-N
WLCL	WLCL-N OMR
WLHL	WLCL-N OMR
WL01CL	WLCL-N OMR
WL01HL	WLCL-N OMR
WLCL-LE	WLCL-LE-N
WLHL-LE	WLCL-LE-N
WLHL-LD	WLCL-LD-N OMR
WLCL-LD	WLCL-LD-N OMR
WL01CL-LD	WLCL-LD-N OMR
WLCL-LD-M1J	WLCL-LD-M1J-N
WLHL-LDK43	WLCL-LDK43-N
WLHL-LDK13	WLCL-LDK13-N
WLCL-LD-DGJ03	WLCL-LD-DGJ-N
WLCL-G	WLCL-G-N OMR
WLCL-2Y	WLCL-2Y-N
WLCL-2TS	WLCL-2TS-N
WLCL-2TH	WLCL-2TH-N
WLCL-2TC	WLCL-2TC-N
WLCL-2NY	WLCL-2NY-N
WLCL-2NTS	WLCL-2NTS-N
WLCL-2NTH	WLCL-2NTH-N
WLCL-2NTC	WLCL-2NTC-N
WLCL-2N	WLCL-2N-N OMR
WL01CL-2N	WLCL-2N-N OMR
WLCL-2NLE	WLCL-2NLE-N
WLCL-2NLD	WLCL-2NLD-N
WL01CL-2NLD	WLCL-2NLD-N
WLCL-2NLD-DGJ03	WLCL-2NLD-DGJ-N
WLCL-2	WLCL-2-N
WLCL-2LE	WLCL-2LE-N
WLCL-2LD	WLCL-2LD-N
WLHAL6	WLCAL6-N
WLHAL5-TH	WLCAL5-TH-N
WLHAL5	WLCAL5-N OMR
WL01HAL5	WLCAL5-N OMR
WLHAL5-LE	WLCAL5-LE-N
WLHAL5-LD	WLCAL5-LD-N

Product discontinuation	Recommended replacement
WLHAL5-G1LD	WLCAL5-G1LD-N
WLCAL5-2TS	WLCAL5-2TS-N
WLCAL5-2	WLCAL5-2-N
WLCAL5-2LE	WLCAL5-2LE-N
WLCAL5-2LD	WLCAL5-2LD-N
WLHAL4-TSLD	WLCAL4-TSLD-N
WLHAL4-TH	WLCAL4-TH-N
WLHAL4	WLCAL4-N OMR
WL01HAL4	WLCAL4-N OMR
WLHAL4-LE	WLCAL4-LE-N
WLHAL4-LD	WLCAL4-LD-N
WL01HAL4-LD	WLCAL4-LD-N
WLHAL4-LDK13	WLCAL4-LDK13-N
WLHAL4-G1LD	WLCAL4-G1LD-N
WLCAL4-2TS	WLCAL4-2TS-N
WLCAL4-2	WLCAL4-2-N
WLCAL4-2LE	WLCAL4-2LE-N
WLCAL4-2LD	WLCAL4-2LD-N
WLH2-Y	WLCA2-Y-N OMR
WLCA2-Y	WLCA2-Y-N OMR
WLCA2-TS	WLCA2-TS-N OMR
WLH2-TS	WLCA2-TS-N OMR
WLCA2-TSLE	WLCA2-TSLE-N
WLCA2-TSLD	WLCA2-TSLD-N
WL01CA2-TSLD CE	WLCA2-TSLD-N
WLCA2-TH	WLCA2-TH-N OMR
WLH2-TH	WLCA2-TH-N OMR
WL01CA2-TH	WLCA2-TH-N OMR
WLCA2-THG	WLCA2-THG-N
WLCA2-TC	WLCA2-TC-N
WLH2-TC	WLCA2-TC-N
WL01CA2-TC	WLCA2-TC-N
WLH2-P1	WLCA2-P1-N
WLCA2-P1	WLCA2-P1-N
WLCA2	WLCA2-N OMR
WLH2	WLCA2-N OMR
WLH2-1	WLCA2-N OMR
WLH2-2	WLCA2-N OMR
WL01H2	WLCA2-N OMR
WL01CA2	WLCA2-N OMR
WLCA2-LES	WLCA2-LES-N
WLH2-LES	WLCA2-LES-N
WLCA2-LE	WLCA2-LE-N OMR
WLH2-LE	WLCA2-LE-N OMR
WL01CA2-LE	WLCA2-LE-N OMR
WL01H2-LE	WLCA2-LE-N OMR
WLCA2-LEAS	WLCA2-LEAS-N
WLH2-LEAS	WLCA2-LEAS-N
WLCA2-LDS	WLCA2-LDS-N OMR
WLH2-LDS	WLCA2-LDS-N OMR
WLCA2-LDS-DGJS03	WLCA2-LDS-DGJS-N
WLCA2-LD	WLCA2-LD-N OMR
WLH2-LD	WLCA2-LD-N OMR
WL01H2-LD	WLCA2-LD-N OMR
WL01CA2-LD	WLCA2-LD-N OMR
WL01H2-LD-M1J	WLCA2-LD-M1J-N
WLCA2-LD-M1J	WLCA2-LD-M1J-N
WLH2-LD-M1J 0.3M	WLCA2-LD-M1J-N
WLH2-LD-M1GJ	WLCA2-LD-M1GJ-N

Product discontinuation	Recommended replacement
WLCA2-LD-M1GJ	WLCA2-LD-M1GJ-N
WLCA2-LDK43	WLCA2-LDK43-N
WLH2-LDK43	WLCA2-LDK43-N
WL01CA2-LDK43	WLCA2-LDK43-N
WLCA2-LDK43A	WLCA2-LDK43A-N
WLCA2-LDK13	WLCA2-LDK13-N
WLH2-LDK13	WLCA2-LDK13-N
WL01CA2-LDK13	WLCA2-LDK13-N
WLCA2-LD-DK1EJ03	WLCA2-LD-DK1EJ-N
WLCA2-LD-DGJ03	WLCA2-LD-DGJ-N
WLH2-LD-DGJ03	WLCA2-LD-DGJ-N
WLCA2-LDAS	WLCA2-LDAS-N
WLH2-LDAS	WLCA2-LDAS-N
WLCA2-LD-AGJ03	WLCA2-LD-AGJ-N
WLH2-G	WLCA2-G-N OMR
WLCA2-G	WLCA2-G-N OMR
WLCA2-GLD	WLCA2-GLD-N
WL01H2-GLD	WLCA2-GLD-N
WLH2-G1 CE	WLCA2-G1-N
WL01CA2-G1 CE	WLCA2-G1-N
WLCA2-G1	WLCA2-G1-N
WLCA2-G1LD	WLCA2-G1LD-N
WLH2-G1LD	WLCA2-G1LD-N
WL01CA2-G1LD	WLCA2-G1LD-N
WLCA2-A	WLCA2-A-N
WLCA2-8TS	WLCA2-8TS-N
WLCA2-8TH	WLCA2-8TH-N
WLCA2-8TC	WLCA2-8TC-N
WLCA2-8P1	WLCA2-8P1-N
WLCA2-8	WLCA2-8-N OMR
WL01CA2-8	WLCA2-8-N OMR
WLCA2-8LE	WLCA2-8LE-N
WLCA2-8LD	WLCA2-8LD-N
WLCA2-8G	WLCA2-8G-N
WLCA2-7TS	WLCA2-7TS-N
WLCA2-7TH	WLCA2-7TH-N
WL01CA2-7TH	WLCA2-7TH-N
WLCA2-7	WLCA2-7-N OMR
WLH2-7	WLCA2-7-N OMR
WL01CA2-7	WLCA2-7-N OMR
WLCA2-7LE	WLCA2-7LE-N
WL01CA2-7LD	WLCA2-7LD-N
WLCA2-7LD	WLCA2-7LD-N
WLCA2-7G	WLCA2-7G-N
WLCA2-7G1LD	WLCA2-7G1LD-N
WLCA2-6	WLCA2-6-N
WLCA2-2Y	WLCA2-2Y-N OMR
WLCA2-2YLE	WLCA2-2YLE-N
WLCA2-2TS	WLCA2-2TS-N
WLCA2-2TSLD	WLCA2-2TSLD-N
WLCA2-2TH	WLCA2-2TH-N
WLCA2-2TC	WLCA2-2TC-N
WLCA2-2NY	WLCA2-2NY-N
WLCA2-2NTS.	WLCA2-2NTS-N
WLCA2-2NTH	WLCA2-2NTH-N OMR
WLCA2-2NTC	WLCA2-2NTC-N
WLCA2-2N	WLCA2-2N-N OMR
WL01CA2-2N	WLCA2-2N-N OMR
WLCA2-2NLE	WLCA2-2NLE-N

<b>Product discontinuation</b>	<b>Recommended replacement</b>
WL01CA2-2NLE	WLCA2-2NLE-N
WLCA2-2NLD	WLCA2-2NLD-N OMR
WL01CA2-2NLD	WLCA2-2NLD-N OMR
WLCA2-2NLD-M1J 0.3M	WLCA2-2NLD-M1J-N
WLCA2-2NG	WLCA2-2NG-N
WLCA2-2NG1 CE	WLCA2-2NG1-N
WLCA2-2NA	WLCA2-2NA-N
WLCA2-2	WLCA2-2-N OMR
WLCA2-2LE	WLCA2-2LE-N OMR
WLCA2-2LD	WLCA2-2LD-N OMR
WLCA2-2G	WLCA2-2G-N
WLCA2-2G1LD	WLCA2-2G1LD-N
WLCA2-2A	WLCA2-2A-N
WLCA2-28N	WLCA2-28N-N
WLCA2-28	WLCA2-28-N
WLCA2-27	WLCA2-27-N
WLCA2-26N	WLCA2-26N-N
WLCA2-265N	WLCA2-265N-N
WLCA2-214	WLCA2-214-N
WLH2-14	WLCA2-14-N
WL01H2-14	WLCA2-14-N
WLCA12-Y	WLCA12-Y-N
WLH12-TS	WLCA12-TS-N OMR
WLCA12-TS	WLCA12-TS-N OMR
WLCA12-TSLD	WLCA12-TSLD-N
WLCA12-TH	WLCA12-TH-N OMR
WLH12-TH	WLCA12-TH-N OMR
WL01H12-TH	WLCA12-TH-N OMR
WLCA12-THG	WLCA12-THG-N
WLH12-TC	WLCA12-TC-N
WLCA12-TC	WLCA12-TC-N
WLCA12-P1	WLCA12-P1-N
WLH12-P1	WLCA12-P1-N
WLCA12	WLCA12-N OMR
WLH12	WLCA12-N OMR
WL01CA12	WLCA12-N OMR
WL01H12	WLCA12-N OMR
WLCA12-LE	WLCA12-LE-N
WLH12-LE	WLCA12-LE-N
WLCA12-LD	WLCA12-LD-N OMR
WLH12-LD	WLCA12-LD-N OMR
WL01CA12-LD	WLCA12-LD-N OMR
WLCA12-LDK13	WLCA12-LDK13-N
WL01H12-K51	WLCA12-K51-N
WLCA12-G	WLCA12-G-N OMR
WLH12-GLD	WLCA12-GLD-N
WLCA12-G1	WLCA12-G1-N
WLCA12-G1LD	WLCA12-G1LD-N
WLH12-G1LD	WLCA12-G1LD-N
WLCA12-2Y	WLCA12-2Y-N
WLCA12-2TS	WLCA12-2TS-N
WLCA12-2TH	WLCA12-2TH-N
WLCA12-2TC	WLCA12-2TC-N
WLCA12-2NY	WLCA12-2NY-N
WLCA12-2NTS	WLCA12-2NTS-N
WLCA12-2NTH	WLCA12-2NTH-N OMR
WL01CA12-2NTH	WLCA12-2NTH-N OMR
WLCA12-2NTC	WLCA12-2NTC-N
WLCA12-2N	WLCA12-2N-N OMR

<b>Product discontinuation</b>	<b>Recommended replacement</b>
WL01CA12-2N	WLCA12-2N-N OMR
WLCA12-2NLE	WLCA12-2NLE-N
WLCA12-2NLD	WLCA12-2NLD-N OMR
WL01CA12-2NLD	WLCA12-2NLD-N OMR
WLCA12-2NLD-DK1EJ03	WLCA12-2NLD-DK1EJ-N
WLCA12-2NG	WLCA12-2NG-N
WLCA12-2NG1 CE	WLCA12-2NG1-N
WLCA12-2NG1LD	WLCA12-2NG1LD-N
WLCA12-2NA	WLCA12-2NA-N
WLCA12-2	WLCA12-2-N OMR
WL01CA12-2	WLCA12-2-N OMR
WLCA12-2LE	WLCA12-2LE-N
WLCA12-2LD	WLCA12-2LD-N OMR
WLCA12-2G	WLCA12-2G-N
WLCA12-2A	WLCA12-2A-N
WLCA12-26N	WLCA12-26N-N
WLCA12-267	WLCA12-267-N
WLCA12-266N	WLCA12-266N-N
WLCA12-266	WLCA12-266-N
WLCA12-264	WLCA12-264-N
WLCA12-20	WLCA12-20-N
WLMCA2-LD	WLMCA2-LD-N
WLMG2-LD	WLMG2-LD-N
WLMCA2-LD-AGJ03	WLMCA2-LD-AGJ-N
WLGCA2-55TSLD	WLGCA2-55TSLD-N
WLCA2-255Y	WLCA2-255Y-N
WLCL-55LD	WLCL-55LD-N
WLS21-55	WLS21-55-N
WLNJ-55LD	WLNJ-55LD-N
WLGCA2-55LD-DGJ03	WLGCA2-55LD-DGJ-N
WLCA2-2N55LD	WLCA2-2N55LD-N
WLD28-LDS-DGJS03	WLD28-LDS-DGJS-N
WLD28-YLE	WLD28-YLE-N OMR
WLGCA2-55LD-M1J 0.3M	WLGCA2-55LD-M1J-N
WLCA2-55LD-M1J 0.3M	WLCA2-55LD-M1J-N
WLRCA32-TC	WLRCA32-TC-N
WLG2-55LDS-M1GJ-1 0.3M	WLG2-55LDS-M1GJ-1-N
WLD28-LDK13	WLD28-LDK13-N
WLNJ-2G1 CE	WLNJ-2G1-N
WLGCA2-G1 CE	WLGCA2-G1-N
WLD2-55LDK43	WLD28-55LDK43-N
WLG2-55G1LD CE	WLG2-55G1LD-N
WLD2-G1LD CE	WLD28-G1LD-N
WLMG2-55LD	WLMG2-55LD-N
WLD-G1 CE	WLD18-G1-N
WLD2-LD-DGJ03	WLD28-LD-DGJ-N
WLD-G1LD	WLD18-G1LD-N
WLD28-G1LDS	WLD28-G1LDS-N
WLCA2-55LDK43	WLCA2-55LDK43-N
WLGCA2-LDK43	WLGCA2-LDK43-N
WLGCA2-LD-M1J	WLGCA2-LD-M1J-N
WLGCA2-2G1 CE	WLGCA2-G1-N
WLGCA2-G1LD CE	WLGCA2-G1LD-N
WLCA2-55LD-M1JB	WLCA2-55LD-M1JB-N
WLD2-55LD-DGJ03	WLD28-55LD-DGJ-N
WLCA2-LDS-M1J-1 0.3M	WLCA2-LDS-M1J-1-N
WLGL-55LD	WLGL-55LD-N
WLD28-LDS-M1J-1	WLD28-LDS-M1J-1-N
WLG2-141LD3-DGJ03	WLG2-141LD3-DGJ-N

Product discontinuation	Recommended replacement
WLNJ-30THG1 CE	WLNJ-30THG1-N
WLD28-LDS-M1GJ-1	WLD28-LDS-M1GJ-1-N
WLD2-LDK43	WLD28-LDK43-N
WLD28-LDS-DGJS03T	WLD28-LDS-DGJST-N
WLD28-Y	WLD28-Y-N OMR
WLG2-145LD3-M1J	WLG2-145LD3-M1J-N
WLH2-55LDK13	WLCA2-55LDK13-N
WLG2-55LD-M1GJ 0.3M	WLG2-55LD-M1GJ-N
WLD-55LDK13	WLD18-55LDK13-N
WLCA2-55LDK13	WLCA2-55LDK13-N
WLGCA12-LD	WLGCA12-LD-N
WLNJ-2LDK13	WLNJ-2LDK13-N
WLS2-G1LD	WLS2-G1LD-N
WLMH2-55LD-M1GJ	WLMCA2-55LD-M1GJ-N
WLGCA2-55LDK43	WLGCA2-55LDK43-N
WLNJ-255LD	WLNJ-255LD-N
WLMCA2-LDK43A	WLMCA2-LDK43A-N
WLD2-GLD	WLD28-GLD-N OMR
WLGL-RP	WLGL-RP-N
WLGCA2-G1LE	WLGCA2-G1LE-N
WLD2-55LD-M1GJ 0.3M	WLD28-55LD-M1GJ-N
WLCA2-55LDK13 CE	WLCA2-55LDK13-N
WLD2-G1LE	WLD28-G1LE-N
WLG2-55LDK13CE	WLG2-55LDK13-N
WLGCA2-55LDK13CE	WLGCA2-55LDK13-N
WLD2-55LD-M1J 0.3M	WLD28-55LD-M1J-N
WLG2-141LD2 5M	WLG2-141LD2-N 5M
WLCA12-55LDK13	WLCA12-55LDK13-N
WLNJ-LDK43	WLNJ-LDK43-N
WL01CA32-43LDK43	WLCA32-43LDK43-N
WLD-LD-M1J 0.3M	WLD18-LD-M1J-N
WLD2-RP60LE2	WLD28-RP60LE2-N 5M
WLMCA2	WLMCA2-N
WLD2-LD-AGJ03	WLD28-LD-AGJ-N
WLG2-141LD3-M1GJ 0.3M	WLG2-141LD3-M1GJ-N
WLCA2-55LD-DGJ03	WLCA2-55LD-DGJ-N
WLCA12-140 15M	WLCA12-140-N 15M
WLG2-LDS-M1GJ-1 0.3M	WLG2-LDS-M1GJ-1-N
WLD28-TC	WLD28-TC-N
WLCL-2N55LD	WLCL-2N55LD-N
WLGCA2-8TS	WLGCA2-8TS-N
WLNJ-G1	WLNJ-G1-N
WLCA2-139LD3 3M	WLCA2-139LD3-N 3M
WLCA2-55139 2M	WLCA2-55139-N 2M
WLCA2-7139 1M	WLCA2-7139-N 1M
WLD2-139 3M	WLD28-139-N 3M
WLGCA2-55139 5M	WLGCA2-55139-N 5M
WLNJ-2139 2M	WLNJ-2139-N 2M
WLNJ-S2139 3M	WLNJ-S2139-N 3M
WL01CA12-RP	WLCA12-RP-N
WLD3-G1LD CE	WLD38-G1LD-N
WLNJ-28	WLNJ-28-N
WLCA2-255LD	WLCA2-255LD-N
WLGCA2-LDS-M1J-1	WLGCA2-LDS-M1J-1-N
WLGCA2-LD-DGJ03	WLGCA2-LD-DGJ-N
WLCA2-RP	WLCA2-RP-N
WLCA2-RP55	WLCA2-RP55-N
WLCA2-RP60	WLCA2-RP60-N 5M
WLCA2-255	WLCA2-255-N



<b>Product discontinuation</b>	<b>Recommended replacement</b>
WLCA2-2N55	WLCA2-2N55-N
WLCA2-2RP	WLCA2-2RP-N
WLCA2-2RP60	WLCA2-2RP60-N 5M
WLCA2-55LD	WLCA2-55LD-N
WLCA2-55	WLCA2-55-N
WLCA2-7RP	WLCA2-7RP-N
WLCA2-755	WLCA2-755-N
WLCA2-8RP	WLCA2-8RP-N
WLGCA2-55LD	WLGCA2-55LD-N
WLGCA2	WLGCA2-N
WLGCA2-RP	WLGCA2-RP-N
WLGCA2-RP60	WLGCA2-RP60-N 5M
WLGCA2-TC	WLGCA2-TC-N
WLGCA2-TH	WLGCA2-TH-N
WLGCA2-TS	WLGCA2-TS-N
WLGCA2-2	WLGCA2-N
WLGCA2-55	WLGCA2-55-N
WLGCA2-8TH	WLGCA2-8TH-N
WLGCA2-LE	WLGCA2-LE-N
WLGCA2-2LE	WLGCA2-LE-N
WLG2-55	WLG2-55-N
WLH2-55	WLCA2-55-N
WLG2-RP40	WLG2-RP40-N 5M
WLG2-RP55	WLG2-RP55-N
WLG2-55LE	WLG2-55LE-N
WLGCA2-55LE	WLGCA2-55LE-N
WLH2-RP	WLCA2-RP-N
WLGCA2-2LD	WLGCA2-LD-N
WLMCA2-LDK13	WLMCA2-LDK13-N
WLG2-55LDK15	WLG2-55LDK15-N
WLGCA2-LES	WLGCA2-LES-N
WLG2-55LD	WLG2-55LD-N
WLD2-55LD	WLD28-55LD-N
WLGCA2-LD	WLGCA2-LD-N
WLGCA2-LDAS	WLGCA2-LDAS-N
WLGCA2-LDS	WLGCA2-LDS-N
WLHAL4-RP	WLCAL4-RP-N
WLMCA2-LDK13A	WLMCA2-LDK13A-N
WLMGCA2-LDK13	WLMGCA2-LDK13-N
WLMGCA2-LDK12	WLMGCA2-LDK12-N
WLMGCA2-LDK13A	WLMGCA2-LDK13A-N
WLG2-55LDK13	WLG2-55LDK13-N
WLCA32-41LD	WLCA32-41LD-N
WLCA32-43LD	WLCA32-43LD-N
WLD-LD	WLD18-LD-N
WLD28-LD	WLD28-LD-N OMR
WLD3-LD	WLD38-LD-N
WLNJ-LD	WLNJ-LD-N OMR
WLNJ-S2LD	WLNJ-S2LD-N
WLNJ-2LD	WLNJ-2LD-N
WLNJ-30LD	WLNJ-30LD-N
WLS-D-LD	WLS-D-LD-N
WLS-D2-LD	WLS-D2-LD-N
WLS-D3-LD	WLS-D3-LD-N
WLG2-55LDS	WLG2-55LDS-N
WLRCA32	WLRCA32-N
WLRGCA2	WLRGCA2-N
WLNJ-S2THG	WLNJ-S2THG-N OMR
WLGCA2-LD-M1GJ 0.3M	WLGCA2-LD-M1GJ-N

<b>Product discontinuation</b>	<b>Recommended replacement</b>
WLGCA2-LDK13	WLGCA2-LDK13-N
WLGCA2-55LDK13	WLGCA2-55LDK13-N
WLG2-55LDS-DGJS03	WLG2-55LDS-DGJS-N
WLG2-55LD-DGJ03	WLG2-55LD-DGJ-N
WLGAL4-2TH	WLGAL4-TH-N
WLCA2-140 5M	WLCA2-140-N 5M
WLH12-140 5M	WLCA12-140-N 5M
WLG2-RP60LD2	WLG2-RP60LD2-N 5M
WLG2-RP60LD3	WLG2-RP60LD3-N 5M
WLGCA2-140LD3 5M 1A 2SIN	WLGCA2-140LD3-N 5M 1A 2SIN
WLCA2-140LD3 5M 1A 2SIN	WLCA2-140LD3-N 5M 1A 2SIN
WLG2-140LD3 5M 1A 2SIN	WLG2-140LD3-N 5M 1A 2SIN
WLGCA2-140LD2 5M 1B 2SIN	WLGCA2-140LD2-N 5M 1B 2SIN
WLCA2-140LD2 5M 1B 2SIN	WLCA2-140LD2-N 5M 1B 2SIN
WLG2-55LD-DK1EJ03	WLG2-55LD-DK1EJ-N
WLD2-55LD-DK1EJ03	WLD28-55LD-DK1EJ-N
WLGCA2-YLE	WLGCA2-YLE-N
WLG2-55LD-M1J(0.3M)	WLG2-55LD-M1J-N
WLG2-55LDS-M1J-1(0.3M)	WLG2-55LDS-M1J-1-N
WLCA12-RP	WLCA12-RP-N
WLCA12-2N55	WLCA12-2N55-N
WLCA12-2RP	WLCA12-2RP-N
WLCA12-55	WLCA12-55-N
WLGCA12	WLGCA12-N
WLGCA12-2	WLGCA12-N
WLCA2-55LE	WLCA2-55LE-N
WLCA2-RP40	WLCA2-RP40-N 5M
WLH2-RP60	WLCA2-RP60-N 5M
WLG2-RP60	WLG2-RP60-N 5M
WLH12-55LE	WLCA12-55LE-N
WLH12-RP	WLCA12-RP-N
WLHL-RP	WLCL-RP-N
WLCL-140LD3 5M 1A 2SIN	WLCL-140LD3-N 5M 1A 2SIN
WLGCA2-14TH	WLGCA2-14TH-N
WLG2-55LDK43	WLG2-55LDK43-N
WLCA12-55LD	WLCA12-55LD-N
WLH12-P155	WLCA12-P155-N
WLRGCA2-LES	WLRGCA2-LES-N
WLH2-55LD	WLCA2-55LD-N
WLCL-RP	WLCL-RP-N
WLCL-2RP	WLCL-2RP-N
WLCL-55	WLCL-55-N
WLGCL	WLGCL-N
WLCL-2NRP40	WLCL-2NRP40-N 5M
WLCA32-43LD-DGJ03	WLCA32-43LD-DGJ-N
WLD2-YLE	WLD28-YLE-N OMR
WLD2	WLD28-N OMR
WLD2-G	WLD28-G-N OMR
WLD2-RP	WLD28-RP-N
WLD2-RP55	WLD28-RP55-N
WLD2-RP60	WLD28-RP60-N 5M
WLD2-TC	WLD28-TC-N
WLD2-TH	WLD28-TH-N
WLD2-TS	WLD28-TS-N OMR
WLD2-55	WLD28-55-N
WLD2-LD	WLD28-LD-N OMR
WLD28	WLD28-N OMR
WLD2-LE	WLD28-LE-N
WLD28-LE	WLD28-LE-N

Product discontinuation	Recommended replacement
WLD28-LES	WLD28-LES-N
WLD28-TH	WLD28-TH-N
WLD28-55LD	WLD28-55LD-N
WLD2-55LE	WLD28-55LE-N
WLD2-RP40	WLD28-RP40-N 5M
WLD28-LDS	WLD28-LDS-N
WLD28-55LE	WLD28-55LE-N
WLD28-RP40	WLD28-RP40-N 5M
WLD2-LD-M1J 0.3M	WLD28-LD-M1J-N
WLD2-LDK13	WLD28-LDK13-N
WLD2-55LDK13	WLD28-55LDK13-N
WLD2-LD-M1GJ	WLD28-LD-M1GJ-N
WLMCA2-LDK43	WLMCA2-LDK43-N
WLMCA2-LD-M1J	WLMCA2-LD-M1J-N
WLMH2-LD	WLMCA2-LD-N
WLMH2-LDK13A	WLMCA2-LDK13A-N
WLMH2-LDK13	WLMCA2-LDK13-N
WLMH2-LDK43A	WLMCA2-LDK43A-N
WLMH2-LDK43	WLMCA2-LDK43-N
WLMH2-LD-M1J	WLMCA2-LD-M1J-N
WLMH2-LD-DGJ03	WLMCA2-LD-DGJ-N
WLMG2-LDK13A	WLMG2-LDK13A-N
WLMG2-LDK13	WLMG2-LDK13-N
WLMG2-LDK43	WLMG2-LDK43-N
WLMG2-LD-M1J	WLMG2-LD-M1J-N
WLMG2-LD-DGJ03	WLMG2-LD-DGJ-N
WLMGCA2-LD	WLMGCA2-LD-N
WLMGCA2-LDK43A	WLMGCA2-LDK43A-N
WLMGCA2-LDK43	WLMGCA2-LDK43-N
WLMGCA2-LD-M1J	WLMGCA2-LD-M1J-N
WLMCA2-LDK15	WLMCA2-LDK15-N
WLMGCA2-LDK15	WLMGCA2-LDK15-N
WLMCA2-LDK17	WLMCA2-LDK17-N
WLD	WLD18-N OMR
WLD-55LD	WLD18-55LD-N
WLD-G	WLD18-G-N OMR
WLD-RP	WLD18-RP-N
WLD-TC	WLD18-TC-N
WLD-TH	WLD18-TH-N
WLD-TS	WLD18-TS-N OMR
WLD-55	WLD18-55-N
WLD28-55	WLD28-55-N
WLD-RP60	WLD18-RP60-N 5M
WLD28-55LDK43	WLD28-55LDK43-N
WLNJ	WLNJ-N OMR
WLNJ-G	WLNJ-G-N OMR
WLNJ-RP	WLNJ-RP-N
WLNJ-S2	WLNJ-S2-N OMR
WLNJ-S2TH	WLNJ-S2TH-N
WLNJ-S2G	WLNJ-S2G-N OMR
WLNJ-S2TS	WLNJ-S2TS-N OMR
WLNJ-S2RP	WLNJ-S2RP-N
WLNJ-TC	WLNJ-TC-N
WLNJ-TH	WLNJ-TH-N OMR
WLNJ-TS	WLNJ-TS-N OMR
WLNJ-2	WLNJ-2-N OMR
WLNJ-2G	WLNJ-2G-N OMR
WLNJ-TCG	WLNJ-TCG-N OMR
WLNJ-2RP	WLNJ-2RP-N

Product discontinuation	Recommended replacement
WLNJ-20	WLNJ-20-N
WLNJ-21	WLNJ-21-N
WLNJ-30	WLNJ-30-N OMR
WLNJ-30TH	WLNJ-30TH-N
WLNJ-30G	WLNJ-30G-N OMR
WLNJ-30TS	WLNJ-30TS-N OMR
WLNJ-30TSLD	WLNJ-30TSLD-N OMR
WLNJ-3055	WLNJ-3055-N
WLNJ-30RP	WLNJ-30RP-N
WLNJ-55	WLNJ-55-N
WLNJ-9	WLNJ-9-N
WLNJ-30TSLE	WLNJ-30TSLE-N OMR
WLNJ-LE	WLNJ-LE-N
WLNJ-2LE	WLNJ-2LE-N
WLNJ-S2LE	WLNJ-S2LE-N
WLNJ-30LE	WLNJ-30LE-N
WLNJ-RP40	WLNJ-RP40-N 5M
WLNJ-2RP60	WLNJ-2RP60-N 5M
WLNJ-LD-M1J(0.3M)	WLNJ-LD-M1J-N
WLNJ-LDK13	WLNJ-LDK13-N
WLNJ-G1LD	WLNJ-G1LD-N
WLCA32-41	WLCA32-41-N OMR
WLCA32-41TS	WLCA32-41TS-N OMR
WLCA32-41G	WLCA32-41G-N OMR
WLCA32-42	WLCA32-42-N
WLCA32-44LD	WLCA32-44LD-N
WLCA32-43	WLCA32-43-N OMR
WLCA32-043LD	WLCA32-043LD-N
WLCA32-44	WLCA32-44-N
WLCA32-41LE	WLCA32-41LE-N
WLCA32-43LE	WLCA32-43LE-N
WLCA32-043LE	WLCA32-043LE-N
WLCA32-041TH	WLCA32-041TH-N
WLCA32-043TH	WLCA32-043TH-N
WLCA32-43RP40	WLCA32-43RP40-N 5M
WLCA32-4355LD	WLCA32-4355LD-N
WLS21-LD	WLS21-LD-N
WLS21-LE	WLS21-LE-N
WLS21	WLS21-N
WLD3	WLD38-N OMR
WLD3-G	WLD38-G-N OMR
WLD3-RP	WLD38-RP-N
WLD3-TC	WLD38-TC-N
WLD3-TH	WLD38-TH-N
WLD3-TS	WLD38-TS-N OMR
WLD3-55	WLD38-55-N
WLS2	WLS2-N OMR
WLS2-G	WLS2-G-N OMR
WLS2-TC	WLS2-TC-N
WLS2-TH	WLS2-TH-N
WLS2-TS	WLS2-TS-N OMR
WLS2-55	WLS2-55-N
WLS22	WLS22-N OMR
WLS22-G	WLS22-G-N OMR
WLS22-TC	WLS22-TC-N
WLS22-TH	WLS22-TH-N
WLS22-TS	WLS22-TS-N OMR
WLS22-55	WLS22-55-N
WLS23	WLS23-N OMR

<b>Product discontinuation</b>	<b>Recommended replacement</b>
WLS3-G	WLS3-G-N OMR
WLS-LE	WLS-LE-N
WLS2-LE	WLS2-LE-N
WLS3-LE	WLS3-LE-N
W3-LE	W38-LE-N
W28-TS	W28-TS-N OMR
W12-RP	W12-RP-N
W2-55LE	W2-55LE-N
W32-43G	W32-43G-N OMR
W32-41Y	W32-41Y-N OMR
W2-6	W2-6-N
W2-G1	W28-G1-N
W-THG	W18-THG-N OMR
W2-Y	W28-Y-N OMR
W28-RP	W28-RP-N
W12-RP55	W12-RP55-N
W2-RP	W2-RP-N
WLS2-Y	WLS2-Y-N OMR
WLS-55LD	WLS-55LD-N
W2-RP60	W2-RP60-N 5M
WLS2-RP60	WLS2-RP60-N 5M
WCL-RP60	WCL-RP60-N 5M
W2-140LD2 5M 1B 2SIN	W2-140LD2-N 5M 1B 2SIN
W12-RP60	W12-RP60-N 5M
WLS-RP60	WLS-RP60-N 5M
W28-RP60	W28-RP60-N 5M
W2-RP60LE3	W2-RP60LE3-N 5M
W12-RP40	W12-RP40-N 5M
W2-55G1LD	W28-55G1LD-N
W2-140K41	W12-140K41-N
WLS-RP	WLS-RP-N
WLS2-RP	WLS2-RP-N
WLS3-RP	WLS3-RP-N
WLS2-RP40	WLS2-RP40-N 5M
W2-A	W2-A-N
W2-TS	W2-TS-N
W32-041	W32-041-N
W32-043	W32-043-N
WLS3-TS	WLS3-TS-N OMR
W2-TS	W2-TS-N
W2-Y	W28-Y-N OMR
W28-TSLD	W28-TSLD-N OMR
W2-LE	W18-LE-N
W2-2N55LE	W2-2N55LE-N
W2-255LE	W2-255LE-N
W12-255LE	W12-255LE-N
W12-55LE	W12-55LE-N
W2-255LE	W2-255LE-N
W2-LD-DGJ03	W2-LD-DGJ-N
W2-2NRP40 5M	W2-2NRP40-N 5M

Product discontinuation	Recommended replacement
WLCA12-2NRP40 5M	WLCA12-2NRP40-N 5M
WLD2-LD-DK1EJ03	WLD28-LD-DK1EJ-N
WL01G2-55LDK43	WLG2-55LDK43-N
WL01GCA2-55LDK43	WLGCA2-55LDK43-N
WL01D2-G1LD	WLD28-G1LD-N
WL01NJ-LD	WLNJ-LD-N OMR
WL01CA32-44	WLCA32-44-N
WL01CA32-43LD	WLCA32-43LD-N
WL01CA2-55LDK13	WLCA2-55LDK13-N
WL01GCA2	WLGCA2-N
WL01GCA2-LD	WLGCA2-LD-N
WL01GCA2-55LDK13	WLGCA2-55LDK13-N
WL01CA2-55LD	WLCA2-55LD-N
WL01G2-55LD	WLG2-55LD-N
WL01D2-LD	WLD28-LD-N OMR
WL01H2-55	WLCA2-55-N
WL01G2-55LDK13	WLG2-55LDK13-N
WL01GCA12	WLGCA12-N
WL01D2	WLD28-N OMR
WL01D2-55LDK13	WLD28-55LDK13-N
WL01D28	WLD28-N OMR
WL01D	WLD18-N OMR
WL01D-LD	WLD18-LD-N
WL01D3-LD	WLD38-LD-N
WL01D28-LD	WLD28-LD-N OMR
WL01NJ	WLNJ-N OMR
WL01NJ-2LD	WLNJ-2LD-N
WL01NJ-S2	WLNJ-S2-N OMR
WL01NJ-2	WLNJ-2-N OMR
WL01NJ-30	WLNJ-30-N OMR
WL01CA32-41	WLCA32-41-N OMR
WL01CA32-43	WLCA32-43-N OMR
WL01D3	WLD38-N OMR
WL01SD	WLSN-N OMR
WL01SD2	WLSN2-N OMR
WL01SD3-LD	WLSN3-LD-N
WL01SD3	WLSN3-N OMR
WL01SD2-LD	WLSN2-LD-N
WL01SD-LD	WLSN-LD-N
WLCA12-139 10M	WLCA12-139-N 10M
WLNJ-2139 VCT 5M	WLNJ-2139-N 5M
WLCA2-2139LD2 5M	WLCA2-2139LD2-N 5M
WLCA12-141 5M	WLCA12-141-N 5M
WLCL-RP60LD3 5M	WLCL-RP60LD3-N 5M
WLCA2-2RP60LD3 5M	WLCA2-2RP60LD3-N 5M
WLH2-141 5M	WLCA2-141-N 5M
WLH2-RP60LD3 5M	WLCA2-RP60LD3-N 5M
WLNJ-2140 5M	WLNJ-2140-N 5M
WLD-RP60LE3 10M	WLD18-RP60LE3-N 10M
WLGCA2-55LD-M1GJ 1.0M	WLGCA2-55LD-M1GJ10-N
WLGCA2-55LD-M1GJ 0.5M	WLGCA2-55LD-M1GJ05-N
WLG2-55LD-M1GJ 1.0M	WLG2-55LD-M1GJ10-N
WLG2-55LD-M1GJ 0.5M	WLG2-55LD-M1GJ05-N
WLD2-55LD-M1GJ 1.0M	WLD28-55LD-M1GJ10-N
WLD2-55LD-M1GJ 0.5M	WLD28-55LD-M1GJ05-N
WLNJ-S2140	WLNJ-S2140-N 5M
WLG2-141 5M	WLG2-141-N 5M
WLGCA2-141LD3 5M	WLGCA2-141LD3-N 5M
WLG2-145LD3-DGJ03	WLG2-145LD3-DGJ-N

Product discontinuation	Recommended replacement
WLCA2-141LD2 5M	WLCA2-141LD2-N 5M
WLGCA2-55LD-AGJ03	WLGCA2-55LD-AGJ-N
WLCA2-2RP60LD3 10M	WLCA2-2RP60LD3-N 10M
WLD2-RP60LD3 10M	WLD28-RP60LD3-N 10M
WLGCA2-55LD-M1GJ 0.3M	WLGCA2-55LD-M1GJ-N
WLH2-RP60LD3 10M	WLCA2-RP60LD3-N 10M
WLD28-55LD-M1GJ	WLD28-55LD-M1GJ-N
WLCA12-P1140 5M	WLCA12-P1140-N 5M
WLCA2-139 1M	WLCA2-139-N 1M
WLCA2-139 2M	WLCA2-139-N 2M
WLCA2-139 3M	WLCA2-139-N 3M
WLCA2-139 5M	WLCA2-139-N 5M
WLCA2-2139 1M	WLCA2-2139-N 1M
WLCA2-2139 2M	WLCA2-2139-N 2M
WLCA2-2139 5M	WLCA2-2139-N 5M
WLGCA2-139 2M	WLGCA2-139-N 2M
WLGCA2-139 5M	WLGCA2-139-N 5M
WLCA2-2N139 5M	WLCA2-2N139-N 5M
WLCA12-139 1M	WLCA12-139-N 1M
WLCA12-139 2M	WLCA12-139-N 2M
WLCA12-139 5M	WLCA12-139-N 5M
WLCL-139 2M	WLCL-139-N 2M
WLCL-139 5M	WLCL-139-N 5M
WLD2-139 2M	WLD28-139-N 2M
WLD2-139 5M	WLD28-139-N 5M
WLD28-139 2M	WLD28-139-N 2M
WLNJ-139 5M	WLNJ-139-N 5M
WLCA2-55139 5M	WLCA2-55139-N 5M
WLCA2-141 5M	WLCA2-141-N 5M
WLCA12-140 5M	WLCA12-140-N 5M
WLH2-RP60LE2	WLCA2-RP60LE2-N 5M
WLH2-140 5M	WLCA2-140-N 5M
WLH2-139LE3 5M	WLCA2-139LE3-N 5M
WLH2-139LE3 1M	WLCA2-139LE3-N 1M
WLCA2-55LD-M1GJ 0.3M	WLCA2-55LD-M1GJ-N
WLGCA2-55LD-M1JB 0.3M	WLGCA2-55LD-M1JB-N
WLG2-139 5M	WLG2-139-N 5M
WLG2-RP60LE3	WLG2-RP60LE3-N 5M
WLNJ-LD-M1GJ 0.3M	WLNJ-LD-M1GJ-N
WLGCA2-RP60LD2	WLGCA2-RP60LD2-N 5M
WLGCA2-RP60LD3	WLGCA2-RP60LD3-N 5M
WLG2-LDS-M1J-1 0.3M	WLG2-LDS-M1J-1-N
WLGCA2-RP61LD3 5M	WLGCA2-RP61LD3-N 5M
WLGCA2-RP62LD3 5M	WLGCA2-RP62LD3-N 5M
WLG2-139LD3 5M	WLG2-139LD3-N 5M
WLD2-RP60LD2	WLD28-RP60LD2-N 5M
WLD2-RP60LD3	WLD28-RP60LD3-N 5M
WLD-RP60LD3	WLD18-RP60LD3-N 5M
WLD2-RP60LE3	WLD28-RP60LE3-N 5M
WLD28-140 5M	WLD28-140-N 5M
WLCA12-2N139 10M	WLCA12-2N139-N 10M
WLCA2-2139LE3 5M	WLCA2-2139LE3-N 5M
WLCA2-2139LD3 5M	WLCA2-2139LD3-N 5M
WLCA2-139LE2 VCT5M	WLCA2-139LE2-N 5M
WLCA2-139LD2 5M	WLCA2-139LD2-N 5M
WLCA2-139LD3 5M	WLCA2-139LD3-N 5M
WLCA2-2N140 5M	WLCA2-2N140-N 5M
WLCA2-8139 5M	WLCA2-8139-N 5M
WLGCA2-139LD2 5M	WLGCA2-139LD2-N 5M



<b>Product discontinuation</b>	<b>Recommended replacement</b>
WLGCA2-139LD3 5M	WLGCA2-139LD3-N 5M
WLG2-141LD3 5M	WLG2-141LD3-N 5M
WLNJ-140 5M	WLNJ-140-N 5M
WLCL-140 5M	WLCL-140-N 5M
WLCA2-2RP60 10M	WLCA2-2RP60-N 10M
WLCA2-RP60LD2	WLCA2-RP60LD2-N 5M
WLCA2-RP60LD3	WLCA2-RP60LD3-N 5M
WLCA2-2RP60LD2 5M	WLCA2-2RP60LD2-N 5M
WLGCA2 W1TH PARTS	WLGCA2-N
WLG2-P1LD	No recommended replacement
WLNJ-2TH	No recommended replacement
WLNJ-2TC	No recommended replacement
WLNJ-TSLE	No recommended replacement
WLG2-LDK13A	No recommended replacement
WLMCA2-55LDK13	No recommended replacement
WLCA2-140LDK13	No recommended replacement
WLCA2-7LR-DHJS03-A	No recommended replacement
WLG2-55LD-NS	No recommended replacement
WLMCA2-LDK12	No recommended replacement
WLG2-55LDS1	No recommended replacement
WLCA2-2NTHG	No recommended replacement
WLMG2-LDK43A	No recommended replacement
WLNJ-S2TCG	No recommended replacement
WLSL-THTS	No recommended replacement
WLCA2-55TS	No recommended replacement
WL01HL-GLD	No recommended replacement
WL01G2-55LDS	No recommended replacement
WL01CA2-2NG	No recommended replacement
WL01GCA2-G	No recommended replacement
WL01CA2-Y	No recommended replacement
WLG2-LDS-DK1EJ05	No recommended replacement
WLCL-2N139LD2 5M	No recommended replacement
WLGCA2 W1TH PARTS	WLGCA2-N

Please contact to our sales person about the other models.





**[ Body color ]**

Different point 1: The color of the rubber of the flexible rod type is changed.  
(The material of the rubber is changed.)

Product discontinuation Model WL series	Recommendable replacement Model WL-N series
<p>                     WLNJ-[]-TH                      WLNJ-[]-TC                      WLNJ-[]-P1                 </p> <p>                     Color of the cap rubber: Orange                      (Material: Silicone rubber)                 </p> 	<p>                     WLNJ-[]-TH-N                      WLNJ-[]-TC-N                      WLNJ-[]-P1-N                 </p> <p>                     Color of the cap rubber: Black                      (Material: Fluorine rubber)                 </p> <p>                     Color of the cap rubber: Black                      (Material: Epichlorhydrin rubber)                 </p> 









**[ Dimensions ]**

Different point 2: For a part of the roller lever type (Note), the dimension from the mounting hole to the rotary shaft is changed.





Product discontinuation Model WL series	Recommendable replacement Model WL-N series
<p>                     WLCA[]-2                      WLCA[]-2N                 </p> <p>                     Dimension from the mounting hole to the rotary shaft: 16.1 mm                      ( ) : total length                 </p>  <p>                     WLCA2-2                      WLCA2-2N                 </p>	<p>                     WLCA[]-2-N                      WLCA[]-2N-N                 </p> <p>                     Dimension from the mounting hole to the rotary shaft: 14.7 mm                      ( ) : total length                 </p>  <p>                     WLCA2-2-N                      WLCA2-2N-N                 </p>

Note: Overtravel, 90° operation type only

Different point 3: The actuator dimension of the plunger type is changed.  
 The plunger type is integrated into the plunger type with seal boot.



Product discontinuation Model WL series	Recommendable replacement Model WL-N series
<p><b>WLD</b>                      Plunger size: 9.2 dia.                      Without seal boot</p>  <p>Plunger</p>	<p><b>WLD18-N</b>                      Plunger size: 10 dia.                      With seal boot</p>  <p>Seal boot</p>
<p><b>WLD2</b>                      Roller size: 17 dia., 4.6 length                      Without seal boot</p>  <p>Roller</p>	<p><b>WLD28-N</b>                      Roller size: 14.3 dia., 5 length                      With seal boot</p>  <p>Seal boot</p>
<p><b>WLD28</b>                      Roller size: 11.2 dia., 5 length</p>  <p>Roller</p>	<p><b>WLD28-N</b>                      Roller size: 14.3 dia., 5 length</p> 
<p><b>WLD3</b>                      Without seal boot</p> 	<p><b>WLD38-N</b>                      With seal boot</p> 

Different point 4: For the flexible rod type, the dimension from the mounting hole to the root of the actuator is changed.



Product discontinuation Model WL series	Recommendable replacement Model WL-N series
<p>WLNJ-30</p> 	<p>WLNJ-30-N</p> 
<p>WLNJ-S2</p> 	<p>WLNJ-S2-N</p> 

[ Wire connection ]



Different point 5: The numbers of the terminals are changed. (For all models)

Product discontinuation Model WL	Recommendable replacement Model WL-N
<p>NO: Terminal No. 3 and 4 NC: Terminal No. 1 and 2</p> 	<p>NO: Terminal No. 13 and 14 NC: Terminal No. 11 and 12</p> 



**Different point 6: The terminals are changed.**  
**The mounting screws of the built-in switch are changed.**

Product discontinuation Model WL	Recommendable replacement Model WL-N
<p>Terminal screw: M4                      (Material: Brass with toothed washer)                      Mounting screw of built-in switch: M3 (+- screw)</p> <p>Mounting screw      Terminal screw</p>  <p>Built-in switch</p>	<p>Terminal screw: M3.5                      (Material: Steel with square washer)                      Mounting screw of built-in switch: M3 (torx screw)</p> 

**Different point 7: The earth terminal is changed.**




Product discontinuation Model WL	Recommendable replacement Model WL-N
<p>Earth terminal screw: M4                      (Material: Brass)</p>  <p>Earth terminal screw</p>	<p>Earth terminal screw: M3                      (Material: Steel, Finish: Zinc plated + colored)</p>  <p>Earth terminal screw</p> <p>The earth terminal screw is colored to distinguish it from the each terminals of the built-in switch.</p>

**Different point 8: The separator is not used. (For all models)**

Product discontinuation Model WL	Recommendable replacement Model WL-N
<p>With separator</p>  <p>Separator</p>	<p>Without separator</p>  <p>The seal rubber and the case of the built-in switch are used for ensure the insulation distance.</p>

[ Mounting dimensions ]

Different point 9: For a part of the roller lever type (Note), the mounting dimension is different.

Product discontinuation Model WL	Recommendable replacement Model WL-N
<p><b>WLCA[]-2N</b></p> <p>In case of mounting by rotating the switch by 90°</p> 	<p><b>WLCA[]-2N-N</b></p> <p>In case of mounting by rotating the head by 90°</p>  <p>When the switch is mounted by using the accessory (special plate), the mounting dimension is same as the one of WLCA2-2N series. (the dog position need not change.)</p> 



Note: WL[]-2N type only

**[ Operation ratings ]**

**Different point 10: The electrical rating of the electrical durability is changed.**

Product discontinuation Model WL	Recommendable replacement Model WL-N
<b>For example: WLCA2</b> Electrical durability: 750,000 operations Electrical rating: 125VAC 10A (resistive road)	<b>For example: WLCA2-N</b> Electrical durability: 750,000 operations Electrical rating: 250VAC 3A (resistive road)

**Different point 11: The UL approved electrical rating is changed. In addition, the product marking is changed.**

Product discontinuation Model WL	Recommendable replacement Model WL-N
<b>For example: WLG2</b> UL approved electrical rating: NEMA A600 The product marking is as noted blow.  	<b>For example: WLG2-N</b> UL approved electrical rating: NEMA B600 The product marking is as noted blow. CSA is approved by UL.  

Please contact to our sales person about the model number which the UL approved rating is changed.

**[ Characteristics ]**







**Different point 12: The model numbers are integrated. Therefore the operating characteristics are changed.**

Item	Product discontinuation Model WL			Recommendable replacement Model WL-N		
	WLCA2	WLCA2-2	WLCA2-2N	WLCA2-N	WLCA2-2-N	WLCA2-2N-N
<b>Operating force OF max.</b>	13.34 N	8.83 N	9.61 N	13.34 N		
<b>Release force RF min.</b>	2.23 N	0.49 N	1.18 N	1.18 N		
<b>Overtravel OT min.</b>	30°	60°	70°	70°	60°	70°



Please contact to our sales person about the other models.

[ Operation methods ]

Different point 13: The set position marker to show the proper overtravel range is changed.

<p>Product discontinuation Model WL</p>	<p>Recommendable replacement Model WL-N</p>
<p><b>For example: WLCA2</b></p> <p>Set the indicator needle on the marker plate so that is in the convex section of the head. The proper range: 25 to 45°</p> 	<p><b>For example: WLCA2-N</b></p> <p>Set the indicator needle on the marker plate so that is between the convex section 1 and 2 of the head. The proper range: 25 to 70°</p> 
<p><b>For example: WLMCA2</b></p> <p>Set the slit (fluorescent paint) in the rubber cap so that is in the convex section on the head.</p> 	<p><b>For example: WLMCA2-N</b></p> <p>Set the convex section on the lever so that is between the convex section and the other convex section on the head cap.</p> 
<p><b>For example: WLCA2-141</b></p> <p>Set the indicator needle on the marker plate so that is in the convex section of the head.</p> 	<p><b>For example: WLCA2-141-N</b></p> <p>Set the convex section on the lever so that is between the convex section and the other convex section on the head cap.</p> 

**Different point 14: The groove section on the operating plunger is changed.**



Product discontinuation Model WL	Recommendable replacement Model WL-N
<p><b>For example: WLD28</b> With the groove section on the operating plunger</p>  <p>The groove section is the guide of the overtravel. The top of the head must be moved to the middle of the groove sections.</p>	<p><b>For example: WLD28-N</b> Without the groove section on the operating plunger</p>  <p>The actuator must be moved to the distance of 80% to 100% of the rated overtravel (OT) of the switch.</p>

**[ Other ]**

**Different point 15: The kinds of the electrical loads are integrated.**



Product discontinuation Model WL	Recommendable replacement Model WL-N
<p><b>For example: WL01CA2 (Micro load)</b> <b>WLCA2 (General load)</b></p>	<p><b>For example: WLCA2-N (General load/ Micro load)</b></p>

**Different point 16: The head is fixed with two head-mounting screws. (For all models)**

Product discontinuation Model WL	Recommendable replacement Model WL-N
<p><b>For example: WLCA2</b> The head is fixed with four head-mounting screws.</p> 	<p><b>For example: WLCA2-N</b> The head is fixed with two head-mounting screws.</p> 





**Different point 17: The mounting direction of the head is decided.**

<p><b>Product discontinuation Model WL</b></p>	<p><b>Recommendable replacement Model WL-N</b></p>
<p><b>For example: WLD2</b> The mounting direction of the head is not decided.</p> 	<p><b>For example: WLD28-N</b> The mounting direction of the head is decided. The head direction is not changed by 180°. (Mark: the convex section on the ear-clamp)</p> <p>Before delivery                      NG</p> <p>Convex section on the ear-clamp    Convex section on the ear-clamp</p> 



On changing the head, mount the switch so that the convex section on the ear-clamp does not come to the back. Please contact to our sales person about the other models.

**Different point 18: The one-side operation is available.**



<p><b>Product discontinuation Model WL</b></p>	<p><b>Recommendable replacement Model WL-N</b></p>
<p><b>For example: WLH2</b> Only the both-side operation</p> 	<p><b>For example: WLCA2-N</b> One-side operation is available.</p>  <p>Operation on right</p> <p>Plunger</p> <p>Operation on left</p> <p>When the plunger direction is changed, the one-side operation is available.</p>

Please contact to our sales person about the other models.

**Different point 19: The head direction of the rotating lever can be changed every 90°.**

Product discontinuation Model WL	Recommendable replacement Model WL-N
<p><b>For example: WLCA[]-2N</b> The head direction can be changed every 180°.</p> <p>Disconnect the two head screws, and after that, the head direction can be changed 180° .</p> 	<p><b>For example: WLCA[]-2N-N</b> The head direction can be changed every 90°.</p> <p>Disconnect the two head screws, and after that, the head direction can be changed every 90°.</p> 

**Different point 20: The head mounting method of the flexible rod type is changed.**

Product discontinuation Model WL	Recommendable replacement Model WL-N
<p><b>For example: WLNJ</b> Head mounting method: screwing</p> 	<p><b>For example: WLNJ-N</b> Head mounting method: screw-tightening</p> 

**Different point 21: SC connector isn't attached.**

Product discontinuation Model WL	Recommendable replacement Model WL-N
<p><b>For example: WLCA2 WITH PARTS</b> With SC connector</p>	<p><b>For example: WLCA2-N BY OMR</b> Without SC connector</p>

Specifications and prices in this product news are as of the issue date and are subject to change without notice. Only main changes in specifications are described in this document. Please be sure to read the relevant catalogs, datasheets, product specifications, instructions, and manuals for precautions and necessary information when using products.