multicomp PRO

RoHS



Features

- High power rating up to 3 Watts
- Low TCR down to ±50 PPM/°C
- Resistance values from $3m\Omega$ to $100m\Omega$
- Customized resistance available

Compliant

Applications

- NB (for Power Management)
- MB (for Power Management)
- SWPS (DC-DC Converter, Charger, Adaptor)
- Monitor (for Power Management)

Construction



1	Alloy Plate	4	Internal Electrode
2	Overcoat	5	Barrier Layer
3	Marking	6	Solder Plating

Dimensions

Туре	Size (Inch)	L (mm)	W (mm)	T (mm)	D (mm)
MCLRP06	1206	3.1 ±0.1	1.6 ±0.1	0.6 ±0.1	0.45 ±0.15
MCLRP12	2512	6.4 ±0.25	3.2 ±0.25	0.7 ±0.2	0.9 ±0.3

Electrical Specifications

Item	Power Rating	Operating Temp.				
Туре		Range	±0.5%	±1%	±5%	
MCLRP06 (1206)	1W	-55°C ~ +170°C		±100		
MCI DD12 (2512)	110/ 210/ 210/	55°C a +170°C	3, 4, 5, 6, 7, 35, 39, 40, 4	±75		
WIGERF 12 (2312)	100, 200, 300	-55°C ~ +170°C	15, 18, 20, 2	±50		

Operating Current = $\sqrt{(P/R)}$, Operationg Voltage = $\sqrt{(P \times R)}$

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro



Environmental Characteristics

Item	Requirement	Test Method
Temperature Coefficient of Resistance (T.C.R.)	As Spec.	IEC60115-1 4.8 JIS-C-5201-1 4.8 +25°C ~ 125°C, 25°C is the reference temperature
Short Time Overload	±1%	IEC60115-1 4.13 JIS-C-5201-1 4.13 5*rated power for 5 seconds
Insulation Resistance	≥10G	IEC60115-1 4.6 JIS-C-5201-1 4.13 100V DC for 1 minute
Endurance	±1%	IEC60115-1 4.25 JIS-C-5201-1 4.25.1 70±2°C, rated power for 1000 hrs with 1.5 hrs "ON" and 0.5 hr "OFF"
Biased Humidity	±1%	MIL-STD-202 Method 103 1000 hrs 85°C/85%RH 10% of operating power
Dry Heat	±1%	IEC60115-1 4.23.2 JIS-C-5201-1 4.23.2 at +170°C for 1000 hrs
Bending Strength	±1%	JIS-C-5201-1 4.33 IEC-60115-1 4.33 Bending width 2mm once for 5 seconds
Solderability	95% min. coverage	JIS-C-5201-1 4.17 IEC-60115-1 4.17 245±5°C for 3 seconds
Resistance to Soldering Heat	±0.5%	JIS-C-5201-1 4.18 IEC-60115-1 4.18 260±5°C for 10 seconds
Rapid Change of Temperature	±1%	JIS-C-5201-1 4.19 IEC-60115-1 4.19 -55°C to +155°C, 5 cycles
Low Temperature Storage	±1%	IEC60115-1 4.23.4 JIS-C-5201-1 4.23.4 at -55°C for 2 hrs

RCWV(Rated Continuous Working Voltage)= $\sqrt{(P^*R)}$ or Max. Operating Voltage whichever is lower.

Storage Temperature: 15~28°CHumidity: < 80%RH</td>

Derating Curve



Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro



multicomp PRO

Soldering Condition (Reflow Soldering Only)



øВ

(1) Time of IR reflow soldering at maximum temperature point 260°C : 10s

Packaging

Reel Specifications & Packaging Quantity



Туре	Resistance (mΩ)	Packaging Quantity		Tape Width	Reel Diameter	ΦA (mm)	ΦB (mm)	ΦC (mm)	W (mm)	T (mm)
MCLRP06	8 ~ 20	Paper	5K	8mm	7 inch	178.5 ±1.5	60+/-0	13 ±0.2	9 ±0.5	12.5 ±0.5
	4 ~ 100	Embossed	4K	12mm	7 inch	178.5 ±1.5	60 ±1	13 ±0.5	13 ±1	15.5 ±0.5
	3	Embossed	2K	12mm	7 inch	178.5+/-1.5	60 ±1	13 ±0.5	13 ±1	15.5 ±0.5

Embossed Plastic Tape Specifications



Туре	A	B	W	E	F	P₀	P1	P₂	D₀	T
	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
MCLRP12	3.5 ±0.1	6.7 ±0.1	12 ±0.3	1.75 ±0.1	5.5 ±0.05	4 ±0.1	4 ±0.1	2 ±0.05	1.5 +0.1, -0	1.2 +0

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

multicomp PRO

Paper Tape Specifications



Туре	A	B	W	E	F	P₀	P₁	P₂	D₀	T
	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
MCLRP06	1.9 ±0.1	3.5 ±0.2	8 ±0.2	1.75 ±0.1	3.5 ±0.05	4 ±0.1	4 ±0.05	2 ±0.05	1.5 +0.1,-0	0.85 ±0.1

Recommend Land Pattern



Туре	A (mm)	B (mm)	C (mm)
MCLRP06	1.5	1.4	1.7
MCLRP12	4	2	3.5

FR4 copper board, 100µm of copper pad thickness

Part Number Explanation



Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

