

SEMELAB

Type No.	Reliability Option	Polarity	Package	V _{CEO}	I _C cont	h _{FE} @	V _{CE} /I _C	f _T	P _D
BD234		PNP	TO126	45	2	40-250	2/0.15	3M	25
BD235		NPN	TO126	60	2	40-250	2/0.15	3M	25
BD236		PNP	TO126	60	2	40-250	2/0.15	3M	25
BD237		NPN	TO126	80	5	40-160	2/0.15	3M	25
BD238		PNP	TO126	80	5	40-160	2/0.15	3M	25
BD239		NPN	TO220	45	4	15min	4/1	3M	30
BD239A		NPN	TO220	60	4	15min	4/1	3M	30
BD239B		NPN	TO220	80	4	15min	4/1	3M	30
BD239C		NPN	TO220	100	4	15min	4/1	3M	30
BD240		PNP	TO220	45	4	15min	4/1	3M	30
BD240A		PNP	TO220	60	4	15min	4/1	3M	30
BD240B		PNP	TO220	80	4	15min	4/1	3M	30
BD240C		PNP	TO220	100	4	15min	4/1	3M	30
BD241		NPN	TO220	45	3	25min	4/1	3M	40
BD241A		NPN	TO220	60	3	25min	4/1	3M	40
BD241B		NPN	TO220	80	3	25min	4/1	3M	40
BD241C		NPN	TO220	100	3	25min	4/1	3M	40
BD242		PNP	TO220	45	3	25min	4/1	3M	40
BD242A		PNP	TO220	60	3	25min	4/1	3M	40
BD242B		PNP	TO220	80	3	25min	4/1	3M	40
BD242C		PNP	TO220	100	3	25min	4/1	3M	40
BD243		NPN	TO220	45	6	30min	4/0.3	3M	65
BD243A		NPN	TO220	60	6	30min	4/0.3	3M	65
BD243B		NPN	TO220	80	6	30min	4/0.3	3M	65
BD243C		NPN	TO220	100	6	30min	4/0.3	3M	65
BD244		PNP	TO220	45	6	30min	4/0.3	3M	65
BD244A		PNP	TO220	60	6	30min	4/0.3	3M	65
BD244B		PNP	TO220	80	6	30min	4/0.3	3M	65
BD244C		PNP	TO220	100	6	30min	4/0.3	3M	65
BD245		NPN	SOT93	45	15	40min	4/1		80
BD245A		NPN	SOT93	60	15	40min	4/1		80
BD245B		NPN	SOT93	80	15	40min	4/1		80
BD245C		NPN	SOT93	100	15	40min	4/1		80
BD246		PNP	SOT93	45	15	40min	4/1		80
BD246A		PNP	SOT93	60	15	40min	4/1		80
BD246B		PNP	SOT93	80	15	40min	4/1		80
BD246C		PNP	SOT93	100	15	40min	4/1		80
BD249		NPN	SOT93	45	40	25min	4/1.5		125
BD249A		NPN	SOT93	60	40	25min	4/1.5		125
BD249B		NPN	SOT93	80	40	25min	4/1.5		125
BD250		PNP	SOT93	45	40	25min	4/1.5		125
BD250A		PNP	SOT93	60	40	25min	4/1.5		125
BD250B		PNP	SOT93	80	40	25min	4/1.5		125
BD253		NPN	TO3	200	4	15min	15/2	15M	50
BD262A		PNP	TO126	80	4	750min	1.5/7	7M	36