

Specification LW500AM

SSC		CUSTOMER
Drawn	Approval	Approval

Rev. 06 December 2010



CONTENTS

- 1. Full code of Lamp LED series
- 2. Feature & Application
- 3. Absolute Maximum Ratings
- 4. Electro Characteristics
- 5. Outline Dimension
- 6. Optical characteristics
- 7. Color & Binning
- 8. Rank of LW500AM
- 9. Standard of Taping Empty Space
- 10. Packing
- 11. Soldering
- 12. Precaution for use
- 13. Reliability Test Item and Condition

echnical Data Sheet

Rev. 06 December 2010 w.seoulsemicon.com

1. Full Code of Lamp LED Series

Full code form : $X_1 X_2 X_3 X_4 X_5 X_6 X_7 X_8 X_9$ - $X_{10} X_{11}$


1. Part Number

- X₁ : Model
- X₂: Number of Die *1
- X₃: Color
- X₄ : Lens Shape
- X₅: Directivity
- X₆: Revision Symbol
- X7: High Reliability *2
- X₈: Surface coloring & Diffusion *3
- X₉: Stopper *4
- *1, 2, 3, 4 are added to the Product Type only in necessary cases.

2. Internal Number

- X₁₀
- X₁₁

3. Sticker Diagram on Box & Aluminum Vinyl Bag



For more information about binning and labeling, refer to the Application Note -1

Rev. 06 December 2010

www.seoulsemicon.com

Document No. : SSC-QP-7-07-24 (Rev.00)



SEOUL SEMICONDUCTOR



LW500AM

Description

Lamp LEDs are effective in hot thermal and humid condition. This high brightness and weather-resistant packaging design makes these Lamp LEDs ideal for Outdoor applications such as traffic signals, variable message signs and backlighting for transparent sign panels.





LW500AM

Features

- High luminous white
 emission
- Non-standoff leads
- 5mm package
- Viewing angle : 100 °
- Color Coordinates : x=0.31 y=0.31

Applications

- Electronic signs and signals
- Specialty lighting
- Small area illumination
- Torches and head lamps
- Backlighting
- Outdoor displays

Rev. 06 December 2010 vw.seoulsemicon.com



3. Absolute maximum ratings

Parameter	Symbol	Value	Unit	
DC Forward Current	I _F	30	mA	
Forward Peak Pulse Current	I _{FP} *1	100	mA	
Reverse Voltage	V _R	5	V	
Power Dissipation	P _D	114	mW	
Operating Temperature	T _{opr}	-35 ~ 85	٥C	
Storage Temperature	T _{stg}	-40 ~ 100	٥C	
Solder Temperature	T _s	260°C for 10seconds *2	٥C	

*1 $t \le 0.1 \text{ms}, D = 1/10$

*2 No lower than 3mm from the base of the epoxy bulb.

4. Electric & Optical characteristics

Parameter	Symbol	Condition	Min	Тур	Max	Unit
Luminous Intensity *3	I _V	lf=20mA	420	850	-	mcd
Luminous Flux	ϕ_{V}	lf=20mA	-	4	-	lm
Chromaticity Coordinate*4	х, у	lf=20mA	X=	=0.31, y=0	.31	-
Forward Voltage *5	V _F	lf=20mA	-	3.3	3.8	V
View Angle	20 _{1/2}	lf=20mA		100		Deg.
Optical Efficiency	\mathcal{N}_{elc}	lf=20mA	-	60	-	lm/W
Reverse Current	I _R	$V_R = 5V$	-	-	5	μA

*3. SSC maintains a tolerance of $\pm 10\%$ on $% \pm 10\%$ intensity and power measurements.

*4. Correlated Color Temperature is derived from the CIE 1931 Chromaticity diagram.

It is measured with an integrated sphere. Color Coordinates Measurement allowance is $\pm \mbox{ 0.01}$


*5. A tolerance of $\pm 0.05 V$ on forward voltage measurements

[Note] All measurements were made under the standardized environment of SSC.

Rev. 06 December 2010

vww.seoulsemicon.com





Notes : Protruded epoxy is 1.0mm maximum.


Rev. 06 December 2010

www.seoulsemicon.com

SEOUL SEMICONDUCTOR


SEOUL






Forward Current vs. Forward Voltage

Relative Luminous Intensity vs Forward Current




Rev. 06 December 2010



Radiation Diagram


SEOUL






Rev. 06 December 2010











Document No. : SSC-QP-7-07-24 (Rev.00)


SEOUL





Ambient Temperature vs. Relative Intensity






Rev. 06 December 2010

ww.seoulsemicon.com

7. Color & Binning



	Rank a				Rank b1				
x	0.264	0.280	0.296	0.283	х	0.287	0.283	0.304	0.307
у	0.267	0.248	0.276	0.305	у	0.295	0.305	0.330	0.315
	Rank b2				Rank c1				
х	0.307	0.304	0.330	0.330	х	0.296	0.287	0.307	0.311
у	0.315	0.330	0.360	0.339	у	0.276	0.295	0.315	0.294
	Rank c2				Rank d				
x	0.311	0.307	0.330	0.330	х	0.330	0.330	0.356	0.361
у	0.294	0.315	0.339	0.318	у	0.360	0.318	0.351	0.385


Note : Color Coordinates Measurement allowance is $\pm \mbox{ 0.01}$

Rev. 06

December 2010


www.seoulsemicon.com

8. Rank of LW500AM



Available ranks

9. Standard of Taping Empty Space



Available Empty Space : 2ea

3.8

4.0

80

Before

After

- * Purpose : Prevention of being Mixed & Reverse mounting
- *Before : Insert the right PKG after removing defective product
- % After : Attaching the right PKG on the backside after removing defective product


Rev. 06 ecember 2010

/ww.seoulsemicon.com

SEOUL SEMICONDUCTOR

SEOUL

10. Packing



December 2010

ww.seoulsemicon.com

SEOUL SEMICONDUCTOR


SEOUL

11. Soldering

1) Wave Soldering Conditions / Profile

- Preliminary heating to be at 85°C(120 °C max) for 20 seconds(60 seconds max).
- Soldering heat to be at 255 °C (260°C max) for 10 seconds

• Soak time above 200 °C is 5 seconds



- 2) Hand Soldering conditions
- Not more than 3 seconds at max. 350°C, under Soldering iron.
- 3) Caution
- The LEDs must not be repositioned after soldering.
- Do not apply any stress to the lead particularly when heat.

Note : In case the soldered products are reused in soldering process, we don't guarantee the products.

ecember 2010

/ww.seoulsemicon.com

SEOUL SEMICONDUCTOR

SEOUL

12. Precaution for use



- Before opening the package
 - a. Avoid the absorption of moisture, we recommended to store the LEDs in a dry box(or desiccator) with a desiccant. Otherwise, store them in the following environment:
 Temperature : 5℃~30℃ Humidity : 50% max.

SEOUL

- b. The products should be used in 3 months. It is recommended that the LEDs be used as soon as possible.
- After opening the package
 - a. Soldering should be done right after opening the package(within 24Hrs).
 - b. Keeping of a fraction
 - Sealing
 - Temperature : 5 ~ 40 $^\circ C$, Humidity : less than 30%
 - c. If the package has been opened more than 1week or the color of desiccant changes, Components should be dried for 10-12hr at $60\pm5^\circ$ C
- Any mechanical force or any excess vibration shall not be accepted to apply during cooling process to normal temp. after soldering.
- Avoid quick cooling
- Lead frames are silver plated SPCC. The silver plate surface may be affected by environments which contains corrosive substances. Please avoid conditions which may cause the LEDs to corrode, tarnish or discolor.
- 2) Lead Forming
- When the lead forming is required before soldering, care must be taken to avoid any bending and mechanical stress. The stress to the base may damage the LEDs.
- When mounting the LEDs onto a PCB, the holes on the circuit board should be exactly aligned with the leads of the LEDs.
- It is recommended that tooling made to precisely form and cut the leads to length rather than rely on hand operating.

Rev. 06 December 2010 www.seoulsemicon.com

SEOUL SEMICONDUCTOR



SEOUL

- 3) Static Electricity
- Static Electricity and surge voltage damage the LEDs. So it is recommended that a wrist band or an anti-electrostatic glove be used when handling the LEDs.
- All devices, equipment and machinery must be grounded properly. It is recommended that precautions should be taken against surge voltage to the equipment that mounts the LEDs.
- 4) Heat Generation
- Thermal is one of the important parameters to design the end product. Please consider the heat generation of the LEDs.
- The operating current should be decided after considering the ambient maximum temperature of LEDs.

5) Others

- The color of the LEDs is changed slightly an operating current and thermal.
- Anti radioactive ray design is not considered for the products listed here.
- Gallium arsenide is used in some of the products listed in this publication. These products are dangerous if they are burned or smashed in the process of disposal. It is also dangerous to drink the liquid or inhale the gas generated by such products when chemically disposed.
- This device should not be used in any type of fluid such as water, oil, organic solvent and etc. When washing is required, IPA(Isopropyl Alcohol) should be used.
- When the LEDs are illuminating, operating current should be decided after considering the junction temperature.
 - Cf.) Please refer Ambient temperature vs. Forward Current graph on page 5
- The appearance and specifications of the product may be modified for improvement without notice.

Rev. 06 December 2010 ww.seoulsemicon.com



13. Reliability Test Item and Condition

Item	Condition	Note	Failures
Life Test	$T_a = RT, I_F = 30mA$	1000hrs	0/22
High Temperature Operating	$T_a = 85^{\circ}$ C, $I_F = 8$ mA	1000hrs	0/22
Low Temperature Operating	$T_a = -30^{\circ}$ C, $I_F = 20$ mA	1000hrs	0/22
Thermal Shock	$T_a = -40^{\circ}$ C (30min) ~ 100° (30min) (Transfer time : 10sec, 1Cycle = 1hr)	100 cycles	0/40
Resistance to soldering Heat	$T_{\rm s}$ = 255 ± 5°C, t = 10sec	1 time	0/22
ESD (Human Body Model)	1kV,1.5kΩ;100pF	1 time	0/22
High Temperature Storage	$T_a = 100^{\circ} \text{C}$	1000hrs	0/22
Low Temperature Storage	$T_a = -40^{\circ}\mathrm{C}$	1000hrs	0/22
Temperature Humidity Storage	$T_a = 85^{\circ}$ C, $RH = 85\%$	1000hrs	0/22
Temperature Humidity Operating	$T_a = 85^{\circ}$ C, $RH = 85\%$, $I_F = 8$ mA	100hrs	0/22

< Judging Criteria For Reliability Tests >

V _F	USL ^[1] X 1.2
I _R	USL X 2.0
$\phi_{_V}$	LSL [2] X 0.7

Notes :

[1] USL : Upper Standard Level

[2] LSL : Lower Standard Level.

Rev. 06 December 2010

vww.seoulsemicon.com