Printmount Switch Short Stroke 12,7 mm





Weblinks

html-datasheet, General Product Information, CE declaration of conformity, RoHS, CHINA-RoHS, CAD-Drawings, Product News, Detailed request for product

Packaging unit 100 Pcs

PRINTMOUNT SHORT STROKE

DATA LSG, LSH, LPH, LPS, LPV, SMS, PMS, MTG SWITCHES-MOMENTARY ACTION



BENEFITS

- Simple assembly, long life time, short lead time
- Reliable tactile feedback
- Various designs with 1/4 and 1/2 inch are possible with different heights
- Variable colour design and lettering
- Available for through hole and SMD assembly
- Tested to degree of protection IP 40 and IP 67

	LSG//LSH/LPH LPS//LPV	SMS PMS		MTG		
Electrical data						
Contact material				gold	silve	
Switching voltage max. [V]	12 DC	30 AC / 42 DC	30 AC / 42 DC	max. 24 DC	max. 48 D	
Switching current max. [mA]	50	50	50	max. 50	max. 12	
Rated breaking capacity [W]		0.12	0.12	0.48	2.4	
Lifetime (at rated breaking capacity)	>105	> 10 ⁸	> 10 ⁶	> 106	>10	
Initial contact resistance, new [m2]	max. 100	< 50	< 50	< 50	<5	
Initial contact resistance, after lifetime [m2]	max. 100	<150	<150	<50	<5	
Insulation resistance [mΩ]		> 10 ⁶	> 108	>108	>10	
Contact bounce time [ms]	typ. 0.1	typ. 0.15	typ. 0.15	typ. 0.1	typ. 0.	
Mechanical data		1.				
Actuating force IP 40 [N] IP 67 [N]	1.6 ± 0.5	1.6 ± 0.4 1.8 ± 0.4	1.6 ± 0.4 1.8 ± 0.4	2.5 ± 0.5	2.5 ± 0.	
Contact travel [mm]	0.25 + 0.2/-0.1	0.35 ± 0.1	0.35 ± 0.1	0.45 ± 0.1	0.45 ± 0.	
End stop strength [N]	50 N/3s	>100	>100	> 50	> 5	
Lifetime [operations]	> 105	> 10 ⁶	>10 ⁶	>10°	>10	
Other data			1.5			
Degree of protection	IP 40	IP 40/IP 67	IP 40/IP 67	IP 40	IP 4	
Soldering method	IR-Reflow	IR-Reflow	Wave	Wave	Wave	
Soldering heat resistance (LSH/LSG) IR Reflow [°C/s] (LPV/LPS/LPH) [°C/s] Jedec J-STD-020C	240/20 260/3	245/5	248,5/1	248,5/1	248,5/1	
Ambient temperature [°C]	-20 - +70	-40 - +85	-40 - +85	-25 - +85	-25 - +8	
Storage temperature [°C]	-30 - +85	-40 -+85	-40 -+85	-25 - +85	-25 - +8	
Cleaning agent proof		Zestron	Zestron			
Flux - proof		IP67	IP67			
Materials						
Sealing membrane IP 67		VMQ		VMQ		
Contact material gold		CuZn37 Ni + Au CuZ		CuZn -3 µm Ni +	CuZn -3 µm Ni +2 µm Au	
Contact material silver	*	CuZn		CuZn -2.5µm Ag	n -2.5µm Ag passivated	
Terminals	•	CuZn37 - Sn				
Socket	•	Thermoplast PA 4.6 Thermop		Thermopla	st PES	
Actuator		Thermoplast PPS Thermoplast P		ist PC		
Cover plate	×	X 12CrNi177				

* on request

7

PRINTMOUNT SHORT STROKE

OVERVIEW MTG SWITCHES-MOMENTARY ACTION



FEATURES						
Contact material	Ag	Au				
PART NUMBER *						
Models						
Short actuator	1241.1052	1241.1002				
Long actuator	1241.1072	1241.1022				
Height variable	1241.1082. <mark>xx</mark>	1241.1032. xx				
Overall heighth (with key cap)/Colour						
8.50 mm/yellow	1	1				
9.25mm/orange	2	2				
10.00 mm/red	3	3				
10.75mm/blue	4	4				
11.50mm/green	5	5				
12.25mm/grey	6	6				
13.00 mm/black	7	7				
13.75mm/white	8	8				
Additional key cap ¹						
Overall height h/Colour						
14.50 mm/yellow+black	11	11				
15.25 mm/orange+black	21	21				
16.00 mm/red+black	31	31				
16.75 mm/blue+black	41	41				
17.50 mm/green+black	51	51				
18.25 mm/grey+black	61	61				
19.00 mm/black+black	71	71				
19.75mm/white+black	81	81				
Dimensions short actuator: Dimensio	ns long actuator: Dimensions overall height:	Drilling diagram: Circuit diagram:				
	55. 66 Drilling 12.65 Drilling 1/20*=	$\begin{array}{c} 7.62\\ \hline 1.27\\ \hline \\ Y=01,00+0,1\\ Z=01,30+0,1\\ \end{array}$ for location pins $\Phi=0.1^{-0.1}_{-0.1}$ diagram $\Phi=0.1^{-0.1}_{-0.1}$				
 X in the Part No. must be replaced by the desired version Starting with 14.50 mm the heights are achieved with an addition 	A in the "at it.et" index to replacible by the desired with an additional (second) key cap of black colour 5 Starting with 14.50 mm the heights are achieved with an additional (second) key cap of black colour					

11

The specifications, descriptions and illustrations indicated in this document are based on current Information. All content is subject to modifications indicated in this document are based or content information. All content is subject to modifications and amendments. Information furnished is believed to be accurate and reliable. However, users should independently evaluate the suitability and test each product selected for their own applications.