

V23532-A**00-E***

Coding for termination style

Coding for Performance level


Coding for contact assignment
see page 2

Contact


Coding	Performance level	Noble materials
1	Class I	Pd + Au or Au
2	Class II	Pd + Au or Au
3	Class III	Pd + Au or Au

V23532-A**00-E***

Nickel underlayer
Protection film: HF-grease



Terminations



Terminations galvanic
SnPb plated

1) Cutting edges not plated

V23532-A**00-E***

L	Coding
3 -0.4	00

tyco		TYCO ELECTRONICS CORPORATION	SCALE 2:1; 10:1	WEIGHT
Electronics		OOSTKAMP - BELGIUM	LOC DIMENSIONS IN MM	
DATE	007.12.89	NAME	Dobbelaere	PART NAME
APP.	PD Com	APP.	PD Com	Receptacle Assembly Double Eurocard 128pos.
B SR10-0144-01	09.04.01	BC		PART NO.
A WO 01/7013	14.11.00	VS		V23532-A**00-E***-7626
02 WO91/319	10.07.91	VLP	TOLERANCE UNLESS SPECIFIED OTHERWISE	SHT. 1+
01	28.09.90	VJ		OF 2
REV.	CHANGE ORDER	DATE	APP.	Customer Drawing Nr. C 1393693-1

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN ELECTRONICS PERSONEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA USA.

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE
 SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN TYCO ELECTRONICS PERSONNEL,
 WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG PENNSYLVANIA USA

PROPRIETARY:

1	2	3	4	5	6	7	8
A							A
B							B
C							C
D							D
E							E
F							F
1	2	3	4	5	6	7	8

Old Partnumbers	Tyco Partnumbers (1-7-1)	Contact Assignment	Performance Level 1)	Termination Style			
V23532-A1000-E100	0-1393693-1	every row , every pitch	1	3mm right angled, solder post			
V23532-A1000-E200	0-1393693-2	every row , every pitch	2	3mm right angled, solder post			

1) Performance Level : acc. to DIN 41612 and IEC 603-2

Active Partnumbers.
Contact Tyco Electronics for other configuration availability

tyco TYCO ELECTRONICS CORPORATION		OOSTKAMP - BELGIUM		LOC GW	DIMENSIONS IN MM	SCALE	WEIGHT
						MATERIAL	
						PART NAME	
						Receptacle Assembly	
						Double Eurocard 128pos.	
						PART NO.	
						V23532-A**00-E***-*-7626	
						SHT. 2-	
						OF 2	
REV.	CHANGE ORDER	DATE	APP.	Customer Drawing Nr. C 1393693-1			
B	SR10-0144-01	09.04.01	BC				
A	WO 01/7013	14.11.00	VS				

- [Home](#)
- [Part Number Search](#)
- [Text Search](#)
- [Alternate Part Search](#)
- [Multiple Part Comparison](#)
- [Alphabetical Search](#)
- [Brand Search](#)
- [Industry Product Search](#)
- [Product Type Search](#)
- [Product Family Search](#)
- [Competitor Cross Reference](#)
- [Document Number Search](#)
- [Lead Free Solutions](#)
- [Help/Glossary](#)

Current Brand View	View All Tyco Electronics Brands <small>Click to activate links to all other products</small>
AMP	

.100 & .200 Centerline DIN 41612 Connectors (Eurocard)

Dual Integrated Eurocard Connectors (D-IEC)

AMP
1393693-1 -- 5 of 7 products
Active [Active](#)

(Tyco Electronics P/N: 1393693-1)

Previous	Next	Sales Information	AMP ACES	Step Search Screen
			Related Documents	General Information
			Pricing	Product Availability

Please use the customer drawing for all design activity.

- **Customer Drawing: 1393693-1, Rev. B**
Document Title: Receptacle Assembly Double Eurocard 128 pos.

[222592.pdf](#) [222592.pdf](#) (86K)

Searchable Features:	
Brand:	AMP
Gender:	Receptacle
DIN Level:	I
Post Type:	Solder
PCB Mount Angle:	Right Angle
No. of Positions:	128
Termination Post Length (mm [in]):	3.00 [.118]
Rows Loaded:	A, B, C, D

Other Properties:	
Contact Material:	Copper Alloy
Housing Material:	30% Glass-Filled Polyester
Color:	Gray
Material Flammability Rating:	UL 94V-0
Contact Cross Section (mm [in]):	0.60 [.024] Sq.

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International, Ltd.](#)

[Products](#) | [Brands](#) | [Industries](#) | [Customer Service](#) | [About](#) | [Home](#)