

Product description code	Tyco part Number	Style & Number of Positions	Termination posts	Loaded Rows	Performance Level	Board Locks
V42254-B2100-C960	1-1393640-1	C96	right-angle solder leads	every row , every pitch	1	No
V42254-B2101-B640	1-1393640-4	B64	2.9mm straight solder leads	every row , every pitch	1	No
V42254-B2101-B645	1-1393640-5	B64	2.9mm straight solder leads	every row , every even pitch	1	No
V42254-B2101-C300	1-1393640-6	C30	2.9mm straight solder leads	every row , every pitch	1	No
V42254-B2101-C480	1-1393640-7	C48	2.9mm straight solder leads	every row , every pitch	1	No
V42254-B2101-C483	1-1393640-8	C48	2.9mm straight solder leads	row atc , every pitch	1	No
V42254-B2101-C910	3-1392009-9	C96	2.9mm straight solder leads	every row , every pitch	1	Yes
V42254-B2101-C960	1-1393640-9	C96	2.9mm straight solder leads	every row , every pitch	1	No
V42254-B2101-C963	1-1393640-0	C96	2.9mm straight solder leads	row atc , every pitch	1	No
V42254-B2101-C968	1-1393640-1	C96	2.9mm straight solder leads	row atc , every even pitch	1	No
V42254-B2102-B200	1-1393640-5	B20	4.5mm straight solder leads	every row , every pitch	1	No
V42254-B2102-B320	1-1393640-6	B32	4.5mm straight solder leads	every row , every pitch	1	No
V42254-B2102-B640	1-1393640-7	B64	4.5mm straight solder leads	every row , every pitch	1	No
V42254-B2102-B641	1-1393640-8	B64	4.5mm straight solder leads	row a , every pitch	1	No
V42254-B2102-C303	2-1393640-0	C30	4.5mm straight solder leads	row atc , every pitch	1	No
V42254-B2102-C480	2-1393640-1	C48	4.5mm straight solder leads	every row , every pitch	1	No
V42254-B2102-C910	2-1393640-3	C96	4.5mm straight solder leads	every row , every pitch	1	Yes
V42254-B2102-C960	2-1393640-4	C96	4.5mm straight solder leads	every row , every pitch	1	No
V42254-B2102-C963	2-1393640-5	C96	4.5mm straight solder leads	row atc , every pitch	1	No
V42254-B2102-C968	2-1393640-6	C96	4.5mm straight solder leads	row atc , every even pitch	1	No
V42254-B2103-B640	3-1393640-3	B64	6.3mm straight solder leads	every row , every pitch	1	No
V42254-B2103-C960	3-1393640-4	C96	6.3mm straight solder leads	every row , every pitch	1	No
V42254-B2104-C960	3-1393640-5	C96	7.3mm straight solder leads	every row , every pitch	1	No
V42254-B2110-B640	3-1393640-7	B64	right-angle solder leads with mounting bracket	every row , every pitch	1	No
V42254-B2110-C960	3-1393640-8	C96	right-angle solder leads with mounting bracket	every row , every pitch	1	No
V42254-B2110-C960N	3-1393640-9	C96	right-angle solder leads with mounting bracket	every row , every pitch	1	No
V42254-B2110-C963	4-1393640-0	C96	right-angle solder leads with mounting bracket	row atc , every pitch	1	No
V42254-B2130-B641	4-1393640-6	B64	5.5 10mm solder lugs	row a , every pitch	1	No
V42254-B2135-B640	4-1393640-7	B64	5.5 10mm solder lugs	every row , every pitch	1	No
V42254-B2135-B641	4-1393640-8	B64	5.5 10mm solder lugs	row a , every pitch	1	No
V42254-B2135-C960	5-1393640-0	C96	5.5 10mm solder lugs	every row , every pitch	1	No
V42254-B2135-C963	5-1393640-1	C96	5.5 10mm solder lugs	row atc , every pitch	1	No
V42254-B2140-B640	5-1393640-8	B64	13mm straight wire-wrap pins	every row , every pitch	1	No
V42254-B2140-C960	6-1393640-0	C96	13mm straight wire-wrap pins	every row , every pitch	1	No
V42254-B2140-C963	6-1393640-1	C96	13mm straight wire-wrap pins	row atc , every pitch	1	No
V42254-B2200-C960	7-1393640-0	C96	right-angle solder leads	every row , every pitch	2	No
V42254-B2200-C963	7-1393640-1	C96	right-angle solder leads	row atc , every pitch	2	No
V42254-B2201-B200	7-1393640-2	B20	2.9mm straight solder leads	every row , every pitch	2	No
V42254-B2201-B310	7-1393640-3	B32	2.9mm straight solder leads	every row , every pitch	2	Yes
V42254-B2201-B320	7-1393640-4	B32	2.9mm straight solder leads	every row , every pitch	2	No
V42254-B2201-B325	7-1393640-5	B32	2.9mm straight solder leads	every row , every even pitch	2	No
V42254-B2201-B640	7-1393640-8	B64	2.9mm straight solder leads	every row , every pitch	2	No
V42254-B2201-B641	7-1393640-9	B64	2.9mm straight solder leads	row a , every pitch	2	No
V42254-B2201-C300	8-1393640-0	C30	2.9mm straight solder leads	every row , every pitch	2	No
V42254-B2201-C313	8-1393640-2	C30	2.9mm straight solder leads	row atc , every pitch	2	Yes
V42254-B2201-C410	8-1393640-3	C48	2.9mm straight solder leads	every row , every pitch	2	Yes
V42254-B2201-C413	8-1393640-4	C48	2.9mm straight solder leads	row atc , every pitch	2	Yes
V42254-B2201-C480	8-1393640-5	C48	2.9mm straight solder leads	every row , every pitch	2	No
V42254-B2201-C483	8-1393640-6	C48	2.9mm straight solder leads	row atc , every pitch	2	No
V42254-B2201-C485	8-1393640-7	C48	2.9mm straight solder leads	every row , every even pitch	2	No
V42254-B2201-C488	8-1393640-8	C48	2.9mm straight solder leads	row atc , every even pitch	2	No
V42254-B2201-C910	8-1393640-9	C96	2.9mm straight solder leads	every row , every pitch	2	Yes
V42254-B2201-C913	9-1393640-0	C96	2.9mm straight solder leads	row atc , every pitch	2	Yes
V42254-B2201-C960	9-1393640-2	C96	2.9mm straight solder leads	every row , every pitch	2	No
V42254-B2201-C963	9-1393640-3	C96	2.9mm straight solder leads	row atc , every pitch	2	No
V42254-B2201-C965	9-1393640-4	C96	2.9mm straight solder leads	every row , every even pitch	2	No
V42254-B2201-C968	9-1393640-5	C96	2.9mm straight solder leads	row atc , every even pitch	2	No
V42254-B2202-B200	1-1393641-0	B20	4.5mm straight solder leads	every row , every pitch	2	No
V42254-B2202-B320	1-1393641-1	B32	4.5mm straight solder leads	every row , every pitch	2	No
V42254-B2202-B321	1-1393641-2	B32	4.5mm straight solder leads	row a , every pitch	2	No
V42254-B2202-B640	1-1393641-4	B64	4.5mm straight solder leads	every row , every pitch	2	No
V42254-B2202-B640N	1-1393641-5	B64	4.5mm straight solder leads	every row , every pitch	2	No
V42254-B2202-B641	1-1393641-6	B64	4.5mm straight solder leads	row a , every pitch	2	No
V42254-B2202-B641N	1-1393641-7	B64	4.5mm straight solder leads	row a , every pitch	2	No
V42254-B2202-B645	1-1393641-8	B64	4.5mm straight solder leads	every row , every even pitch	2	No

Product description code	Tyco Part Number	Style & Number of Positions	Termination posts	Loaded Rows	Performance Level	Board Locks
V42254-B2202-C300	2-1393641-0	C30	4.5mm straight solder leads	every row , every pitch	2	No
V42254-B2202-C303	2-1393641-1	C30	4.5mm straight solder leads	row atc , every pitch	2	No
V42254-B2202-C310	2-1393641-2	C30	4.5mm straight solder leads	every row , every pitch	2	Yes
V42254-B2202-C410	2-1393641-3	C48	4.5mm straight solder leads	every row , every pitch	2	Yes
V42254-B2202-C413	2-1393641-4	C48	4.5mm straight solder leads	row atc , every pitch	2	Yes
V42254-B2202-C480	2-1393641-5	C48	4.5mm straight solder leads	every row , every pitch	2	No
V42254-B2202-C483	2-1393641-6	C48	4.5mm straight solder leads	row atc , every pitch	2	No
V42254-B2202-C910	2-1393641-7	C96	4.5mm straight solder leads	every row , every pitch	2	Yes
V42254-B2202-C913	2-1393641-8	C96	4.5mm straight solder leads	row atc , every pitch	2	Yes
V42254-B2202-C918	3-1393641-0	C96	4.5mm straight solder leads	row atc , every even pitch	2	Yes
V42254-B2202-C960	3-1393641-1	C96	4.5mm straight solder leads	every row , every pitch	2	No
V42254-B2202-C960B	3-1393641-2	C96	4.5mm straight solder leads	every row , every pitch	2	No
V42254-B2202-C960N	3-1393641-3	C96	4.5mm straight solder leads	every row , every pitch	2	No
V42254-B2202-C963	3-1393641-5	C96	4.5mm straight solder leads	row atc , every pitch	2	No
V42254-B2202-C963B	3-1393641-6	C96	4.5mm straight solder leads	row atc , every pitch	2	No
V42254-B2202-C963N	3-1393641-7	C96	4.5mm straight solder leads	row atc , every pitch	2	No
V42254-B2202-C965	3-1393641-8	C96	4.5mm straight solder leads	every row , every even pitch	2	No
V42254-B2202-C968	3-1393641-9	C96	4.5mm straight solder leads	row atc , every even pitch	2	No
V42254-B2202-C968N	4-1393641-0	C96	4.5mm straight solder leads	row atc , every even pitch	2	No
V42254-B2204-B640	6-1393641-7	B64	7.3mm straight solder leads	every row , every pitch	2	No
V42254-B2204-C960	6-1393641-8	C96	7.3mm straight solder leads	every row , every pitch	2	No
V42254-B2204-C963	6-1393641-9	C96	7.3mm straight solder leads	row atc , every pitch	2	No
V42254-B2205-C960	7-1393641-0	C96	3.7mm straight solder leads	every row , every pitch	2	No
V42254-B2210-B320	7-1393641-2	B32	right-angle solder leads with mounting bracket	every row , every pitch	2	No
V42254-B2210-B640	7-1393641-3	B64	right-angle solder leads with mounting bracket	every row , every pitch	2	No
V42254-B2210-C480	7-1393641-5	C48	right-angle solder leads with mounting bracket	every row , every pitch	2	No
V42254-B2210-C483	7-1393641-6	C48	right-angle solder leads with mounting bracket	row atc , every pitch	2	No
V42254-B2210-C960	7-1393641-7	C96	right-angle solder leads with mounting bracket	every row , every pitch	2	No
V42254-B2210-C963	7-1393641-8	C96	right-angle solder leads with mounting bracket	row atc , every pitch	2	No
V42254-B2210-C968	7-1393641-9	C96	right-angle solder leads with mounting bracket	row atc , every even pitch	2	No
V42254-B2230-C960	8-1393641-5	C96	5.5 10mm solder hooks	every row , every pitch	2	No
V42254-B2230-C963	8-1393641-6	C96	5.5 10mm solder hooks	row atc , every pitch	2	No
V42254-B2235-B640	8-1393641-8	B64	5.5 10mm solder lugs	every row , every pitch	2	No
V42254-B2235-C480	9-1393641-0	C48	5.5 10mm solder lugs	every row , every pitch	2	No
V42254-B2235-C483	9-1393641-1	C48	5.5 10mm solder lugs	row atc , every pitch	2	No
V42254-B2235-C488	9-1393641-2	C48	5.5 10mm solder lugs	row atc , every even pitch	2	No
V42254-B2235-C960	9-1393641-3	C96	5.5 10mm solder lugs	every row , every pitch	2	No
V42254-B2235-C963	9-1393641-4	C96	5.5 10mm solder lugs	row atc , every pitch	2	No
V42254-B2235-C965	9-1393641-5	C96	5.5 10mm solder lugs	every row , every even pitch	2	No
V42254-B2235-C968	9-1393641-6	C96	5.5 10mm solder lugs	row atc , every even pitch	2	No
V42254-B2240-B200	1393642-1	B20	13mm straight wire-wrap pins	every row , every pitch	2	No
V42254-B2240-B320	1393642-2	B32	13mm straight wire-wrap pins	every row , every pitch	2	No
V42254-B2240-B640	1393642-3	B64	13mm straight wire-wrap pins	every row , every pitch	2	No
V42254-B2240-B640N	1393642-4	B64	13mm straight wire-wrap pins	every row , every pitch	2	No
V42254-B2240-C300	1393642-7	C30	13mm straight wire-wrap pins	every row , every pitch	2	No
V42254-B2240-C303	1393642-8	C30	13mm straight wire-wrap pins	row atc , every pitch	2	No
V42254-B2240-C480	1393642-9	C48	13mm straight wire-wrap pins	every row , every pitch	2	No
V42254-B2240-C483	1-1393642-0	C48	13mm straight wire-wrap pins	row atc , every pitch	2	No
V42254-B2240-C960	1-1393642-1	C96	13mm straight wire-wrap pins	every row , every pitch	2	No
V42254-B2240-C960B	1-1393642-2	C96	13mm straight wire-wrap pins	every row , every pitch	2	No
V42254-B2240-C960N	1-1393642-3	C96	13mm straight wire-wrap pins	every row , every pitch	2	No
V42254-B2240-C961B	1-1393642-4	C96	13mm straight wire-wrap pins	row a , every pitch	2	No
V42254-B2240-C962	1-1393642-5	C96	13mm straight wire-wrap pins	row atb , every pitch	2	No
V42254-B2240-C963	1-1393642-6	C96	13mm straight wire-wrap pins	row atc , every pitch	2	No
V42254-B2240-C963N	1-1393642-7	C96	13mm straight wire-wrap pins	row atc , every pitch	2	No
V42254-B2240-C965	1-1393642-8	C96	13mm straight wire-wrap pins	every row , every even pitch	2	No
V42254-B2240-C968	1-1393642-9	C96	13mm straight wire-wrap pins	row atc , every even pitch	2	No
V42254-B2240-C968N	2-1393642-1	C96	13mm straight wire-wrap pins	row atc , every even pitch	2	No
V42254-B2302-B640	6-1393642-6	B64	4.5mm straight solder leads	every row , every pitch	3	No
V42254-B2302-C913	6-1393642-7	C96	4.5mm straight solder leads	row atc , every pitch	3	Yes
V42254-B2302-C960	6-1393642-8	C96	4.5mm straight solder leads	every row , every pitch	3	No
V42254-B2302-C963	6-1393642-9	C96	4.5mm straight solder leads	row atc , every pitch	3	No
V42254-F2101-C480	8-1393642-9	C48	2.9mm straight solder leads	every row , every pitch	1	No
V42254-F2102-B640	9-1393642-0	B64	4.5mm straight solder leads	every row , every pitch	1	No
V42254-F2201-C310	9-1393642-1	C30	2.9mm straight solder leads	every row , every pitch	2	Yes
V42254-F2201-C480	9-1393642-3	C48	2.9mm straight solder leads	every row , every pitch	2	No
V42254-F2201-C910	9-1393642-4	C96	2.9mm straight solder leads	every row , every pitch	2	Yes
V42254-F2201-C913	9-1393642-5	C96	2.9mm straight solder leads	row atc , every pitch	2	Yes
V42254-F2201-C960	9-1393642-6	C96	2.9mm straight solder leads	every row , every pitch	2	No
V42254-F2201-C963	9-1393642-7	C96	2.9mm straight solder leads	row atc , every pitch	2	No
V42254-F2202-C480	9-1393642-8	C48	4.5mm straight solder leads	every row , every pitch	2	No
V42254-F2202-C960	9-1393642-9	C96	4.5mm straight solder leads	every row , every pitch	2	No
V42254-F2202-C965	0-1393643-1	C96	4.5mm straight solder leads	every row , every even pitch	2	No
V42254-F2205-B640	0-1393643-2	B64	3.7mm straight solder leads	every row , every pitch	2	No

3) According to BT 236 level 2.
2) Connectors have a flux-tight coating.
1) No company name marked on the connector.

Active part numbers.
Contact Tyco Electronics for other configuration availability

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE
WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN TYCO ELECTRONICS CORPORATION,
WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA USA.

tyco Electronics		TYCO ELECTRONICS CORPORATION OOSTKAMP - BELGIUM		SCALE DIMENSIONS IN MM		WEIGHT	
REV. CHANGE ORDER		DATE		PART NAME		MATERIAL	
B4 SR10-0413-02		16 Sep 02 BC		NAME Cuiwiler		Receptacle Assembly Eurocard	
B3 SR10-0157-02		13 Mar 02 BC		DEP. PD COM		Types B, C and short versions	
B2 SR10-0130-02		28 Feb 02 BC		PART NO.		V42254-B2***-C***-7626	
B1 SR10-0440-01		10 10 01 BC		TOLERANCE UNLESS SPECIFIED OTHERWISE		SHT. 2-	
A SR10-0198-01		21 03 01 BC		Customer Drawing N. C 1393640-1		CF 2	

- [Home](#)
- [Part Number Search](#)
- [Document Search](#)
- [Text Search](#)
- [Alternate Part Search](#)
- [Multiple Part Comparison](#)
- [Alphabetical Search](#)
- [Brand Search](#)
- [Industry Product Search](#)
- [Product Type Search](#)
- [Product Family Search](#)
- [Competitor Cross Reference](#)
- [Lead Free Solutions](#)
- [Help/Glossary](#)

Current Brand View	View All Tyco Electronics Brands Click to activate links to all other products
AMP	

.100 & .200 Centerline DIN 41612 Connectors (Eurocard)

Eurocard Type B Connectors .100 Centerline - 2 Row

AMP 4-1393640-6 [Active](#) [Active](#)

(Tyco Electronics P/N: 4-1393640-6)

[Search for Parts](#)

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information		
General Information	eCommerce	Related Part Information
General Info Sales Info Assembly Subcontractors	Pricing Product Availability	

Searchable Features:	
Brand:	AMP
Mating Type:	Receptacle
No. of Positions:	64
PCB Mount Angle:	Vertical
Post Type:	Solder Hook
Make First / Break Last:	No
Termination Post Length (mm [in]):	5.50 [0.216], 10.00 [0.398]
DIN Level:	I
Size:	Standard
Special PCB Retention:	No
Flux-Tight Coating:	Without

Other Properties:	
Rows Loaded:	A
Terminate To:	Printed Circuit Board
Contact Material:	Copper Alloy
Housing Material:	30% Glass-Filled Polyester
Color:	Gray
Housing Flammability Rating:	UL 94V-0
Positions Loaded:	Fully Loaded

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International, Ltd.](#)

[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Customer Service](#) | [About](#) | [Home](#)

- [Home](#)
- [Part Number Search](#)
- [Document Search](#)
- [Text Search](#)
- [Alternate Part Search](#)
- [Multiple Part Comparison](#)
- [Alphabetical Search](#)
- [Brand Search](#)
- [Industry Product Search](#)
- [Product Type Search](#)
- [Product Family Search](#)
- [Competitor Cross Reference](#)
- [Lead Free Solutions](#)
- [Help/Glossary](#)

Current Brand View	View All Tyco Electronics Brands Click to activate links to all other products
AMP	

.100 & .200 Centerline DIN 41612 Connectors (Eurocard)

Eurocard Type B Connectors .100 Centerline - 2 Row

AMP **4-1393640-8** Active [Active](#)

(Tyco Electronics P/N: 4-1393640-8)

[Search for Parts](#) | Pr [Previous](#) [1](#) [2](#) 3 [4](#) [Next](#) N

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information		
General Information	eCommerce	Related Part Information
<ul style="list-style-type: none"> General Info Sales Info Assembly Subcontractors 	<ul style="list-style-type: none"> Pricing Product Availability 	

Searchable Features:	
Brand:	AMP
Mating Type:	Receptacle
No. of Positions:	64
PCB Mount Angle:	Vertical
Post Type:	Solder Eyelet Contact
Make First / Break Last:	No
Termination Post Length (mm [in]):	5.50 [0.216], 10.00 [0.398]
DIN Level:	I
Size:	Standard
Special PCB Retention:	No
Flux-Tight Coating:	Without

Other Properties:	
Rows Loaded:	A
Terminate To:	Printed Circuit Board
Contact Material:	Copper Alloy
Housing Material:	30% Glass-Filled Polyester
Color:	Gray
Housing Flammability Rating:	UL 94V-0
Positions Loaded:	Fully Loaded

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International, Ltd.](#)

[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Customer Service](#) | [About](#) | [Home](#)