


## Programming (ZIP DIP)

### 3M™ ZIP DIP Sockets

ZIP (zero insertion force) DIPs are designed for applications where field replacement or programming of DIPs is required. The patented ZIP lever actuated mechanism allows easy insertion and withdrawal without lead damage. Leads are on .100" centers.

3M Part Number	Description
2-0014-03339-000-006-002	ZIP DIP II, 14 LEADS, GOLD PLATE
2-0014-03339-000-006-005	ZIP DIP II, 14 LEADS, TIN PLATE
2-0014-03339-000-019-002	ZIP DIP II
2-0014-03339-000-019-005	ZIP DIP II
2-0014-03339-000-024-022	ZIP DIP II
2-0014-03339-000-024-025	ZIP DIP II
2-0016-03340-000-006-002	ZIP DIP II, 16 LEADS, GOLD PLATE
2-0016-03340-000-006-005	ZIP DIP II, 16 LEADS, TIN PLATE
2-0016-03340-000-019-002	ZIP DIP II
2-0016-03340-000-019-005	ZIP DIP II
2-0016-03340-000-024-022	ZIP DIP II
2-0016-03340-000-024-025	ZIP DIP II
2-0018-03341-000-006-002	ZIP DIP II, 18 LEADS, GOLD PLATE
2-0018-03341-000-006-005	ZIP DIP II, 18 LEADS, TIN PLATE
2-0018-03341-000-019-002	ZIP DIP II
2-0018-03341-000-019-005	ZIP DIP II
2-0018-03341-000-024-022	ZIP DIP II
2-0018-03341-000-024-025	ZIP DIP II
2-0020-03342-000-006-002	ZIP DIP II, 20 LEADS, GOLD PLATE
2-0020-03342-000-006-005	ZIP DIP II, 20 LEADS, TIN PLATE
2-0020-03342-000-019-002	ZIP DIP II
2-0020-03342-000-019-005	ZIP DIP II
2-0020-03342-000-024-022	ZIP DIP II
2-0020-03342-000-024-025	ZIP DIP II
2-0022-03343-000-006-002	ZIP DIP II, 22 LEADS, GOLD PLATE
2-0022-03343-000-006-005	ZIP DIP II, 22 LEADS, TIN PLATE
2-0022-03343-000-019-002	ZIP DIP II
2-0022-03343-000-019-005	ZIP DIP II
2-0022-03343-000-024-022	ZIP DIP II
2-0022-03343-000-024-025	ZIP DIP II
2-0024-03344-000-006-002	ZIP DIP II, 24 LEADS, GOLD PLATE
2-0024-03344-000-006-005	ZIP DIP II, 24 LEADS, TIN PLATE
2-0024-03344-000-019-002	ZIP DIP II
2-0024-03344-000-019-005	ZIP DIP II
2-0024-03344-000-024-022	ZIP DIP II
2-0024-03344-000-024-025	ZIP DIP II
2-0024-05248-000-006-002	ZIP DIP II
2-0024-05248-000-006-005	ZIP DIP II
2-0024-05248-000-019-002	ZIP DIP II
2-0024-05248-000-019-005	ZIP DIP II
2-0024-05248-000-024-022	ZIP DIP II
2-0024-05248-000-024-025	ZIP DIP II
2-0028-03345-000-006-002	ZIP DIP II, 28 LEADS, GOLD PLATE
2-0028-03345-000-006-005	ZIP DIP II, 28 LEADS, TIN PLATE
2-0028-03345-000-019-002	ZIP DIP II
2-0028-03345-000-019-005	ZIP DIP II
2-0028-03345-000-024-022	ZIP DIP II
2-0028-03345-000-024-025	ZIP DIP II
2-0028-04817-000-006-002	ZIP DIP II
2-0028-04817-000-006-005	ZIP DIP II
2-0028-04817-000-019-002	ZIP DIP II
2-0028-04817-000-019-005	ZIP DIP II
2-0028-04817-000-024-022	ZIP DIP II
2-0028-04817-000-024-025	ZIP DIP II
2-0032-01285-000-006-003	ZIP DIP II
2-0032-01285-000-007-003	ZIP DIP II - BLACK
2-0040-03346-000-006-002	ZIP DIP II, 40 LEADS, GOLD PLATE
2-0040-03346-000-006-005	ZIP DIP II, 40 LEADS, TIN PLATE
2-0040-03346-000-019-002	ZIP DIP II
2-0040-03346-000-019-005	ZIP DIP II
2-0040-03346-000-024-022	ZIP DIP II
2-0040-03346-000-024-025	ZIP DIP II
2-0040-03639-000-006-002	ZIP DIP II
2-0040-03639-000-006-005	ZIP DIP II
2-0040-03639-000-024-022	ZIP DIP II
2-0040-03639-000-024-025	ZIP DIP II
2-0042-04262-000-006-002	ZIP DIP II
2-0042-04262-000-006-005	ZIP DIP II
2-0042-04262-000-019-002	ZIP DIP II
2-0042-04262-000-019-005	ZIP DIP II
2-0048-04775-000-006-002	ZIP DIP II
2-0048-04775-000-006-005	ZIP DIP II
2-0048-04775-000-019-002	ZIP DIP II
2-0048-04775-000-019-005	ZIP DIP II
2-0048-04775-000-024-022	ZIP DIP II
2-0052-04666-000-011-002	ZIP DIP - .075 CTRS
2-0052-04666-000-011-005	ZIP DIP - .075 CTRS
2-0064-04493-000-006-002	ZIP DIP II, 64 LEADS, GOLD PLATE
2-0064-04493-000-006-005	ZIP DIP II, 64 LEADS, TIN PLATE
2-0064-04493-000-019-002	ZIP DIP II
2-0064-04493-000-019-005	ZIP DIP II
2-0064-04493-000-024-022	ZIP DIP II
2-0064-04493-000-024-025	ZIP DIP II



**3M™ ZIP DIP Sockets**

For DIPs with .100 inch lead spacing and pin counts of 14 to 64. Lever actuated zero insertion force mechanism. Socket easily disassembles for repair. Contact point .110 inch below top surface of socket.

3M Part Number	Description
2-0014-04839-000-033-003	OEM ZIP-DIP, 14 LEADS, GOLD PLATE
2-0014-04839-000-033-027	OEM ZIP-DIP, 14 LEADS, TIN PLATE
2-0016-04840-000-033-003	OEM ZIP-DIP, 16 LEADS, GOLD PLATE
2-0016-04840-000-033-027	OEM ZIP-DIP, 16 LEADS, TIN PLATE
2-0020-04842-000-033-003	OEM ZIP-DIP, 20 LEADS, GOLD PLATE
2-0020-04842-000-033-027	OEM ZIP-DIP, 20 LEADS, TIN PLATE
2-0024-04844-000-033-003	OEM ZIP-DIP, 24 LEADS, GOLD PLATE
2-0024-04844-000-033-027	OEM ZIP-DIP, 24 LEADS, TIN PLATE
2-0028-04845-000-033-003	OEM ZIP-DIP, 28 LEADS, GOLD PLATE
2-0028-04845-000-033-027	OEM ZIP-DIP, 28 LEADS, TIN PLATE
2-0040-04846-000-033-003	OEM ZIP-DIP, 40 LEADS, GOLD PLATE
2-0040-04846-000-033-027	OEM ZIP-DIP, 40 LEADS, TIN PLATE
2-0048-05201-000-033-003	OEM ZIP-DIP, 48 LEADS, GOLD PLATE
2-0048-05201-000-033-027	OEM ZIP-DIP, 48 LEADS, TIN PLATE
2-0064-05200-000-033-003	OEM ZIP-DIP, 64 LEADS, GOLD PLATE
2-0064-05200-000-033-027	OEM ZIP-DIP, 64 LEADS, TIN PLATE

**3M™ Double ZIP DIP Sockets**

For DIPs with .100 inch lead spacing, the extra wide contact zone allows insertion of DIPs with .300 through .600 inch between rows. Lever actuated zero insertion force mechanism. Sockets easily disassemble for repair. Contact point .090 inch below top surface of socket.

3M Part Number	Description
2-0024-01286-000-006-003	ZIP DIP - DOUBLE
2-0028-06023-000-006-002	ZIP DIP-DOUBLE, 28 LEADS, GOLD PLATE
2-0028-06023-000-006-005	ZIP DIP-DOUBLE, 28 LEADS, TIN PLATE
2-0028-06023-000-019-002	ZIP DIP-DOUBLE
2-0028-06023-000-019-005	ZIP DIP-DOUBLE
2-0028-06023-000-024-022	ZIP DIP-DOUBLE
2-0028-06023-000-024-025	ZIP DIP-DOUBLE
2-0032-07282-000-006-002	ZIP DIP-DOUBLE, 32 LEADS, GOLD PLATE
2-0032-07282-000-006-005	ZIP DIP-DOUBLE, 32 LEADS, TIN PLATE
2-0032-07282-000-019-002	ZIP DIP-DOUBLE
2-0032-07282-000-019-005	ZIP DIP-DOUBLE
2-0032-07282-000-024-022	ZIP DIP-DOUBLE
2-0032-07282-000-024-025	ZIP DIP-DOUBLE
2-0040-06181-000-019-002	ZIP DIP-DOUBLE
2-0040-06181-000-019-005	ZIP DIP-DOUBLE
2-0040-06181-000-024-022	ZIP DIP-DOUBLE
2-0040-06182-000-006-002	ZIP DIP-DOUBLE, 40 LEADS, GOLD PLATE
2-0040-06182-000-006-005	ZIP DIP-DOUBLE, 40 LEADS, TIN PLATE
2-0040-06182-000-024-025	ZIP DIP-DOUBLE

**3M™ End Use ZIP DIP Sockets**

3M Part Number	Description
2-0032-01297-000-033-003	END USE ZIP DIP

**3M™ Shrink DIP Sockets**

For DIPs with .070 inch lead spacing and 28 to 90 pins. Lever actuated zero insertion force mechanism. Contact point .090 inch below top surface of socket.

3M Part Number	Description
2-0028-01290-000-006-003	SHRINK DIP
2-0042-01293-000-006-003	SHRINK DIP
2-0064-01300-000-006-003	SHRINK DIP
2-0090-01294-000-033-003	SHRINK DIP

**ZIP Strip**

**3M™ ZIP Strip Sockets**

For single in-line devices on .075 inch centers. Can be used in sets of two or more to create a socket for non-standard leaded packages. Lever actuated zero insertion force mechanism. Ganging bar included to enable mass actuation and accepts pins up to .025 inch square. Contact point .085 inch below top surface of socket.

3M Part Number	Description
2-0010-02599-000-006-002	ZIP STRIP
2-0010-02599-000-006-005	ZIP STRIP
2-0010-02599-000-024-022	ZIP STRIP
2-0020-02600-000-006-002	ZIP STRIP
2-0020-02600-000-006-005	ZIP STRIP
2-0020-02600-000-024-022	ZIP STRIP
2-0024-05809-000-006-002	ZIP STRIP
2-0024-05809-000-006-005	ZIP STRIP
2-0024-05809-000-024-022	ZIP STRIP
2-0032-02601-000-006-002	ZIP STRIP
2-0032-02601-000-006-005	ZIP STRIP
2-0032-02601-000-024-022	ZIP STRIP
2-0032-02601-050-006-002	ZIP STRIP
2-0036-06225-000-006-002	ZIP STRIP
2-0036-06225-000-006-005	ZIP STRIP
2-0040-06134-000-006-002	ZIP STRIP - .075 CTR IN

## 3M™ Staggered ZIP Strip Sockets

For devices with .050 inch lead centers formed in staggered rows. Frequently used in pairs to handle devices with standard leads on opposite sides of the package. Order left and right hand strips separately to obtain a complete pair. Lever actuated zero insertion force mechanism.

3M Part Number	Description
2-0032-01270-001-006-002	ZIP STRIP-STAGGERED
2-0032-01270-002-006-002	ZIP STRIP-STAGGERED
2-0039-05605-001-006-002	ZIP STRIP-STAGGERED
2-0039-05605-001-006-005	ZIP STRIP-STAGGERED
2-0039-05605-002-006-002	ZIP STRIP-STAGGERED
2-0039-05605-002-006-005	ZIP STRIP-STAGGERED
2-0055-07322-001-006-002	ZIP STRIP-STAGGERED
2-0055-07322-001-006-005	ZIP STRIP-STAGGERED
2-0055-07322-002-006-002	ZIP STRIP-STAGGERED
2-0055-07322-002-006-005	ZIP STRIP-STAGGERED
2-0058-04228-001-006-002	ZIP STRIP-STAGGERED
2-0058-04228-001-006-005	ZIP STRIP-STAGGERED
2-0058-04228-002-006-002	ZIP STRIP-STAGGERED
2-0058-04228-002-006-005	ZIP STRIP-STAGGERED

## 3M™ Axial ZIP Strip Sockets

3M Part Number	Description
2-0010-03548-000-006-002	ZIP STRIP-AXIAL
2-0010-03548-000-006-005	ZIP STRIP-AXIAL
2-0020-03549-000-006-002	ZIP STRIP-AXIAL
2-0020-03549-000-006-005	ZIP STRIP-AXIAL
2-0032-03550-000-006-002	ZIP STRIP-AXIAL
2-0032-03550-000-006-005	ZIP STRIP-AXIAL
2-0034-03034-001-006-002	ZIP STRIP - AXIAL
2-0034-03034-001-006-005	ZIP STRIP - AXIAL
2-0034-03034-002-006-002	ZIP STRIP - AXIAL
2-0034-03034-002-006-005	ZIP STRIP - AXIAL
2-0035-03019-001-006-002	ZIP STRIP - AXIAL
2-0035-03019-001-006-005	ZIP STRIP - AXIAL
2-0035-03019-002-006-002	ZIP STRIP - AXIAL
2-0035-03019-002-006-005	ZIP STRIP - AXIAL
2-0051-05949-001-006-002	ZIP STRIP-AXIAL
2-0051-05949-001-006-005	ZIP STRIP-AXIAL
2-0051-05949-002-006-002	ZIP STRIP-AXIAL
2-0051-05949-002-006-005	ZIP STRIP-AXIAL

## 3M™ Axial ZIP Strip Sockets with Covers

3M Part Number	Description
2-0035-03679-001-006-002	ZIP STRIP-AXIAL W/COVER
2-0035-03679-001-006-005	ZIP STRIP-AXIAL W/COVER
2-0035-03679-002-006-002	ZIP STRIP-AXIAL W/COVER
2-0035-03679-002-006-005	ZIP STRIP-AXIAL W/COVER
2-0051-05949-011-006-002	ZIP STRIP-AXIAL W/COV
2-0051-05949-011-006-005	ZIP STRIP-AXIAL W/COV
2-0051-05949-012-006-002	ZIP STRIP-AXIAL W/COV
2-0051-05949-012-006-005	ZIP STRIP-AXIAL W/COV

## 3M™ Diode ZIP Strip Sockets

For devices with .200 inch lead centers, unformed or extending axially from package. Ribbed top-plate aligns leads. Lever actuated zero insertion force mechanism. Frequently used in pairs to handle diodes with unformed leads. Gangling bar included to enable mass actuation.

3M Part Number	Description
2-0016-03614-000-006-002	ZIP STRIP-DIODE
2-0016-03614-000-006-005	ZIP STRIP-DIODE

# LCC

## 3M™ LCC Sockets


LCC sockets accept JEDEC leadless type "A" ceramic chip carriers with a variety of optional lids. They are made of high-temperature PPS plastic with beryllium copper contacts for rugged performance.

3M Part Number	Description
2-0068-05400-002-075-000	TYPE "A" LCC FULL LID ONLY
2-0068-05400-007-077-000	HEAT SINK
2-0068-05400-010-075-000	TYPE "A" LCC U-SHAPED LID ONLY

## 3M™ LCC Sockets

Lidded style socket provided consistent normal force on LCC contact pads for maximum electrical reliability. Compliant leads accommodate package planarity variations. Repairable — leads, lid and latch can be replaced.

3M Part Number	Description
2-0068-05400-000-011-002	OEM TYPE "A" LCC STANDARD SOCKET, FULL LID
2-0068-05400-011-011-002	OEM TYPE "A" LCC STANDARD SOCKET, NO LID
2-0068-05400-050-011-002	OEM TYPE "A" LCC STANDARD SOCKET, U-SHAPED LID
2-0068-05400-064-011-002	OEM TYPE "A" LCC FINNED HEAD SINK LID ONLY
2-0068-05405-050-011-002	OEM TYPE "B" LCC SOCKET, THRU-HOLE, U-SHAPED LID



**3M™ End Use LCC Sockets**


3M Part Number	Description
2-0032-01271-000-011-002	END USE-LCC TYPE "C"
2-0084-01273-000-011-002	END USE-LCC TYPE "C"
2-0084-01273-050-011-002	END USE-LCC TYPE "C"

**PQFP**

**3M™ PQFP Sockets**

The snap lid of the PQFP socket separates and maintains lead spacing while providing a package carrier for transport. Slotted walls permit air flow to aid package heat dissipation. Accepts JEDEC .025 center-line quad packs.


3M Part Number	Description
2-0084-07242-070-018-007	84 LEAD OEM PLASTIC QUAD FLAT PACK SOCKET
2-0100-07243-000-018-007	100 LEAD OEM PLASTIC QUAD FLAT PACK SOCKET
2-0132-07244-070-018-007	132 LEAD OEM PLASTIC QUAD FLAT PACK SKT W/REVISED LID
2-0164-07245-000-018-007	164 LEAD OEM PLASTIC QUAD FLAT PACK SOCKET



**3M™ PQFP Latching Aid**

The PQFP latching aid is an optional accessory made of polycarbonate.

3M Part Number	Description
4-0000-07242-000-099-000	PQFP LATCHING AID for the 2-0084-07242-000-018-007
4-0000-07243-000-099-000	PQFP LATCHING AID for the 2-0100-07243-0XX-018-007
4-0000-07244-000-099-000	PQFP LATCHING AID for the 2-0132-07244-0XX-018-007
4-0000-07245-000-099-000	PQFP LATCHING AID for the 2-0164-07245-000-018-007



**3M™ PQFP End Use**

3M Part Number	Description
2-0084-07242-103-018-000	LID- END USE PQFP
2-0100-07243-003-018-000	LID-END USE PQFP
2-0100-07243-050-018-007	END USE PQFP
2-0132-07244-075-018-007	END USE-PQFP W/REVISED LID
2-0164-07245-003-018-000	LID-END USE PQFP
2-0196-07246-000-018-007	END USE PQFP
2-0196-07246-003-018-000	LID-END USE PQFP

**3M™ PQFP End Use Latching Aid**

3M Part Number	Description
4-0000-07246-000-099-000	LATCHING AID-END USE PQFP

**3M™ CQFP End Use**


3M Part Number	Description
2-0132-07244-030-018-000	ADAPTER-END USE CQFP
2-0132-07244-103-018-000	LID-END USE CQFP/PQFP

**Receptacles**

**3M™ ZIP DIP II Receptacles**

These receptacles are designed so that a worn out or damaged socket can be simply unplugged and replaced with a new one without the expense and downtime of replacing the entire board. Available in wire-wrap (WW) and solder-tail (ST) options, with mounting flanges that hold receptacle to board, pre-tapped holes mate with screw-holes in socket for firm hold (two screws provided with each receptacle).

3M Part Number	Description
2-0014-03592-000-019-002	RECEPTACLE-ZIP DIP II
2-0014-03592-000-019-005	RECEPTACLE-ZIP DIP II
2-0016-03593-000-019-005	RECEPTACLE-ZIP DIP II
2-0016-03593-006-019-002	RECEPTACLE-ZIP DIP II
2-0016-03593-006-019-005	RECEPTACLE-ZIP DIP II
2-0018-03594-000-019-002	RECEPTACLE-ZIP DIP II
2-0018-03594-000-019-005	RECEPTACLE-ZIP DIP II
2-0018-03594-006-019-005	RECEPTACLE-ZIP DIP II
2-0020-03595-000-019-002	RECEPTACLE-ZIP DIP II
2-0020-03595-000-019-005	RECEPTACLE-ZIP DIP II
2-0020-03595-006-019-002	RECEPTACLE-ZIP DIP II
2-0020-03595-006-019-005	RECEPTACLE-ZIP DIP II
2-0022-03596-000-019-002	RECEPTACLE-ZIP DIP II
2-0022-03596-006-019-005	RECEPTACLE-ZIP DIP II
2-0024-03597-000-019-002	RECEPTACLE-ZIP DIP II
2-0024-03597-000-019-005	RECEPTACLE-ZIP DIP II
2-0024-03597-006-019-005	RECEPTACLE-ZIP DIP II
2-0024-05249-000-006-002	RECEPTACLE - ZIP DIP II
2-0024-05249-000-006-005	RECEPTACLE - ZIP DIP II



Continued Next Page

# 3M™ IC Sockets Receptacles

## 3M™ ZIP DIP II Receptacles continued

3M Part Number	Description
2-0024-05249-000-019-002	RECEPTACLE - ZIP DIP II
2-0024-05249-000-019-005	RECEPTACLE - ZIP DIP II
2-0024-05249-006-006-002	RECEPTACLE - ZIP DIP II
2-0024-05249-006-006-005	RECEPTACLE - ZIP DIP II
2-0024-05249-006-019-002	RECEPTACLE - ZIP DIP II
2-0024-05249-006-019-005	RECEPTACLE - ZIP DIP II
2-0028-03598-000-019-002	RECEPTACLE-ZIP DIP II
2-0028-03598-000-019-005	RECEPTACLE-ZIP DIP II
2-0028-03598-006-019-002	RECEPTACLE-ZIP DIP II
2-0028-03598-006-019-005	RECEPTACLE-ZIP DIP II
2-0028-04818-000-006-002	RECEPTACLE ZIP DIP II
2-0028-04818-000-006-005	RECEPTACLE ZIP DIP II
2-0028-04818-006-006-002	RECEPTACLE ZIP DIP II
2-0028-04818-006-006-005	RECEPTACLE ZIP DIP II
2-0032-01285-009-006-003	RECEPTACLE - ZIP DIP II
2-0032-01285-019-006-003	RECEPTACLE - ZIP DIP II
2-0040-03599-000-019-002	RECEPTACLE-ZIP DIP II
2-0040-03599-000-019-005	RECEPTACLE-ZIP DIP II
2-0040-03599-006-019-002	RECEPTACLE-ZIP DIP II
2-0040-03599-006-019-005	RECEPTACLE-ZIP DIP II
2-0040-04138-000-006-002	RECEPTACLE-ZIP DIP II
2-0040-04138-000-006-005	RECEPTACLE-ZIP DIP II
2-0040-04138-006-006-002	RECEPTACLE-ZIP DIP II
2-0042-04282-000-006-002	RECEPTACLE - ZIP DIP II
2-0042-04282-000-006-005	RECEPTACLE - ZIP DIP II
2-0042-04282-006-006-002	RECEPTACLE - ZIP DIP II
2-0042-04282-006-006-005	RECEPTACLE - ZIP DIP II
2-0048-05195-000-006-002	RECEPTACLE ZIP DIP II
2-0048-05195-000-006-005	RECEPTACLE ZIP DIP II
2-0048-05195-000-019-002	RECEPTACLE ZIP DIP II
2-0048-05195-000-019-005	RECEPTACLE ZIP DIP II
2-0048-05195-006-006-002	RECEPTACLE ZIP DIP II
2-0048-05195-006-006-005	RECEPTACLE ZIP DIP II
2-0064-05119-000-019-002	RECEPTACLE ZIP DIP II
2-0064-05119-006-019-002	RECEPTACLE ZIP DIP II

## 3M™ ZIP DIP II Receptacles with Mounting Flanges

3M Part Number	Description
2-0014-03592-000-006-002	REC ZDII, WW, W/MOUNTING FLANGE
2-0014-03592-000-006-005	REC ZDII, WW, W/MOUNTING FLANGE
2-0014-03592-006-006-002	REC ZDII, ST, W/MOUNTING FLANGE
2-0014-03592-006-006-005	REC ZDII, ST, W/MOUNTING FLANGE
2-0016-03593-000-006-002	REC ZDII, WW, W/MOUNTING FLANGE
2-0016-03593-000-006-005	REC ZDII, WW, W/MOUNTING FLANGE
2-0016-03593-006-006-002	REC ZDII, ST, W/MOUNTING FLANGE
2-0016-03593-006-006-005	REC ZDII, ST, W/MOUNTING FLANGE
2-0018-03594-000-006-002	REC ZDII, WW, W/MOUNTING FLANGE
2-0018-03594-000-006-005	REC ZDII, WW, W/MOUNTING FLANGE
2-0018-03594-006-006-002	REC ZDII, ST, W/MOUNTING FLANGE
2-0018-03594-006-006-005	REC ZDII, ST, W/MOUNTING FLANGE
2-0020-03595-000-006-002	REC ZDII, WW, W/MOUNTING FLANGE
2-0020-03595-000-006-005	REC ZDII, WW, W/MOUNTING FLANGE
2-0020-03595-006-006-002	REC ZDII, ST, W/MOUNTING FLANGE
2-0020-03595-006-006-005	REC ZDII, ST, W/MOUNTING FLANGE
2-0022-03596-000-006-002	REC ZDII, WW, W/MOUNTING FLANGE
2-0022-03596-000-006-005	REC ZDII, WW, W/MOUNTING FLANGE
2-0022-03596-006-006-002	REC ZDII, WW, W/MOUNTING FLANGE
2-0022-03596-006-006-005	REC ZDII, ST, W/MOUNTING FLANGE
2-0024-03597-000-006-002	REC ZDII, WW, W/MOUNTING FLANGE
2-0024-03597-000-006-005	REC ZDII, WW, W/MOUNTING FLANGE
2-0024-03597-006-006-002	REC ZDII, ST, W/MOUNTING FLANGE
2-0024-03597-006-006-005	REC ZDII, ST, W/MOUNTING FLANGE
2-0028-03598-000-006-002	REC ZDII, WW, W/MOUNTING FLANGE
2-0028-03598-000-006-005	REC ZDII, WW, W/MOUNTING FLANGE
2-0028-03598-006-006-002	REC ZDII, ST, W/MOUNTING FLANGE
2-0028-03598-006-006-005	REC ZDII, ST, W/MOUNTING FLANGE
2-0040-03599-000-006-002	REC ZDII, WW, W/MOUNTING FLANGE
2-0040-03599-000-006-005	REC ZDII, WW, W/MOUNTING FLANGE
2-0040-03599-006-006-002	REC ZDII, ST, W/MOUNTING FLANGE
2-0040-03599-006-006-005	REC ZDII, ST, W/MOUNTING FLANGE
2-0064-05119-000-006-002	REC ZDII, WW, W/MOUNTING FLANGE
2-0064-05119-000-006-005	REC ZDII, WW, W/MOUNTING FLANGE
2-0064-05119-006-006-002	REC ZDII, ST, W/MOUNTING FLANGE
2-0064-05119-006-006-005	REC ZDII, ST, W/MOUNTING FLANGE

## 3M™ Shrink DIP Receptacles

3M Part Number	Description
2-0028-01290-009-006-003	RECEPTACLE - SHRINK DIP
2-0042-01293-009-006-003	RECEPTACLE - SHRINK DIP
2-0064-01300-009-006-003	RECEPTACLE - SHRINK DIP
2-0090-01294-009-006-003	RECEPTACLE - SHRINK DIP