FEATURES AND SPECIFICATIONS

2.54mm (.100") Pitch SL™ Interim Clip

70013 Dual Row

Features and Benefits


- Sizes 6 to 50 circuits
- Positive latch retains clip to dual row panel mount or headers
- Optional front polarization rib available (version B)
- Stacks single row 70066/70400D assemblies side-to-side and end-to-end to form a larger dual row connector, accepts 70450C dual row connector to provide positive latch feature

Physical

Housing: Black glass-filled polyester, UL 94V-0
Operating Temperature: -40 to +105˚C


Reference Information

Packaging: Bag
UL File No.: E29179
CSA File No.: LR19980
Mates With: 70013, Version A—8723B and 8724B
70013, Version B—70022, 70227 and 70229
Designed In: Inches



CATALOG DRAWING (FOR REFERENCE ONLY)

Not For Use With Molex C-Grid III™ Components




ORDERING INFORMATION AND DIMENSIONS


Circuits	Order No.		Dimension
	Version A Without Ribs	Version B With Ribs	A
6	• 15-04-5061	• 15-04-5064	11.83 (.466)
8	• 15-04-5081	• 15-04-5084	14.37 (.566)
10	• 15-04-5101	• 15-04-5104	16.91 (.666)
12	• 15-04-5121	• 15-04-5124	19.45 (.766)
14	• 15-04-5141	• 15-04-5144	21.99 (.866)
16	• 15-04-5161	• 15-04-5164	24.53 (.966)
18	• 15-04-5181	• 15-04-5184	27.07 (1.066)
20	• 15-04-5201	• 15-04-5204	29.61 (1.166)
22	• 15-04-5221	• 15-04-5224	32.15 (1.266)
24	• 15-04-5241	• 15-04-5244	34.69 (1.366)
26	• 15-04-5261	• 15-04-5264	37.23 (1.466)
28	• 15-04-5281	• 15-04-5284	39.77 (1.566)


Circuits	Order No.		Dimension
	Version A Without Ribs	Version B With Ribs	A
30	• 15-04-5301	• 15-04-5304	42.31 (1.666)
32	• 15-04-5321	• 15-04-5324	44.85 (1.766)
34	• 15-04-5341	• 15-04-5344	47.39 (1.866)
36	• 15-04-5361	• 15-04-5364	49.93 (1.966)
38	• 15-04-5381	• 15-04-5384	52.47 (2.066)
40	• 15-04-5401	• 15-04-5404	55.01 (2.166)
42	• 15-04-5421	• 15-04-5424	57.55 (2.266)
44	• 15-04-5441	• 15-04-5444	60.09 (2.366)
46	• 15-04-5461	• 15-04-5464	62.63 (2.466)
48	• 15-04-5481	• 15-04-5484	65.17 (2.566)
50	• 15-04-5501	• 15-04-5504	67.71 (2.666)


• US Standard Product, available through Molex franchised distributors

CKT. SIZE	OPTION A (WITHOUT RIBS)		OPTION B (WITH RIBS)		DIMENSION	
	EDP. NO.	ENG. NO.	EDP. NO.	ENG. NO.	A	B
4	NOT TOOLED	X-70013-0008	NOT TOOLED	X-70013-1004	(5.33) .210	(2.54) .100
6	015-04-5061	70013-0001	015-04-5064	70013-1006	(7.87) .310	(5.08) .200
8	015-04-5081	70013-0007	015-04-5084	70013-1008	(10.41) .410	(7.62) .300
10	015-04-5101	70013-0002	015-04-5104	70013-1010	(12.95) .510	(10.16) .400
12	015-04-5121	70013-0012	015-04-5124	70013-1012	(15.49) .610	(12.70) .500
14	015-04-5141	70013-0014	015-04-5144	70013-1014	(18.03) .710	(15.24) .600
16	015-04-5161	70013-0016	015-04-5164	70013-1016	(20.57) .810	(17.78) .700
18	015-04-5181	70013-0018	015-04-5184	70013-1018	(23.11) .910	(20.32) .800
20	015-04-5201	70013-0003	015-04-5204	70013-1020	(25.65) 1.010	(22.86) .900
22	015-04-5221	70013-0022	015-04-5224	70013-1022	(28.19) 1.110	(25.40) 1.000
24	015-04-5241	70013-0024	015-04-5244	70013-1024	(30.73) 1.210	(27.94) 1.100
26	015-04-5261	70013-0026	015-04-5264	70013-1026	(33.27) 1.310	(30.48) 1.200
28	015-04-5281	70013-0028	015-04-5284	70013-1028	(35.81) 1.410	(33.02) 1.300
30	015-04-5301	70013-0004	015-04-5304	70013-1030	(38.35) 1.510	(35.56) 1.400
32	015-04-5321	70013-0032	015-04-5324	70013-1032	(40.89) 1.610	(38.10) 1.500
34	015-04-5341	70013-0034	015-04-5344	70013-1034	(43.43) 1.710	(40.64) 1.600
36	015-04-5361	70013-0036	015-04-5364	70013-1036	(45.97) 1.810	(43.18) 1.700
38	015-04-5381	70013-0038	015-04-5384	70013-1038	(48.51) 1.910	(45.72) 1.800
40	015-04-5401	70013-0005	015-04-5404	70013-1040	(51.05) 2.010	(48.26) 1.900
42	015-04-5421	70013-0042	015-04-5424	70013-1042	(53.59) 2.110	(50.80) 2.000
44	015-04-5441	70013-0044	015-04-5444	70013-1044	(56.13) 2.210	(53.34) 2.100
46	015-04-5461	70013-0046	015-04-5464	70013-1046	(58.67) 2.310	(55.88) 2.200
48	015-04-5481	70013-0048	015-04-5484	70013-1048	(61.21) 2.410	(58.42) 2.300
50	015-04-5501	70013-0006	015-04-5504	70013-1050	(63.75) 2.510	(60.96) 2.400











SECTION A-A





NOTES:

1) MATERIAL: GLASS FILLED POLYESTER, 94V-0, BLACK
2) MOLD TO BE EXPANDABLE FOR CIRCUIT SIZES LISTED ON CHART.
3) 10 CIRCUIT, B OPTION PART SHOWN.
4) OPTION "A" - MATES WITH HEADERS 8723-B, 8723-C 8724-B, 8724-C, 70227, 70229, AND 70022. OPTION "B" - MATES WITH HEADERS 8723-C, 8724-C 70227, 700229, AND 70022 (EXCEPT THE 50 CIRCUIT PARTS LISTED ON PAGE 4. SEE THE CHART ON PAGE 4 FOR MATING INTERIM CLIPS)
5) ALL DIMENSIONS FOR REFERENCE ONLY.
6) OPTIONAL SPRING CLIP FOR GREATER RETENTION OF MODULES IS RECOMMENDED FOR CIRCUIT SIZES 18-50. PART NUMBER 71809.
7) PACKAGE PER PK-70013-100.

M	ADD PKG NOTE ECN UDT2000-0468 SCHAFER 99/12/1	L1	REVISE PER ECR #U80583 10/10/97 HPA
L3	CLEAN UP DWG PER UDT1999-0522 99/01/05 KAS	L	REVISE PER ECR #U80062 3/1/88 MJM
L2	REVISE PER ECR #UDT1998-0206 98/01/09 HPA	K	REVISE TOP WALL & ANTI-FISH HOOK RIBS PER ECR#9622 1/17/87 MJM/JAS
LTR.	REVISIONS	LTR.	REVISIONS

DIMENSIONS SHOWN (METRIC) INCH
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1/2°

	INCH	METRIC
3 PLACE	± .010	---
2 PLACE	± .015	± 0.25
1 PLACE	---	± 0.38

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DRWG. BY	DJB	CHK'D. BY	DB
APP'D. BY	WZ	SCALE	4: 1

▽ = 0 ▼ = 0 REVISE ONLY ON CAD SYSTEM

TITLE
DUAL ROW
INTERIM CLIP
.100 GRID

MOLEX INCORPORATED
LISLE, ILL. 60532 U.S.A.


SHEET NO. 1 OF 4
DATE 06/23/86
PART NO. SEE CHART
DRWG. NO. SD-70013-0001-1050
FILE NAME S70013X1 DGN

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.


DIV. DP
SIZE C

MFG.	SH.	REV.
4		L2
3		L1
2		L3
1		M


38 CKT.
19 CKT. DUAL
ROW - ODD




40 CKT.
20 CKT. DUAL
ROW - EVEN




42 CKT.
21 CKT. DUAL
ROW - ODD




44 CKT.
22 CKT. DUAL
ROW - EVEN




46 CKT.
23 CKT. DUAL
ROW - ODD



48 CKT.
24 CKT. DUAL
ROW - EVEN



50 CKT.
25 CKT. DUAL
ROW - ODD



L1	SEE SHEET 1
L	SEE SHEET 1
K	SEE SHEET 1
J	SEE SHEET 1

MFG.	SH.	REV.	LTR.	REVISIONS

DIMENSIONS SHOWN (METRIC) INCH
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1/2°

	INCH	METRIC
3 PLACE	± .010	---
2 PLACE	± .015	± 0.25
1 PLACE	---	± 0.38

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

▽ = Ø ▼ = Ø REVISE ONLY ON CAD SYSTEM

TITLE
DUAL ROW
INTERIM CLIP
.100 GRID

MOLEX INCORPORATED
LISLE, ILL. 60532 U.S.A.

SHEET NO. 3
DATE 06/26/86


PART NO. SEE CHART
DRWG. NO. SD-70013-0001-1050


DRWG. BY	CHK'D. BY	FILE NAME	DIV.	SIZE
DJB	DB	S70013X3 DGN	DP	C
APP'D. BY: WZ	SCALE: 2:1			


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.


70013

CKT. SIZE	OPTION A (WITHOUT RIBS)		OPTION B (WITH RIBS)		DIMENSION	
	EDP. NO.	ENG. NO.	EDP. NO.	ENG. NO.	A	B
4	NOT TOOLED	X-70013-0008	NOT TOOLED	X-70013-1004	(5.33) .210	(2.54) .100
6	015-04-5061	70013-0001	015-04-5064	70013-1006	(7.87) .310	(5.08) .200
8	015-04-5081	70013-0007	015-04-5084	70013-1008	(10.41) .410	(7.62) .300
10	015-04-5101	70013-0002	015-04-5104	70013-1010	(12.95) .510	(10.16) .400
12	015-04-5121	70013-0012	015-04-5124	70013-1012	(15.49) .610	(12.70) .500
14	015-04-5141	70013-0014	015-04-5144	70013-1014	(18.03) .710	(15.24) .600
16	015-04-5161	70013-0016	015-04-5164	70013-1016	(20.57) .810	(17.78) .700
18	015-04-5181	70013-0018	015-04-5184	70013-1018	(23.11) .910	(20.32) .800
20	015-04-5201	70013-0003	015-04-5204	70013-1020	(25.65) 1.010	(22.86) .900
22	015-04-5221	70013-0022	015-04-5224	70013-1022	(28.19) 1.110	(25.40) 1.000
24	015-04-5241	70013-0024	015-04-5244	70013-1024	(30.73) 1.210	(27.94) 1.100
26	015-04-5261	70013-0026	015-04-5264	70013-1026	(33.27) 1.310	(30.48) 1.200
28	015-04-5281	70013-0028	015-04-5284	70013-1028	(35.81) 1.410	(33.02) 1.300
30	015-04-5301	70013-0004	015-04-5304	70013-1030	(38.35) 1.510	(35.56) 1.400
32	015-04-5321	70013-0032	015-04-5324	70013-1032	(40.89) 1.610	(38.10) 1.500
34	015-04-5341	70013-0034	015-04-5344	70013-1034	(43.43) 1.710	(40.64) 1.600
36	015-04-5361	70013-0036	015-04-5364	70013-1036	(45.97) 1.810	(43.18) 1.700
38	015-04-5381	70013-0038	015-04-5384	70013-1038	(48.51) 1.910	(45.72) 1.800
40	015-04-5401	70013-0005	015-04-5404	70013-1040	(51.05) 2.010	(48.26) 1.900
42	015-04-5421	70013-0042	015-04-5424	70013-1042	(53.59) 2.110	(50.80) 2.000
44	015-04-5441	70013-0044	015-04-5444	70013-1044	(56.13) 2.210	(53.34) 2.100
46	015-04-5461	70013-0046	015-04-5464	70013-1046	(58.67) 2.310	(55.88) 2.200
48	015-04-5481	70013-0048	015-04-5484	70013-1048	(61.21) 2.410	(58.42) 2.300
50	015-04-5501	70013-0006	015-04-5504	70013-1050	(63.75) 2.510	(60.96) 2.400











SECTION A-A





NOTES:

1) MATERIAL: GLASS FILLED POLYESTER, 94V-0, BLACK
2) MOLD TO BE EXPANDABLE FOR CIRCUIT SIZES LISTED ON CHART.
3) 10 CIRCUIT, B OPTION PART SHOWN.
4) OPTION "A" - MATES WITH HEADERS 8723-B, 8723-C 8724-B, 8724-C, 70227, 70229, AND 70022. OPTION "B" - MATES WITH HEADERS 8723-C, 8724-C 70227, 700229, AND 70022 (EXCEPT THE 50 CIRCUIT PARTS LISTED ON PAGE 4. SEE THE CHART ON PAGE 4 FOR MATING INTERIM CLIPS)
5) ALL DIMENSIONS FOR REFERENCE ONLY.
6) OPTIONAL SPRING CLIP FOR GREATER RETENTION OF MODULES IS RECOMMENDED FOR CIRCUIT SIZES 18-50. PART NUMBER 71809.
7) PACKAGE PER PK-70013-100.

M	ADD PKG NOTE ECN UDT2000-0468 SCHAFER 99/12/1	L1	REVISE PER ECR #U80583 10/10/97 HPA
L3	CLEAN UP DWG PER UDT1999-0522 99/01/05 KAS	L	REVISE PER ECR #U80062 3/1/88 MJM
L2	REVISE PER ECR #UDT1998-0206 98/01/09 HPA	K	REVISE TOP WALL & ANTI-FISH HOOK RIBS PER ECR#9622 1/17/87 MJM/JAS
LTR.	REVISIONS	LTR.	REVISIONS

DIMENSIONS SHOWN (METRIC) INCH
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1/2°

	INCH	METRIC
3 PLACE	± .010	---
2 PLACE	± .015	± 0.25
1 PLACE	---	± 0.38

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DRWG. BY	DJB	CHK'D. BY	DB
APP'D. BY	WZ	SCALE	4: 1

▽ = 0 ▼ = 0 REVISE ONLY ON CAD SYSTEM

TITLE
DUAL ROW
INTERIM CLIP
.100 GRID

MOLEX INCORPORATED
LISLE, ILL. 60532 U.S.A.

SHEET NO. 1 OF 4
DATE 06/23/86
PART NO. SEE CHART
DRWG. NO. SD-70013-0001-1050
FILE NAME S70013X1 DGN

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.


DIV. DP
SIZE C

MFG.	SH.	REV.
4		L2
3		L1
2		L3
1		M


4 CKT.



6 CKT.
3 CKT. DUAL
ROW - ODD




8 CKT.
4 CKT. DUAL
ROW - EVEN




10 CKT.
SHOWN
ON SHT. 1


12 CKT.
6 CKT. DUAL
ROW - EVEN




14 CKT.
7 CKT. DUAL
ROW - ODD




16 CKT.
8 CKT. DUAL
ROW - EVEN




18 CKT.
9 CKT. DUAL
ROW - ODD




20 CKT.
10 CKT. DUAL
ROW - EVEN




22 CKT.
11 CKT. DUAL
ROW - ODD




24 CKT.
12 CKT. DUAL
ROW - EVEN




26 CKT.
13 CKT. DUAL
ROW - ODD




28 CKT.
14 CKT. DUAL
ROW - EVEN




30 CKT.
15 CKT. DUAL
ROW - ODD




32 CKT.
16 CKT. DUAL
ROW - EVEN



34 CKT.
17 CKT. DUAL
ROW - ODD



36 CKT.
18 CKT. DUAL
ROW - EVEN



L3	SEE SHEET 1
L	SEE SHEET 1
L	SEE SHEET 1
K	SEE SHEET 1
J	SEE SHEET 1

MFG.	SH.	REV.	LTR.	REVISIONS

DIMENSIONS SHOWN (METRIC) INCH

UNLESS OTHERWISE SPECIFIED
TOLERANCES: ANGULAR ± 1/2°

	INCH	METRIC
3 PLACE	± .010	---
2 PLACE	± .015	± 0.25
1 PLACE	---	± 0.38

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

▽ = 0 ▼ = 0 REVISE ONLY ON CAD SYSTEM

TITLE
DUAL ROW
INTERIM CLIP
.100 GRID

MOLEX INCORPORATED
LISLE, ILL. 60532 U.S.A.

SHEET NO. 2
DATE 06/25/86


PART NO. SEE CHART
DRWG. NO. SD-70013-0001-1050


DRWG. BY	CHK'D. BY	FILE NAME	DIV.	SIZE
DJB	DB	S70013X2 DGN	DP	C
APP'D. BY: WZ	SCALE: 2:1			


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.


70013

CKT. SIZE	OPTION A (WITHOUT RIBS)		OPTION B (WITH RIBS)		DIMENSION	
	EDP. NO.	ENG. NO.	EDP. NO.	ENG. NO.	A	B
4	NOT TOOLED	X-70013-0008	NOT TOOLED	X-70013-1004	(5.33) .210	(2.54) .100
6	015-04-5061	70013-0001	015-04-5064	70013-1006	(7.87) .310	(5.08) .200
8	015-04-5081	70013-0007	015-04-5084	70013-1008	(10.41) .410	(7.62) .300
10	015-04-5101	70013-0002	015-04-5104	70013-1010	(12.95) .510	(10.16) .400
12	015-04-5121	70013-0012	015-04-5124	70013-1012	(15.49) .610	(12.70) .500
14	015-04-5141	70013-0014	015-04-5144	70013-1014	(18.03) .710	(15.24) .600
16	015-04-5161	70013-0016	015-04-5164	70013-1016	(20.57) .810	(17.78) .700
18	015-04-5181	70013-0018	015-04-5184	70013-1018	(23.11) .910	(20.32) .800
20	015-04-5201	70013-0003	015-04-5204	70013-1020	(25.65) 1.010	(22.86) .900
22	015-04-5221	70013-0022	015-04-5224	70013-1022	(28.19) 1.110	(25.40) 1.000
24	015-04-5241	70013-0024	015-04-5244	70013-1024	(30.73) 1.210	(27.94) 1.100
26	015-04-5261	70013-0026	015-04-5264	70013-1026	(33.27) 1.310	(30.48) 1.200
28	015-04-5281	70013-0028	015-04-5284	70013-1028	(35.81) 1.410	(33.02) 1.300
30	015-04-5301	70013-0004	015-04-5304	70013-1030	(38.35) 1.510	(35.56) 1.400
32	015-04-5321	70013-0032	015-04-5324	70013-1032	(40.89) 1.610	(38.10) 1.500
34	015-04-5341	70013-0034	015-04-5344	70013-1034	(43.43) 1.710	(40.64) 1.600
36	015-04-5361	70013-0036	015-04-5364	70013-1036	(45.97) 1.810	(43.18) 1.700
38	015-04-5381	70013-0038	015-04-5384	70013-1038	(48.51) 1.910	(45.72) 1.800
40	015-04-5401	70013-0005	015-04-5404	70013-1040	(51.05) 2.010	(48.26) 1.900
42	015-04-5421	70013-0042	015-04-5424	70013-1042	(53.59) 2.110	(50.80) 2.000
44	015-04-5441	70013-0044	015-04-5444	70013-1044	(56.13) 2.210	(53.34) 2.100
46	015-04-5461	70013-0046	015-04-5464	70013-1046	(58.67) 2.310	(55.88) 2.200
48	015-04-5481	70013-0048	015-04-5484	70013-1048	(61.21) 2.410	(58.42) 2.300
50	015-04-5501	70013-0006	015-04-5504	70013-1050	(63.75) 2.510	(60.96) 2.400











SECTION A-A





NOTES:

1) MATERIAL: GLASS FILLED POLYESTER, 94V-0, BLACK
2) MOLD TO BE EXPANDABLE FOR CIRCUIT SIZES LISTED ON CHART.
3) 10 CIRCUIT, B OPTION PART SHOWN.
4) OPTION "A" - MATES WITH HEADERS 8723-B, 8723-C 8724-B, 8724-C, 70227, 70229, AND 70022. OPTION "B" - MATES WITH HEADERS 8723-C, 8724-C 70227, 700229, AND 70022 (EXCEPT THE 50 CIRCUIT PARTS LISTED ON PAGE 4. SEE THE CHART ON PAGE 4 FOR MATING INTERIM CLIPS)
5) ALL DIMENSIONS FOR REFERENCE ONLY.
6) OPTIONAL SPRING CLIP FOR GREATER RETENTION OF MODULES IS RECOMMENDED FOR CIRCUIT SIZES 18-50. PART NUMBER 71809.
7) PACKAGE PER PK-70013-100.

LTR.	REVISIONS	LTR.	REVISIONS
M	ADD PKG NOTE ECN UDT2000-0468 SCHAFER 99/12/1	L1	REVISE PER ECR #U80583 10/10/97 HPA
L3	CLEAN UP DWG PER UDT1999-0522 99/01/05 KAS	L	REVISE PER ECR #U80062 3/1/88 MJM
L2	REVISE PER ECR #UDT1998-0206 98/01/09 HPA	K	REVISE TOP WALL & ANTI-FISH HOOK RIBS PER ECR#9622 1/17/87 MJM/JAS

DIMENSIONS SHOWN (METRIC) INCH
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1/2°

	INCH	METRIC
3 PLACE	± .010	---
2 PLACE	± .015	± 0.25
1 PLACE	---	± 0.38

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DRWG. BY DJB | CHK'D. BY DB | APP'D. BY WZ | SCALE 4:1

▽ = 0 ▼ = 0 REVISE ONLY ON CAD SYSTEM

TITLE
DUAL ROW
INTERIM CLIP
.100 GRID

MOLEX INCORPORATED
LISLE,ILL. 60532 U.S.A.

SHEET NO. 1 OF 4
DATE 06/23/86
PART NO. SEE CHART
DRWG. NO. SD-70013-0001-1050
FILE NAME ST0013X1.DGN

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.


DIV. DP | SIZE C

MFG.	SH.	REV.
4	L2	
3	L1	
2	L3	
1	M	


4 CKT.



6 CKT.
3 CKT. DUAL
ROW - ODD




8 CKT.
4 CKT. DUAL
ROW - EVEN




10 CKT.
SHOWN
ON SHT. 1


12 CKT.
6 CKT. DUAL
ROW - EVEN




14 CKT.
7 CKT. DUAL
ROW - ODD




16 CKT.
8 CKT. DUAL
ROW - EVEN




18 CKT.
9 CKT. DUAL
ROW - ODD




20 CKT.
10 CKT. DUAL
ROW - EVEN




22 CKT.
11 CKT. DUAL
ROW - ODD




24 CKT.
12 CKT. DUAL
ROW - EVEN




26 CKT.
13 CKT. DUAL
ROW - ODD




28 CKT.
14 CKT. DUAL
ROW - EVEN




30 CKT.
15 CKT. DUAL
ROW - ODD




32 CKT.
16 CKT. DUAL
ROW - EVEN



34 CKT.
17 CKT. DUAL
ROW - ODD



36 CKT.
18 CKT. DUAL
ROW - EVEN



L3	SEE SHEET 1
L	SEE SHEET 1
L	SEE SHEET 1
K	SEE SHEET 1
J	SEE SHEET 1

MFG.	SH.	REV.	LTR.	REVISIONS

DIMENSIONS SHOWN (METRIC) INCH

UNLESS OTHERWISE SPECIFIED
TOLERANCES: ANGULAR ± 1/2°

	INCH	METRIC
3 PLACE	± .010	---
2 PLACE	± .015	± 0.25
1 PLACE	---	± 0.38

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DRWG. BY	CHK'D. BY	APP'D. BY	SCALE
DJB	DB	WZ	2: 1

▽ = 0 ▼ = 0 REVISE ONLY ON CAD SYSTEM

TITLE
DUAL ROW
INTERIM CLIP
.100 GRID

MOLEX INCORPORATED
LISLE, ILL. 60532 U.S.A.

SHEET NO. 2

DATE 06/25/86

PART NO. SEE CHART

DRWG. NO. SD-70013-0001-1050

FILE NAME S70013X2 DGN

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.

DIV. DP

SIZE C

70013