

Amphenol LTW

Innovation in Waterproof Solution

Amphenol Industrial

Product Code

Search

Need Help?

Chat

Call

Home

Product Search

Login

New Register

Inquiry

Language

English

Home

About ALTW

Products

Supports

News & Events

Where to buy

Contact Us

Product Line

Circular Connectors

Mini (A)

Standard (B)

Middle (C)

Large (D)

Macro (E)

Others

Power Connectors

M Series Sensor Connectors

USB Connectors

IEEE 1394 Connectors

D-SUB Connectors

DVI Connectors

RJ Connectors

SSL Solution Connectors

LED Indicator

HDMI Connectors

Home > Product Line > Circular Connectors > Standard (B)

☆ Bookmark

📄 Share

🖨️ Print



Part Number : BD-06PMMP-LC7001

Pin : Copper Alloy,Gold Plated

Connector Body : Nylon+GF,UL Recognized

Temperature Range : -40℃~105℃

Download:

2D PDF

Sample 3D model(.igs)



Add to inquiry list

Check inquiry list

Submit inquiry

Description	Details
Connector	Standard (B) - Size
Connector Gender	Male connector
Mating Style	2 point lock bayonet
Current Rating	5A
No. of Contacts	6 pins
Contact Gender	Male pin

- Fiber Optic Connectors
- NMEA 2000 Connectors
- Cable Joiner
- FICX Connectors
- Cable Gland - Anti-UV
- Vent
- RBL Connectors
- X-Lok Connectors
- HS-Lok Connectors
- CNC Products
- Product Applications
- Product Search

Field installable	PCB 180°
Connector body type	Front Fastened (See more details)
Backshell	Circular
Waterproof Rating	IP67,Unmated
Panel Cut Φ(mm)	φ15.6X14.8
Certificate	UL1977
Panel Thickness (mm)	4

* Design and specifications are subject to change without notice.

update: 2015-09-11 00:00:00

Mating Parts

Overmolded with cable



Amphenol LTW

BD-06AFFM-LL6AXX



Amphenol LTW

BD-06AFFM-LR7AXX



Amphenol LTW

BD-06BFFM-LL7AXX



Amphenol LTW

BD-06BFFM-LR6AXX

Field installable



Amphenol LTW

BD-06BFFA-LL6001



Amphenol LTW

BD-06BFFA-LL7001

| [Home](#) | [Renewable Energy](#) | [Industrial Automation](#) | [LED](#) | [Marine](#) | [Broadband Wireless Access](#)
| [Smart Grids / Advanced Metering Infrastructure \(AMI\)](#)



Amphenol LTW
Innovation in Waterproof Solution

Copyright © 2011 Amphenol LTW TECHNOLOGY CO., LTD. All Rights Reserved.
ADD: 5F-3, No.51, Sec.4, Zhongyang Rd., Tucheng Dist., New Taipei City 236, Taiwan Tel: +886-2-7741-6888
E-mail: sales@ltw-tech.com
Design by TSG Web