




REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A	-	PROPOSAL	AUG 30/11	A.G.
B	-	ADD 2X5 INTO PRODUCT SERIES	FEB 28/12	A.G.

SFP COMBO	DIM E	DIM F
2X1 SFP	15.45	16.75
2X2 SFP	29.70	31.00
2X4 SFP	58.20	59.50
2X5 SFP	72.45	73.75
2X6 SFP	86.70	88.00
2X8 SFP	115.20	116.50

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.25 ± 1° X.XX ± 0.15		APPROVALS	DATE	Amphenol Canada Corp.		
		DRAWN ERIC.Z	AUG 30/11			
		DESIGNED J. SI	AUG 30/11	2XN SFP+ EXPRESSPORT™ COMBO WITH LARGE LIGHT PIPE OPTIONS SPRING FINGER EMI		
		CHECKED X	X			
MATERIAL AND FINISH	N/A	QA APP'D X	X	SIZE A4	DWG. NO. P-UE86-KX627-X0XX1	REV. B
REF.	X	IE APP'D X	X			
CODE IDENT. NO.	03554	DWG APP'D A.G.	AUG 30/11	SCALE 1:1	PROJECT	SHEET 3 OF 9


DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.

2. 1.05 mm DIAMETER HOLES ARE CHASSIS GROUND (13 HOLES).

		REVISIONS		
REV.	ECN	DESCRIPTION	DATE	APPROVED
A	-	PROPOSAL	AUG 30/11	A.G.
B	-	ADD 2X5 INTO PRODUCT SERIES	FEB 28/12	A.G.




2X1 PCB LAYOUT

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.25 ± 1° X.XX ± 0.15 MATERIAL AND FINISH N/A REF. X	APPROVALS		DATE		Amphenol Canada Corp.			
	DRAWN	ERIC.Z	AUG 30/11		TITLE 2XN SFP+ EXPRESSPORT™ COMBO WITH LARGE LIGHT PIPE OPTIONS SPRING FINGER EMI			
	DESIGNED	J. SI	AUG 30/11					
	CHECKED	X	X					
	QA APPD	X	X					
	IE APP'D	X	X		SIZE A4	DWG. NO. P-UE86-KX627-X0XX1	REV. B	
CODE IDENT. NO. 03554	DWG APP'D A.G.	AUG 30/11		SCALE 1:1	PROJECT		SHEET 4 OF 9	




NOTES:

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. 1.05 mm DIAMETER HOLES ARE CHASSIS GROUND (53 HOLES).

REVISIONS

REV.	ECN	DESCRIPTION	DATE	APPROVED
A	-	PROPOSAL	AUG 30/11	A.G.
B	-	ADD 2X5 INTO PRODUCT SERIES	FEB 28/12	A.G.



2X6 PCB LAYOUT

DO NOT SCALE DRAWING


THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.25 ± 1° X.XX ± 0.15		APPROVALS	DATE	Amphenol Canada Corp.	
		DRAWN ERIC.Z	AUG 30/11		
MATERIAL AND FINISH N/A		DESIGNED J. SI	AUG 30/11	TITLE 2XN SFP+ EXPRESSPORT™ COMBO WITH LARGE LIGHT PIPE OPTIONS SPRING FINGER EMI	
		CHECKED X	X		
REF. X		QA APPD X	X	SIZE A4 DWG. NO. P-UE86-KX627-X0XX1 REV. B	
		IE APP'D X	X		
CODE IDENT. NO. 03554		DWG APP'D A.G.	AUG 30/11	SCALE 3:2	SHEET 8 OF 9

NOTES:

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. 1.05 mm DIAMETER HOLES ARE CHASSIS GROUND (69 HOLES).

REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A	-	PROPOSAL	AUG 30/11	A.G.
B	-	ADD 2X5 INTO PRODUCT SERIES	FEB 28/12	A.G.



2X8 PCB LAYOUT

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS X.X ± 0.25 X.XX ± 0.15 ANGLES ± 1° MATERIAL AND FINISH N/A REF. X CODE IDENT. NO. 03554		APPROVALS		DATE		Amphenol Canada Corp.				
		DRAWN ERIC.Z		AUG 30/11		TITLE 2XN SFP+ EXPRESSPORT™ COMBO WITH LARGE LIGHT PIPE OPTIONS SPRING FINGER EMI				
		DESIGNED J. SI		AUG 30/11						
		CHECKED X		X						
		QA APPD X		X						
		IE APP'D X		X		SIZE A4	DWG. NO. P-UE86-KX627-X0XX1	REV. B		
		DWG APP'D A.G.		AUG 30/11		SCALE 1:1	PROJECT		SHEET 9 OF 9	