

LINEAR TECHNOLOGY MATERIALS DECLARATION

1t1997ims-3#trpbf

(Engineering Calculation)

MSOP with 4 PINS REMOVED

(printed on: 2020-07-11 18:24:23)

TOTAL MASS (g) : 0.038119

| COMPONENT MATERIAL | VENDOR/ INDUSTRY NAMES | CONSTITUENT NAME | CAS NUMBER | CONSTITUENT MASS (g) | CONSTITUENT (PPM) OF MATERIAL | CONSTITUENT (PPM) OF TOTAL PKG. | | |
|--------------------------------|----------------------------------|--------------------------------|------------|----------------------|-------------------------------|---------------------------------|----------------|----------------------|
| Active Device | Linear Technology | Silicon (Si) | 7440-21-3 | 0.003937 | 1000000 | 103281.757812 | | |
| Die Coat | Dow Corning | Silicone | 69430-27-9 | 0.000000 | 0 | 0 | | |
| Lead Frame | Cu | Copper (Cu) | 7440-50-8 | 0.013845 | 975000 | 363204.46875 | | |
| | | Iron (Fe) | 7439-89-6 | 0.000341 | 24000 | 8945.6640625 | | |
| | | Phosphorus (P) | 7723-14-0 | 0.000004 | 300 | 104.93447876 | | |
| | | Zinc (Zn) | 7440-66-6 | 0.000010 | 700 | 262.336181641 | | |
| | | Nickel (Ni) | 7440-02-0 | 0.000000 | 0 | 0 | | |
| | | Silicon (Si) | 7440-21-3 | 0.000000 | 0 | 0 | | |
| | | Magnesium (Mg) | 7439-95-4 | 0.000000 | 0 | 0 | | |
| | | Tin (Sn) | 7440-31-5 | 0.000000 | 0 | 0 | | |
| Lead Frame Total: | | | | 0.014200 | 1000000 | 372517.40625 | | |
| Plating | PMI | Exter. Plating Pb | 7439-92-1 | 0.000000 | 0 | 0 | | |
| | | Exter. Plating Sn | 7440-31-5 | 0.000710 | 1000000 | 18626.5234375 | | |
| | | External Plating Total: | | | | 0.000710 | 1000000 | 18626.5234375 |
| | | Inter. Plating Ni | 7440-02-0 | 0.000000 | 0 | 0 | | |
| | | Inter. Plating Ag | 7440-22-4 | 0.000086 | 1000000 | 2256.09130859 | | |
| Internal Plating Total: | | | | 0.000086 | 1000000 | 2256.09130859 | | |
| Die Attach | ELECTRICALLY INSULATING ADHESIVE | Silver (Ag) | 7440-22-4 | 0.000000 | 0 | 0 | | |
| | | Tin (Sn) | 7440-31-5 | 0.000000 | 0 | 0 | | |
| | | Lead (Pb) | 7439-92-1 | 0.000000 | 0 | 0 | | |
| | | Silica (SiO2) | 60676-86-0 | 0.000012 | 50000 | 314.803436279 | | |
| | | Indium (In) | 7440-74-6 | 0.000000 | 0 | 0 | | |
| | | Metal Oxide | | 0.000074 | 300000 | 1941.2878418 | | |
| | | Antimony (Sb) | 7440-36-0 | 0.000000 | 0 | 0 | | |
| | | Resin (EP) | | 0.000161 | 650000 | 4223.61279297 | | |
| Die Attach Total: | | | | 0.000247 | 1000000 | 6479.70361328 | | |
| Encapsulation | MULTI-AROMATIC RESIN Br/Sb FREE | Resin (EP) | | 0.001932 | 103000 | 50683.3515625 | | |
| | | Bromine (Br) | 40039-93-8 | 0.000000 | 0 | 0 | | |
| | | Silica (SiO2) | 60676-86-0 | 0.016790 | 895000 | 440462.5 | | |
| | | Antimony Trioxide (Sb2O3) | 1309-64-4 | 0.000000 | 0 | 0 | | |
| | | Metal Hydroxide | | 0.000000 | 0 | 0 | | |
| | | Carbon Black (C) | 1333-86-4 | 0.000038 | 2000 | 996.877441406 | | |
| | | Encapsulation Total: | | | | 0.018760 | 1000000 | 492142.6875 |
| Bond Wire Estimated | AFW/TANAKA/ Kn | Gold (Au) | 7440-57-5 | 0.000179 | 1000000 | 4695.81787109 | | |
| | | | | | TOTAL MASS (g) : | 0.038119 | | |