

Product Change Notification(PCN)

Issue Date: 14.09.2018

Modification / Revision Date: 14.09.2018

A-HDF xx LL-WP Waterproof connector

Change Notification: PCN 2018091412-A-HDF xx LL-WP

Description of changes:

- Change of production plant
- 1. Change of tolerance
- 2. Change of dimension
- 3. Change of insulator material
- 4. Draw.-No. ASS_3270_COrev03 substitutes ASS_3270_COrev02
- 5. Draw.-No. ASS_3279_COrev02 substitutes ASS_3279_COrev01
- 6. Draw.-No. ASS_3285_COrev02 substitutes ASS_3285_COrev01

Date of change and Implementation: Change: Week 37 / year 2018
Implementation: 14.09.2018

Key Characteristics of Change: Material & Dimensions, see page 3

Products Affected:

- A-HDF 15 LL-WP
- A-HDF 26 LL-WP
- A-HDF 44 LL-WP

Reason for Change: Change of production plant

Response : No response to this notification is required.

PCN Revision History:

Date of Revision: 14.09.2018

Revision Number: 00

page 1/

Auf dem Schüffel 1
D-58513 Lüdenscheid
Tel.: +49-2351 - 554-0
Fax +49 (2351) 554-861
info@assmann-wsw.com
www.assmann-wsw.com

Product Change Notification(PCN)

Issue Date: 14.09.2018

Modification / Revision Date: 14.09.2018

Reference Documents / Attachments:

Document: Drawing

[illegible]

PCN Revision History:

Date of Revision: 14.09.2018

Revision Number: 00

Auf dem Schüffel 1
D-58513 Lüdenscheid
Tel.: +49-2351 - 554-0
Fax +49 (2351) 554-861
info@assmann-wsw.com
www.assmann-wsw.com

Product Change Notification(PCN)

Issue Date: 14.09.2018

Modification / Revision Date: 14.09.2018







Old version	New version
Appearance of insulation holes 	Appearance of insulation holes 
Notes and no Electrical specification <u>NOTES:</u> MATERIAL 1.Insulator Material:Black,NYLON+G/F 2.Contact Material : Copper Alloy 3.Plating : Gold Plating 4.Waterproof Rate: IP67 5.Applicable Wire Range:24AWG-28AWG 6.Do Mating Test After Glued ② 7. temperature rating: -20°C to 105°C 8.LOGO	Update Notes and add Electrical specification <u>NOTES:</u> MATERIAL 1.Insulator Material: Black,NYLON+G/F UL94V-0 ③ 2.Contact Material: Copper Alloy ③ 3.Plating: 1u" Gold Plating 4.Waterproof Rate: IP67 5.Applicable Wire Range:24AWG-28AWG 6.Do Mating Test After Glued ③ Electrical 1.Contact resistance: 20mΩ max. 2.Insulation resistance: 500MΩ min. at DC500V 3.Dielectric withstanding voltage: 500V AC 1 minute 4.Rating current: 5A 5.Durability: 500 cycles 6.Temperature range: -20°C ~ +85°C
For detail, please take attached new drawing for reference: ASS_3270_C0rev03 ASS_3279_C0rev02 ASS_3285_C0rev02	






PCN Revision History:

Date of Revision: 14.09.2018

Revision Number: 00

page 3/

	1	2	3	4	5	6	7																																																																															
A	 Panel Thickness Screw L=5.0 For Panel Thickness Under 1.2mm Screw L=6.0 For Panel Thickness Between 1.2-2.0mm  Recommended Panel Cut-Out		 With Liquid Glue    NOTES: MATERIAL 1. Insulator Material: Black,NYLON+G/F UL94V-0 ③ 2. Contact Material: Copper Alloy ③ 3. Plating: 1u" Gold Plating 4. Waterproof Rate: IP67 5. Applicable Wire Range: 24AWG-28AWG 6. Do Mating Test After Glued ③ Electrical 1. Contact resistance: 20mΩ max. 2. Insulation resistance: 500MΩ min. at DC500V 3. Dielectric withstanding voltage: 500V AC 1 minute 4. Rating current: 5A 5. Durability: 500 cycles 6. Temperature range: -20°C ~ +85°C																																																																																			
B																																																																																						
C																																																																																						
D																																																																																						
E																																																																																						
F	RoHS compliant Unit: mm <table><tr><td>Scale</td><td>Free</td><td></td><td></td><td></td><td></td><td>Date</td><td>Name</td><td>Customer-No.</td></tr><tr><td colspan="2">TOLERANCE</td><td></td><td></td><td></td><td></td><td>Drawn</td><td>24.12.2008</td><td>JACK</td></tr><tr><td>X.X</td><td>±0.25</td><td></td><td></td><td></td><td></td><td>Approved</td><td>23.01.2018</td><td>Amy</td></tr><tr><td>X.XX</td><td>±0.10</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>X.XXX</td><td>±0.05</td><td>③</td><td>Add notes</td><td>23.01.2018</td><td>Segal</td><td></td><td></td><td></td></tr><tr><td>DIM</td><td>TOL</td><td>②</td><td>Update drawing</td><td>16.05.2014</td><td>Joanna</td><td colspan="3" rowspan="2"> ASSMANN WSW components </td></tr><tr><td></td><td></td><td>①</td><td>Drawn</td><td>24.12.2008</td><td>JACK</td></tr><tr><td>Angle</td><td>±1°</td><td>Id.</td><td>Modification</td><td>Date</td><td>Name</td><td colspan="3">Drawing-No. ASS 3270 CO rev03</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td colspan="3">Replace Sheet</td></tr></table> <td></td>							Scale	Free					Date	Name	Customer-No.	TOLERANCE						Drawn	24.12.2008	JACK	X.X	±0.25					Approved	23.01.2018	Amy	X.XX	±0.10								X.XXX	±0.05	③	Add notes	23.01.2018	Segal				DIM	TOL	②	Update drawing	16.05.2014	Joanna	ASSMANN WSW components					①	Drawn	24.12.2008	JACK	Angle	±1°	Id.	Modification	Date	Name	Drawing-No. ASS 3270 CO rev03									Replace Sheet			
Scale								Free					Date	Name	Customer-No.																																																																							
TOLERANCE												Drawn	24.12.2008	JACK																																																																								
X.X								±0.25					Approved	23.01.2018	Amy																																																																							
X.XX								±0.10																																																																														
X.XXX	±0.05	③	Add notes	23.01.2018	Segal																																																																																	
DIM	TOL	②	Update drawing	16.05.2014	Joanna	ASSMANN WSW components																																																																																
		①	Drawn	24.12.2008	JACK																																																																																	
Angle	±1°	Id.	Modification	Date	Name	Drawing-No. ASS 3270 CO rev03																																																																																
						Replace Sheet																																																																																
G																																																																																						
H																																																																																						
	1	2	3	4	5	6	7																																																																															

	1	2	3	4	5	6	7																																																																																																
A	 Panel Thickness Screw L=5.0 For Panel Thickness Under 1.2mm Screw L=6.0 For Panel Thickness Between 1.2-2.0mm  Recommended Panel Cut-Out		 		 NOTES: MATERIAL 1. Insulator Material: Black,NYLON+G/F UL94V-0 ② 2. Contact Material: Copper Alloy ② 3. Plating: 1u" Gold Plating 4. Waterproof Rate: IP67 5. Do Mating Test After Glued 6. Applicable Wire Range: 24AWG~28AWG ② Electrical 1. Contact resistance: 20mΩ max. 2. Insulation resistance: 500MΩ min. at DC500V 3. Dielectric withstanding voltage: 500V AC 1 minute 4. Rating current: 5A 5. Durability: 500 cycles 6. Temperature range: -20°C ~ +85°C		A																																																																																																
B							B																																																																																																
C							C																																																																																																
D							D																																																																																																
E							E																																																																																																
F	F																																																																																																						
G	RoHS compliant Unit: mm		<table><tr><td>Scale</td><td>Free</td><td></td><td></td><td></td><td></td><td>Date</td><td>Name</td><td>Customer-No.</td></tr><tr><td colspan="2">TOLERANCE</td><td></td><td></td><td></td><td></td><td>Drawn</td><td>30.12.2008</td><td>JACK</td></tr><tr><td>X.X</td><td>±0.25</td><td></td><td></td><td></td><td></td><td>Approved</td><td>24.01.2018</td><td>Amy</td></tr><tr><td>X.XX</td><td>±0.10</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>X.XXX</td><td>±0.05</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>DIM</td><td>TOL</td><td>②</td><td>Add notes</td><td>24.01.2018</td><td>Segal</td><td colspan="2" rowspan="6"></td><td>Drawing-No.</td></tr><tr><td></td><td></td><td>①</td><td>Drawn</td><td>30.12.2008</td><td>JACK</td><td>ASS 3279 CO</td><td>rev02</td></tr><tr><td>Angle</td><td>±1°</td><td>Id.</td><td>Modification</td><td>Date</td><td>Name</td><td>Replace</td><td>Sheet</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Scale	Free					Date	Name	Customer-No.	TOLERANCE						Drawn	30.12.2008	JACK	X.X	±0.25					Approved	24.01.2018	Amy	X.XX	±0.10								X.XXX	±0.05								DIM	TOL	②	Add notes	24.01.2018	Segal			Drawing-No.			①	Drawn	30.12.2008	JACK	ASS 3279 CO	rev02	Angle	±1°	Id.	Modification	Date	Name	Replace	Sheet																									ASSMANN WSW-No. A-HDF 26 LL-WP	
Scale	Free					Date	Name	Customer-No.																																																																																															
TOLERANCE						Drawn	30.12.2008	JACK																																																																																															
X.X	±0.25					Approved	24.01.2018	Amy																																																																																															
X.XX	±0.10																																																																																																						
X.XXX	±0.05																																																																																																						
DIM	TOL	②	Add notes	24.01.2018	Segal			Drawing-No.																																																																																															
		①	Drawn	30.12.2008	JACK			ASS 3279 CO	rev02																																																																																														
Angle	±1°	Id.	Modification	Date	Name			Replace	Sheet																																																																																														
H									H																																																																																														
	1	2	3	4	5	6	7																																																																																																

	1	2	3	4	5	6	7	
A	<							