ADDROUTION COMMITTEE	© Co	terial Compo pyright 2005. IPC, Bannoc nternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lowe	r level	parts, the	declarat	tion enco	mpasses	the manufacturer li all lower level ma on 7.0.5 is required	aterials for w	hich the m	anufacturer has		
1752-2 1.1	ard					eclaration Class * ass 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informat										
Supplier Information																
Company Name *		Company Unique ID		Unique ID Authority			Response Date *			Respon	se Document ID					
AVX CORPORATION		05-889-5921		Dun & Bradstreet			-04-29									
Contact Name *		Title - Contact		Phone - Contact *			Email - Contact *				l: 1 O 1		1.5			
Dennis Oldland		corporate env. mgr		18439460241		doldl	doldland@avxus.com			Di	uplicate Contac	t -> Authoriz	zea Repres	sentative		
Authorized Representative *		Title - Representative		Phone - Representative *		Email - Representative *			Supplier Comments or URL for Additional Information							
Dennis Oldland		corporate env. mgr		18439460241		doldland@avxus.com										
Requester Item Number	٢	Mfr Item Number		Mfr Item Name	Effect	ive Date	Version	n Manufacturing		Site Weight *	UOM	I Un	it Type			
				TAP C Case				1	San S	alvador	200	mg	Ea	ch		
Alternate Recommendation			TAP C Case	01/01	01/01/2005 Alternate Iter			Comments Family data sheets encompass request								
Manufacturing Proces	ss In	formation														
Terminal Plating / Grid Array Material Termi			Terminal B	ase Alloy	J-STD-020 MSL R	020 MSL Rating		Peak Process Body Tem		rature M	ax Time at Peak Te	Peak Temperature Nu		flow Cycles		
Matte Tin (Sn) - with Nickel (Ni) barrier			Not Appl	icable	N/A			260			10	seconds 3	conds 3			
Comments					•		•			'						

Save the fields in Import fields from a Clear all of the Lock the fields on this Lock Supplier Fields **Export Data** Import Data Reset Form this form to a file file into this form fields on this form form to prevent changes **RoHS Material Composition Declaration Declaration Type *** Detailed RoHS Directive | RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others. Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above Supplier Acceptance * Accepted **RoHS Declaration *** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.

Declaration Signature

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature Dennis Oldland

Digitally signed by Dennis Oldland DN: cn=Dennis Oldland, o=AVX Corporation, ou=Corporate EHS, email=doldland@avxus.com, c=US Date: 2009.06.30 16:40:59 -04'00'

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of		Level	Substance Category			Substance	CAS	Exempt	Weight	Unit of	Tolerance		PPM
	Name	Materia		TTEIGHT	Measure		Levei	Substance Category			Substance	CAS	Lvellihr	weight	Measure	-	+	
+1 -1	TAP C Case	+M -M	anode	55.13	mg	+c -c	Supplier	Tantalum and its com	+S	-S	Tantalum, metal and all	7440-25-7		43.52	mg	50	50	789,34
						+C -C	Supplier	Manganese and its	+S	-S	Manganous oxide	1344-43-0		7.32	mg	50	50	132,73
						+C -C	Supplier	Carbon	+S	-S	Carbon	7782-42-5		4.3	mg	50	50	77,916
		+M -M	silver-copper dis	8.77	mg	+C -C	Supplier	Silver /Silver Comp	+S	-S	Silver, Metal	7440-22-5		7.38	mg	50	50	841,98
						+C -C	Supplier	Copper and its comp	+S	-S	Copper, metal and all	7440-50-8		1.38	mg	50	50	158,01
		+M -M	solder joint	7.51	mg	+C -C	Supplier	Tin and its compou	+S	-S	Tin, metal and alloys	7440-31-5		7.25	mg	50	50	964,98
						+C -C	Supplier	Silver /Silver Comp	+S	-S	Silver, Metal	7440-22-5		0.23	mg	50	50	30,016
						+C -C	Supplier	Copper and its comp	+S	-S	Copper, metal and all	7440-50-8		0.04	mg	50	50	5,003
		+M -M	wire leads	26.75	mg	+C -C	Supplier	Iron and its compo	+S	-S	Iron, metal and alloys	7439-89-6		26.75	mg	50	50	999,96
						+C -C	Supplier	Nickel and compou	+S	-S	Ni	'7440-02-0		0.0002	mg	1	1	7
						+C -C	Supplier	tin and compounds	+S	-S	Sn	7440-31-5		0.0007	mg	1	1	27
		+M -M	ероху	101.83	mg	+C -C	Supplier	Silica compounds	+S	-S	Silica, vitreous	60676-86-		45.04	mg	50	50	442,29
						+C -C	Supplier	Poly(Bisphenol A-c	+S	-S	Poly(Bisphenol A-co-	25036-25		45.82	mg	50	50	450,00
						+C -C	Supplier	3,3',4,4'-Benzophen	+S	-S	3,3',4,4'-Benzophenon	2421-28-5		7.64	mg	50	50	75,001
						+C -C	Supplier	crystoballite	+S	-S	crystoballite	14464-46		3.05	mg	50	50	29,940
						+C -C	В	Antimony/Antimony C	+S	-s	Antimony trioxide	1309-64-4		0.28	mg	50	50	2,760