| | Aterial Compo Copyright 2005. IPC, Banno th international and Pan-Amer | ckburn, Illinoi | s. All rights reserve | tion with lowe | | s, the | declaratio | on encom | | er level mate | rials for | which the | item is an assembly manufacturer has eclaration. | |
|--|--|-----------------|----------------------------|---|-----------------------|--|------------|--|------------------------------|---------------|-----------|------------------------|--|--|
| 1752-2 1.1 F h | rd | | | | | Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Inform | | | | | | | | |
| Supplier Information | | | | | | | | | | | | | | |
| Company Name * | Company Unique ID |) | Unique ID Au | Respons | se Dat | e * | | Response Doc | | | | | | |
| AVX Corporation | 05-889-5921 | | Dun & Bradst | 2009-01- | 14 | | | | | | | | | |
| Contact Name * Dennis Oldland | Title - Contact corporate env. mgr | | Phone - Con 18439460241 | Email - Contact * doldland@avxus.com | | | | Duplicate Contact -> Authorized Representative | | | | | | |
| Authorized Representative Dennis Oldland | e * Title - Representativ corporate env. mgr | /e | Phone - Rep 18439460241 | resentative * | Email - R doldland | - | | | Supplier Comn | nents or URL | for Add | itional In | formation | |
| Requester Item Number | Mfr Item Number | | Mfr Item Name | Effective D | Date | Version | Manufa | cturing Site | Weight * | UO | М | Unit Type | | |
| | | | | 2009-01-14 | | 2 Olean | | | 611 | mg | | Each | | |
| Alternate Recommendation | on 2225xCxxxxxTxx | | 2225 X7R fan | nily | 2003-06-3 | ·30 Alternat | | e Item Co | Item Comments Family data sh | | | eets encompass request | | |
| Manufacturing Process | Information | | | | | | | | | | | | | |
| Terminal Plating / Grid Array Ma | aterial | Terminal E | Base Alloy | J-STD-020 MSL F | Rating Pe | ak Pro | cess Body | y Tempera | ature Max Time | at Peak Temp | oerature | Number o | f Reflow Cycles | |
| Matte Tin (Sn) - with Nickel (Ni) barrier Comments | | | licable | 1 | | | | 260 C | | 10 seconds 3 | | | | |
| | | | | | | | | | | | | | | |

| Save the fields in this form to a file | Export Data | Import fields from a file into this form | Import Data | Clear all of the fields on this form | Reset Form | Lock the fields on this form to prevent changes | Lock Supplier Fields | | | | | | |
|---|--|--|---------------------------|---|-----------------------|---|-----------------------------|--|--|--|--|--|--|
| RoHS Material Co | mposition Declaratio | n | | | | Declaration Type * | Detailed | | | | | | |
| RoHS Directive 2002/95/ECRoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium | | | | | | | | | | | | | |
| chromium, polybrominated bip excess of an applicable quant Supplier certifies that it gather Supplier acknowledges that C provided by others in complet suppliers have provided certifi If the Company and the Suppl | Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies of Supplier's Standard Terms and | | | | | | | | | | | | |
| RoHS Declaration * | 4 - Item(s) does not contain Ro | HS restricted substances per t | he definition above excep | t for selected exemptions | | Supplier Acceptance * Accept | pted | | | | | | |
| Exemptions: If the dec above and choose all ap | | n RoHS restricted substanc | ces per the definition a | above except for defined | RoHS exemptions, ther | n select the corresponding respon | se in the RoHS Declaration | | | | | | |
| Exemption List Version | on EL2006/690/EC | | | | | | | | | | | | |
| + - 5. Lead in glass of | cathode ray tubes, electronic co | omponents and fluorescent tub | es. | | | | | | | | | | |
| Declaration Cinn | -4 | | | | | | | | | | | | |
| Declaration Signa | | | | | | | | | | | | | |
| | lete all of the required fie uired by the Requester) a | | | | | down. This will display the sig | nature area. Digitally sign | | | | | | |

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

| | | Item/SubItem | | Homogeneous | Weight | Unit of | | | Level | Substance Category | | | Substance | CAS | Exempt | Weight | Unit of | Tole | rance | РРМ |
|------|------|--------------|----------|-------------------|--------------------|---------|------|-------|--------------------|----------------------|----|-----------|-----------------|------------|-----------|---------|---------|------|-------|--------|
| Name | | | Material | weight | Unit of Measure | | Leve | Level | Substance Category | | | Substance | UNU | Evenibr | weight | Measure | - | + | | |
| +1 | -1 (| CAP (X7R) | +M -M | ceramic | 555.171 | mg | +C | -C | Supplier | Barium and its comp | +S | -S | BaTiO3 | 12047-27-7 | | 552.421 | mg | 50 | 50 | 994,99 |
| | | | | | | | +C | -C | Supplier | Nickel and its compo | +S | -S | NiO | 1313-99-1 | | 2.75 | mg | 50 | 50 | 5,010 |
| | | | +M -M | internal electrod | 27.14 | mg | +C | -C | Supplier | Palladium and its co | +S | -S | Pd | 7440-05-3 | | 11.4 | mg | 50 | 50 | 419,67 |
| | | | | | | | +C | -C | Supplier | Silver/compounds | +S | -S | Ag | 7440-22-5 | Empty | 15.74 | mg | 50 | 50 | 580,33 |
| | | | +M -M | termination | 18.029 | mg | +C | -C | Supplier | Silver/compounds | +S | -S | Ag | 7440-22-5 | | 17.789 | mg | 50 | 50 | 985,78 |
| | | | | | | | +C | -C | A | Lead/Lead Compound | +S | -S | Lead (II) oxide | 1317-36-8 | 5. Lead i | 0.24 | mg | 50 | 50 | 14,220 |
| | | | +M -M | plating | 10.66 | mg | +C | -C | Supplier | Nickel and its compo | +S | -S | Ni | 7440-02-0 | | 6.39 | mg | 50 | 50 | 600,00 |
| | | | | | | | +C | -C | Supplier | Tin and its compoun | +S | -S | Sn | 7440-31-5 | | 4.27 | mg | 50 | 50 | 400,00 |

+