MATERIAL DECLARATION SHEET



Material	PM2120 Series				
Product Line	SMD POWER INDUCTOR	M2120-390K-10			
Date	13-September-2006				
		000			

No.	Construction element	Material group	Material Weight [g]	Materials	CAS if applicable	Average mass [%]	Sum [%]	Traces
1	1 Core	Iron Powder	16.65	Iron	7439-89-6	84.4	100	
				Resin	Trade Secret	9.8		
				Coating	Trade Secret	3.9	-	
			Lubricant	110-30- 5/5518-18- 3/67701-02-4	1.9			
2 Tape	Tape	Epoxy-Polyester	0.15	Epoxy-Polyester Film;	None	62.5	100	
	Film Tape		Polymeric Adhesive	None	37.5			
3	Solder	Bar Solder	0.005	Sn	7440-31-5	96.5	100	
	Sn96.5- Ag3.0C <u>u0.5</u>	Cu Ag	7440-50-8 Pending	0.5 3.0	1			
4	Base	Base & Terminal of Plastic	1.76	DAP	N/A	N/A	100	

MATERIAL DECLARATION SHEET



Reliable Electronic Solutions

5	Wire	Enamelled	14.0	Cu	7440-50-8	91.8~99.50	100	
		Copper Wire		Nylon Polyurethane Coating	N/A	0.5~8.2		
6	Adhesive	Ероху	0.13	Epoxy Oxirane Silica,Amorphous	25068-38-6 2426-08-6 112945-52-5	N/A	100	
		Total weight	32.7					

Contact person	Cathy Godfrey	Bourns , Inc.		
Bourns location	Riverside, CA	1200 Columbia Ave.		
Phone	Ext. 5008	Riverside, CA 92507 USA		
Fax		phone: 909 781-5690		
e-mail	Cathy_Godfrey@bourns.com	fax: 909 781-5273		

Important remarks:

- 1. Traces are product parts substances etc. that are below a percentage of 0.1% of total weight.
- 2. A list of the legally regulated substances or materials is available at internet address http://www.eicta.org/content.asp?pageID=113
- 3. Substances, materials etc. with possible harm to men and environment are listed.
- 4. There are no risks for human beings and to the environment if products are used properly as designated. This shall not apply to risks caused during procedures for disposal etc.
- 5. All statements herein are based on our present knowledge.