
IDEAS GENERATED DRAWING, DON'T CHANGE BY HAND.


REV.	ECN. NO.	APPD.
A	BC-12-0055334	L.C.WU
B	BC-16-0046071	CAMVARD





NOTES: UNLESS OTHERWISE SPECIFIED:

1. MATERIAL:COPPER ALLOY.
   LIGHT PIPE:POLYCARBONATE,CLEAR.
   LIGHT PIPE BRACKET:STAINLESS STEEL.
2. CAGE: 1.25um(50u") MIN. NICKEL PLATING OVER ALL.
   EMI FINGER: 1.25um(50u") MIN. SATIN TIN OR TIN/LEAD OVER 1.25um(50u") MIN. NICKEL UNDERPLATING.
3. DATUM AND BASIC DIMENSIONS ARE ESTABLISHED BY CUSTOMER.
4. PADS AND VIAS ARE CHASSIS GROUND, 11 PLACES.
5. THRU HOLES, PLATING OPTIONAL.
6. LIGHT PIPE ASSEMBLY SHIPPED UNASSEMBLED TO CAGE ASSEMBLY. CAGE ASSEMBLY TO BE PRESSED INTO PCB PRIOR TO ATTACHING THE LIGHT PIPE TO THE CAGE.
7. LIGHT PIPE AND LIGHT PIPE BRACKET SHIPPED ASSEMBLED.
8. CROSS-HATCHED AREA DENOTES COMPONENT AND TRACE KEEP-OUT (EXCEPT CHASSIS GROUND).
9. THIS AREA DENOTES COMPONENT KEEP-OUT(TRACES ALLOWED).
10.


DRILL HOLE SIZE	FINISHED HOLE SIZE
ø1.125-1.175	ø1.05±0.05
ø1.025-1.075	ø0.95±0.05
ø0.925-0.975	ø0.85±0.05








CAGE & LIGHT PIPE



LIGHT PIPE ASSEMBLY



CAGE ASSEMBLY

PART LIST

CAGE+LIGHT PIPE: 3S000000-74*-4*

- PRODUCT TYPE: 5:NORMAL TYPE
- LEAD FREE CODING F:LEAD FREE
- PACKAGE TYPE: 4:TRAY

CAGE: 3S000000-74*-4*

- PRODUCT TYPE: 1:NORMAL TYPE
- LEAD FREE CODING F:LEAD FREE
- PACKAGE TYPE: 4:TRAY

LIGHT PIPE: 3S000000-L7F-4*

- PRODUCT TYPE: F:FOR PROJECT F
- LEAD FREE CODING F:LEAD FREE
- PACKAGE TYPE: 4:TRAY

X.±	X.°± 5°	UNITS mm	NAME(INTENDED USE) SFP PLUS 1X1 CAGE WITH LIGHT PIPE
.X± 0.25	.X°± 3°	MAT'L 1	PART NO.(INTENDED USE) 3S000000-745-4*
.XX± 0.15	.XX°±	FINISH 2	APPD: CAMVARD 11/10'16
.XXX±	.XXX°±	Q'TY	CHKD: PIER HSU 11/10'16
			DR: DAVIE FU 11/10'16

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF FOXCONN INTERCONNECT TECHNOLOGY LIMITED. AND SHALL NOT BE REPRODUCED.COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF FOXCONN INTERCONNECT TECHNOLOGY LIMITED.

FOXCONN®
FOXCOON INTERCONNECT TECHNOLOGY LIMITED

CLASS: ☐CONFIDENTIAL ☐SECRET ■GENERAL


TITLE: CUSTOMER DRAWING

DWG NO.: 323-0000-1706


SCALE	SHEET	REV.
NA	1/3	B

IDEAS GENERATED DRAWING, DON'T CHANGE BY HAND.

REV.	ECN. NO.	APPD.



HOST BOARD MECHANICAL LAYOUT



DETAIL A

X. ±	X.° ± 5°	UNITS mm	NAME(INTENDED USE) SFP PLUS 1X1 CAGE WITH LIGHT PIPE
.X ± 0.25	.X° ± 3°	MAT'L 1	PART NO.(INTENDED USE) 3S000000-745-4*
.XX ± 0.15	.XX° ±	FINISH 2	APPD: CAMVARD 11/10'16
.XXX ±	.XXX° ±	Q'TY	CHKD: PIER HSU 11/10'16
			DR: DAVIE FU 11/10'16

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF FOXCONN INTERCONNECT TECHNOLOGY LIMITED. AND SHALL NOT BE REPRODUCED.COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF FOXCONN INTERCONNECT TECHNOLOGY LIMITED.

FOXCONN®
FOXCOON INTERCONNECT TECHNOLOGY LIMITED

CLASS: ☐CONFIDENTIAL ☐SECRET ■GENERAL


TITLE: CUSTOMER DRAWING


DWG NO.: 323-0000-1706


SCALE	SHEET	REV.
NA	2/3	B

IDEAS GENERATED DRAWING, DON'T CHANGE BY HAND.


REV.	ECN. NO.	APPD.







RECOMMENDED PANEL DESIGN



SECTION A-A

X.±	X.°± 5°	UNITS mm	NAME(INTENDED USE) SFP PLUS 1X1 CAGE WITH LIGHT PIPE
.X± 0.25	.X°± 3°	MAT'L ⚠1	PART NO.(INTENDED USE) 3S000000-745-4*
.XX± 0.15	.XX°±	FINISH ⚠2	APPD: CAMVARD 11/10'16
.XXX±	.XXX°±	Q'TY	CHKD: PIER HSU 11/10'16
			DR: DAVIE FU 11/10'16

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF FOXCONN INTERCONNECT TECHNOLOGY LIMITED. AND SHALL NOT BE REPRODUCED, COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF FOXCONN INTERCONNECT TECHNOLOGY LIMITED.

FOXCONN®
FOXCOON INTERCONNECT TECHNOLOGY LIMITED

CLASS: □CONFIDENTIAL □SECRET ■GENERAL
TITLE: CUSTOMER DRAWING
DWG NO.: 323-0000-1706

SCALE	SHEET	REV.
NA	3/3	B