

# Kingston I-Temp DDR3/3L DRAM for embedded applications

## Kingston DDR3/3L


### Overview

Ideal for embedded applications, Kingston's I-Temp DRAM meets industrial operating temperature requirements (-40°C~+95°C) which makes it suitable for outdoor and harsh environments. It supports both low (1.35V) and standard (1.5V) voltage for design flexibility.

### DDR3/3L Part Numbers and Specifications

I-Temp 30nm DDR3/3L PN	Capacity	Description	Package Size	Configuration (words x bits)	Speed	VDD, VDDQ	Operating Temperature
D1216ECMDXGJDI	2Gb	96 ball FBGA DDR3/3L I-Temp	7.5x13.5x1.2	128Mx16	1866 Mbps	1.35V	-40°C~+95°C
D2568ECMDPGJDI	2Gb	78 ball FBGA DDR3/3L I-Temp	7.5x13.5x1.2	256Mx8	1866 Mbps	1.35V	-40°C~+95°C
D2516ECMDXGJDI	4Gb	96 ball FBGA DDR3L I-Temp	7.5x13.5x1.2	256Mx16	1866 Mbps	1.35V*	-40°C~+95°C
D5128ECMDPGJDI	4Gb	78 ball FBGA DDR3L I-Temp	7.5x10.6x1.2	512Mx8	1866 Mbps	1.35V*	-40°C~+95°C

\*Backward compatible to 1.5V VDD, VDDQ



### Key Features

- Double-data-rate architecture: two data transfers per clock cycle
- High-speed data transfer is realized by 8 bits prefetch pipelined architecture
- Bi-directional differential data strobe (DOS and /DQS) is transmitted/received with data for capturing data at the receiver
- DOS is edge-aligned with data for READS; center-aligned with data for WRITES
- Differential clock inputs (CK and /CK)
- DLL aligns DQ and DOS transitions with CK transitions
- Commands entered on each positive CK edge; data and data mask referenced to both edges of DQS
- Data mask (DM) for write data
- Posted /CAS by programmable additive latency for better command and data bus efficiency
- On-Die Termination (ODT for better signal quality)
  - Synchronous ODT
  - Dynamic CDT
  - Asynchronous ODT
- Multi Purpose Register (MPR) for pre-defined pattern read out
- ZQ calibration for DO drive and ODT
- Programmable Partial Array Self-Refresh (PASR)
- RESET pin for Power-up sequence and reset function
- SRT range: Normal/extended
- Programmable Output driver impedance control



THIS DOCUMENT SUBJECT TO CHANGE WITHOUT NOTICE

©2020 Kingston Technology Corporation, 17600 Newhope Street, Fountain Valley, CA 92708 USA.  
All rights reserved. All trademarks and registered trademarks are the property of their respective owners. MKF-623.2US

