



**Semiconductor Device Type: LT / LTY (R5X) 006 SC-70 Matte Tin**

Basic Substance	CAS Number	"Contained In" Sub-Component	Termination Base Alloy: Copper Alloy (Cu)		
			% Total Weight	mg/part	ppm
Silica, vitreous	60676-86-0	Mold Compound	36.525	2.374	365,245
Epoxy Resin (No bromine, No dantimony trioxide)	Trade Secret	Mold Compound	2.632	0.171	26,319
Phenolic Resin (No Br / CL SbO3, No dantimony trioxide)	Trade Secret	Mold Compound	2.632	0.171	26,319
Epoxy, Cresol Novolac	29690-82-2	Mold Compound	1.053	0.068	10,528
Carbon Black	1333-86-4	Mold Compound	0.129	0.008	1,289
Copper	7440-50-8	Lead Frame	7.079	0.460	70,793
Iron	7439-89-6	Lead Frame	0.174	0.011	1,741
Silver	7440-22-4	Lead Frame	0.141	0.009	1,412
Zinc	7440-66-6	Lead Frame	0.009	0.001	93
Phosphorous	7723-14-0	Lead Frame	0.006	0.000	61
Aluminum oxide	1344-28-1	Die Attach	0.424	0.028	4,236
Epoxy resin	Trade Secret	Die Attach	0.770	0.050	7,702
Amine (Trade Secret - 10039)	(Trade Secret -	Die Attach	0.046	0.003	463
Silicon	7440-21-3	Chip (Die)	1.860	0.121	18,600
Gold	7440-57-5	Wire Bond	0.210	0.014	2,100
Tin	7440-31-5	Plating on external leads (pins) - Matte Tin / annealed at 150°C for 1 hour	46.310	3.010	463,100
<b>TOTALS:</b>			<b>100.000</b>	<b>6.500</b>	<b>1,000,000</b>

**0.0065 g Total Mass**

This semiconductor device and its homogenous materials comply with EU Directives: 2002/95/EC (27 January 2003) & Directive 2011/65/EU (08 June 2011) and 2015/863/EU (31 March 2015) and 2002/53/EC (End-of-Life Vehicles (ELV) without exemption (zero)

Compliance with the above EU Directives has been verified via internal design controls, supplier declarations, and/or analytical test data.

If a chemical substance is absent from the list above, the chemical substance is NOT an intentional ingredient in the semiconductor device and, to the best of Microchip Technology Incorporated's knowledge and belief as of the date of this document, there is no credible reason to believe that the unavoidable impurity concentration of the chemical substance, if any, is not below the threshold of regulatory concern for any regulatory scheme world-wide.

Molding compounds used by Microchip meet the UL94 V0 flammability standard for plastics. You can access the UL IQTM family of databases to obtain a test report at <http://ul.com/global/eng/pages/offering/industries/chemicals/plastics/>

The protective "tubes" in which the specific product is shipped are made from polyvinyl chloride (PVC) plastic. "Window envelopes" used to hold the packing slip on the outer box and certain "reels" may be made from PVC plastic.

Microchip Technology Incorporated believes the information in this form concerning substances restricted by RoHS in Microchip Technology Incorporated's semiconductor devices in their original packing materials is true and correct to the best of its knowledge and belief, as of the date listed in this form. Microchip Technology Incorporated cannot guarantee the completeness and accuracy of data in this form because it has been compiled based on the ranges provided in Material Safety Data Sheets provided by raw material suppliers. Supplier information is often protected from disclosure as trade secrets and some information may not have been provided by subcontract assemblers and raw material suppliers. Information is provided only as estimates of the average weight of these parts and the average weight of anticipated significant toxic metals components. These estimates do not include trace levels of dopants, metals, and non-metal materials contained within silicon devices (silicon IC) in the finished parts.

Microchip Technology Incorporated does not provide any warranty, express or implied, with respect to the information provided in this declaration. The exclusive, limited product warranties provided by Microchip Technology Incorporated and its subsidiaries are contained in Microchip's standard terms and conditions of sale. These are provided in Microchip's quotations, sales order acknowledgement, and invoices.

Microchip disclaims any duty to notify users of updates or changes to Material Content Declarations and shall not be liable for any damages, direct or indirect, consequential or otherwise, suffered by users or third parties as a result of the users' reliance on the information in Material Content Declarations (MCD) or independent third party test reports (SGS) of this Certificate of Compliance for semiconductor products.

Assembled package referenced above is EU REACH compliant based on the latest SVHC candidate list of ECHA which can be found at <http://echa.europa.eu/web/guest/candidate-list-table>

Package Homogeneous Materials: 8.1 Electronics (e.g. pc boards, displays)			JEDEC 97 Product Marking and/or Pkg. Labeling e3	
2.79	(mg) Total	Mold Compound	% of Total Weight	42.97
	Silica, vitreous	60676-86-0	85.00	
	Epoxy Resin	Trade Secret	6.13	
	Phenolic Resin	Trade Secret	6.13	
	Epoxy, Cresol Novolac	29690-82-2	2.45	
	Carbon Black	1333-86-4	0.30	
	<b>Total</b>		<b>100.00</b>	
0.48	(mg) Total	Lead Frame	% of Total Weight	7.41
	Copper	7440-50-8	95.54	
	Iron	7439-89-6	2.35	
	Silver	7440-22-4	1.91	
	Zinc	7440-66-6	0.13	
	Phosphorous	7723-14-0	0.08	
	<b>Total</b>		<b>100.00</b>	
0.08	(mg) Total	Die Attach	% of Total Weight	1.24
	Aluminum oxide	1344-28-1	34.16	
	Epoxy resin	Trade Secret	62.11	
	Amine	Trade Secret	3.73	
	<b>Total</b>		<b>100.00</b>	
0.12	Total (mg)	Chip (Die)	% of Total Weight	1.86
	Doped Silicon	7440-21-3	100.00	
	<b>Total</b>		<b>100.00</b>	
0.01	(mg) Total	Wire Bond	% of Total Weight	0.21
	Doped Gold	7440-57-5	100.00	
	<b>Total</b>		<b>100.00</b>	
3.01	(mg) Total	Plating on external leads (pins) - Matte Tin / annealed at 150°C for 1 hour	% of Total Weight	46.31
	Tin	7440-31-5	100.00	
	<b>Total</b>		<b>100.00</b>	
<b>6.500</b>				<b>100.000</b>