

# Product Change Notification - GBNG-12CPPC550

**Date:** 17 Jul 2017

**Product Category:**

**Notification subject:** CCB 3006 and 3006.001 Initial Notice: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

**Notification text:** **PCN Status:**  
Initial notification.

**Microchip Parts Affected:**  
Please open the attachments found in the attachments field below labeled as PCN\_#\_Affected\_CPN.

NOTE: For your convenience Microchip includes identical files in two formats (.pdf and .xls).

**Description of Change:**  
Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

**Pre Change:**  
Assembled at MTAI assembly site.

**Post Change:**  
Assembled at MTAI or MMT assembly site.

**Pre and Post Change Summary:**

	Pre Change	Post Change	
<b>Assembly Site</b>	MTAI	MTAI	MMT
<b>Wire material</b>	Au	Au	
<b>Die attach material</b>	8900NC	8900NC	
<b>Molding compound material</b>	G600V	G600V	
<b>Lead frame material</b>	CDA194	CDA194	

**Impacts to Data Sheet:**  
None

**Change Impact:**  
None

**Reason for Change:**  
To improve productivity by qualifying MMT as an additional assembly site.

**Change Implementation Status:**  
In Progress

**Estimated Qualification Completion Date:**  
October 2017

Note: Please be advised the qualification completion times may be extended because of unforeseen business conditions however implementation will not occur until after qualification has completed and a final PCN has been issued. The final PCN will include the qualification report and estimated first ship date. Also note that after the estimated first ship date guided in the final PCN customers may receive pre and post change parts.

**Time Table Summary:**

Workweek	July 2017				-->	October 2017				
	27	28	29	30		40	41	42	43	44
Initial PCN Issue Date			X							
Qual Report Availability						X				
Final PCN Issue Date						X				

**Method to Identify Change:**  
Traceability code

**Qualification Plan:**  
Please open the attachments included with this PCN labeled as PCN\_#\_Qual Plan.

**Revision History:**  
**July 17, 2017:** Issued initial notification.

The change described in this PCN does not alter Microchip's current regulatory compliance regarding the material content of the applicable products.

**Attachment(s):** [PCN\\_GBNG-12CPPC550\\_Qual Plan.pdf](#)  
[PCN\\_GBNG-12CPPC550\\_Affected CPN.pdf](#)  
[PCN\\_GBNG-12CPPC550\\_Affected CPN.xlsx](#)

Please contact your local [Microchip sales office](#) with questions or concerns regarding this notification.

**Terms and Conditions:**

If you wish to change your product/process change notification (PCN) profile please log on to our website at [http://\\*/PCN](http://*/PCN) sign into myMICROCHIP to open the myMICROCHIP home page, then select a profile option from the left navigation bar.

To opt out of future offer or information emails (other than product change notification emails), click here to go to [microchipDIRECT](#) and login, then click on the "My account" link, click on "Update profile" and un-check the box that states "Future offers or information about Microchip's products or services."

GBNG-12CPPC550 - CCB 3006 and 3006.001 Initial Notice: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

Affected Catalog Part Numbers (CPN)

<b>PCN_GBNG-12CPPC550</b>
<b>Catalog Part Numbers</b>
24AA014T-I/OT
24AA025E48T-E/OT
24AA025E48T-I/OT
24AA025E64T-E/OT
24AA025E64T-I/OT
24AA025T-I/OT
24AA025UIDT-I/OT
24C01CT-E/OT
24C01CT-I/OT
24LC014T-E/OT
24LC014T-I/OT
24LC025T-E/OT
24LC025T-I/OT
24VL014T/OT
24VL025T/OT
25AA010AT-I/OT
25AA020AT-I/OT
25AA02E48T-I/OT
25AA02E64T-I/OT
25AA02UIDT-I/OT
25AA040AT-I/OT
25LC010AT-E/OT
25LC010AT-I/OT
25LC020AT-E/OT
25LC020AT-I/OT
25LC040AT-E/OT
25LC040AT-I/OT
34AA02T-E/OT
34AA02T-I/OT
34LC02T-E/OT
34LC02T-I/OT
34VL02T/OT
93AA46AE48T-I/OT
93AA46AT-I/OT
93AA46BT-I/OT
93AA56AT-I/OT
93AA56BT-I/OT
93AA66AT-I/OT
93AA66BT-I/OT
93AA76AT-I/OT
93AA76BT-I/OT
93AA86AT-I/OT
93AA86BT-I/OT

GBNG-12CPPC550 - CCB 3006 and 3006.001 Initial Notice: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

Affected Catalog Part Numbers (CPN)

93C46AT-E/OT
93C46AT-I/OT
93C46BT-E/OT
93C46BT-I/OT
93C56AT-E/OT
93C56AT-I/OT
93C56BT-E/OT
93C56BT-I/OT
93C66AT-E/OT
93C66AT-I/OT
93C66BT-E/OT
93C66BT-I/OT
93C76AT-E/OT
93C76AT-I/OT
93C76BT-E/OT
93C76BT-I/OT
93C86AT-E/OT
93C86AT-I/OT
93C86BT-E/OT
93C86BT-I/OT
93LC46AT-E/OT
93LC46AT-I/OT
93LC46BT-E/OT
93LC46BT-I/OT
93LC56AT-E/OT
93LC56AT-I/OT
93LC56BT-E/OT
93LC56BT-I/OT
93LC66AT-E/OT
93LC66AT-I/OT
93LC66BT-E/OT
93LC66BT-I/OT
93LC76AT-E/OT
93LC76AT-I/OT
93LC76BT-E/OT
93LC76BT-I/OT
93LC86AT-E/OT
93LC86AT-I/OT
93LC86BT-E/OT
93LC86BT-I/OT
HA1601T-I/OT
HV98100T-E/CH
HV98101T-E/CH
MCP1316MT-20LI/OT
MCP1316MT-20RI/OT

GBNG-12CPPC550 - CCB 3006 and 3006.001 Initial Notice: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

Affected Catalog Part Numbers (CPN)

MCP1316MT-23LI/OT
MCP1316MT-26CE/OT
MCP1316MT-29KE/OT
MCP1316MT-29LE/OT
MCP1316MT-29ME/OT
MCP1316MT-30HE/OT
MCP1316MT-31LE/OT
MCP1316MT-33LE/OT
MCP1316MT-45GE/OT
MCP1316MT-46FE/OT
MCP1316MT-46GE/OT
MCP1316MT-46LE/OT
MCP1316T-20LI/OT
MCP1316T-23LI/OT
MCP1316T-24MI/OT
MCP1316T-25LE/OT
MCP1316T-26JE/OT
MCP1316T-26LE/OT
MCP1316T-27LE/OT
MCP1316T-29AE/OT
MCP1316T-29EE/OT
MCP1316T-29LE/OT
MCP1316T-29NE/OT
MCP1316T-30CE/OT
MCP1316T-30FE/OT
MCP1316T-31LE/OT
MCP1316T-32LE/OT
MCP1316T-44JE/OT
MCP1316T-44LE/OT
MCP1316T-44NE/OT
MCP1316T-46BE/OT
MCP1316T-46CE/OT
MCP1316T-46FE/OT
MCP1316T-46KE/OT
MCP1316T-46LE/OT
MCP1316T-47FE/OT
MCP1317T-25LE/OT
MCP1317T-29LE/OT
MCP1317T-31AE/OT
MCP1317T-31LE/OT
MCP1317T-46LE/OT
MCP1318MT-29BE/OT
MCP1318MT-29LE/OT
MCP1318MT-46BE/OT
MCP1318MT-46LE/OT

GBNG-12CPPC550 - CCB 3006 and 3006.001 Initial Notice: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

Affected Catalog Part Numbers (CPN)

MCP1318T-29EE/OT
MCP1318T-29HE/OT
MCP1318T-29LE/OT
MCP1318T-29LE/OTV09
MCP1318T-45LE/OT
MCP1318T-46LE/OT
MCP1318T-46ME/OT
MCP1319MT-24QI/OT
MCP1319MT-26EE/OT
MCP1319MT-28LE/OT
MCP1319MT-29LE/OT
MCP1319MT-30GE/OT
MCP1319MT-33AE/OT
MCP1319MT-46LE/OT
MCP1319MT-47QE/OT
MCP1319T-28LE/OT
MCP1319T-29CE/OT
MCP1319T-29LE/OT
MCP1319T-44LE/OT
MCP1319T-46LE/OT
MCP1319T-47QE/OT
MCP1320T-19HI/OT
MCP1320T-25LE/OT
MCP1320T-27ME/OT
MCP1320T-29BE/OT
MCP1320T-29FE/OT
MCP1320T-29GE/OT
MCP1320T-29LE/OT
MCP1320T-29RE/OT
MCP1320T-30BE/OT
MCP1320T-30FE/OT
MCP1320T-30LE/OT
MCP1320T-31KE/OT
MCP1320T-31LE/OT
MCP1320T-41LE/OT
MCP1320T-42EE/OT
MCP1320T-42JE/OT
MCP1320T-46BE/OT
MCP1320T-46FE/OT
MCP1320T-46GE/OT
MCP1320T-46KE/OT
MCP1320T-46LE/OT
MCP1321T-20LI/OT
MCP1321T-20LI/OT713
MCP1321T-20QI/OT

GBNG-12CPPC550 - CCB 3006 and 3006.001 Initial Notice: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

Affected Catalog Part Numbers (CPN)

MCP1321T-26GE/OT
MCP1321T-29AE/OT
MCP1321T-29CE/OT
MCP1321T-29DE/OT
MCP1321T-29FE/OT
MCP1321T-29KE/OT
MCP1321T-29LE/OT
MCP1321T-29ME/OT
MCP1321T-30LE/OT
MCP1321T-31LE/OT
MCP1321T-43BE/OT
MCP1321T-46CE/OT
MCP1321T-46LE/OT
MCP1322T-27LE/OT
MCP1322T-29CE/OT
MCP1322T-29LE/OT
MCP1322T-31GE/OT
MCP1322T-31LE/OT
MCP1322T-32AE/OT
MCP1322T-44LE/OT
MCP1322T-46EE/OT
MCP1322T-46LE/OT
MCP1401T-E/OT
MCP1402T-E/OT
MCP1415T-E/OT
MCP1416T-E/OT
MCP1754T-1802E/OT
MCP1754T-3002E/OT
MCP1754T-3302E/OT
MCP1754T-5002E/OT
MCP1824T-0802E/OT
MCP1824T-1202E/OT
MCP1824T-1802E/OT
MCP1824T-2502E/OT
MCP1824T-3002E/OT
MCP1824T-3302E/OT
MCP1824T-5002E/OT
MCP1824T-ADJE/OT
MCP1824T-ADJE/OTAAA
MCP3021A0T-E/OT
MCP3021A1T-E/OT
MCP3021A2T-E/OT
MCP3021A3T-E/OT
MCP3021A4T-E/OT
MCP3021A5T-E/OT

GBNG-12CPPC550 - CCB 3006 and 3006.001 Initial Notice: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

Affected Catalog Part Numbers (CPN)

MCP3021A5T-I/OT
MCP3021A6T-E/OT
MCP3021A7T-E/OT
MCP3221A0T-E/OT
MCP3221A1T-E/OT
MCP3221A2T-E/OT
MCP3221A3T-E/OT
MCP3221A4T-E/OT
MCP3221A5T-E/OT
MCP3221A5T-I/OT
MCP3221A6T-E/OT
MCP3221A7T-E/OT
MCP4014T-103E/OT
MCP4014T-202E/OT
MCP4014T-502E/OT
MCP4014T-503E/OT
MCP4024T-103E/OT
MCP4024T-202E/OT
MCP4024T-502E/OT
MCP4024T-503E/OT
MCP6001UT-E/OT
MCP6001UT-I/OT
MCP601T-E/OT
MCP601T-I/OT
MCP601T-I/OTAPL
MCP6021T-E/OT
MCP6021T-E/OTHAZ
MCP6041T-E/OT
MCP6041T-I/OT
MCP6041T-I/OTBAA
MCP606T-I/OT
MCP6141T-E/OT
MCP6231T-E/OT
MCP6231UT-E/OT
MCP6241T-E/OT
MCP6241UT-E/OT
MCP6271T-E/OT
MCP6281T-E/OT
MCP6286T-E/OT
MCP6291T-E/OT
MCP6291T-E/OTHAZ
MCP6401T-E/OT
MCP6401T-H/OT
MCP6401UT-E/OT
MCP6406T-H/OT

GBNG-12CPPC550 - CCB 3006 and 3006.001 Initial Notice: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

Affected Catalog Part Numbers (CPN)

MCP6421T-E/OT
MCP6441T-E/OT
MCP6471T-E/OT
MCP6481T-E/OT
MCP6491T-E/OT
MCP6541UT-E/OT
MCP6546UT-E/OT
MCP6561T-E/OT
MCP6561UT-E/OT
MCP6566T-E/OT
MCP6G01T-E/OT
MCP6G01UT-E/OT
MCP6H01T-E/OT
MCP6L01UT-E/OT
MCP6L1T-E/OT
MCP6L71T-E/OT
MCP6L91T-E/OT
MCP6V11T-E/OT
MCP6V11UT-E/OT
MCP6V31T-E/OT
MCP6V31UT-E/OT
MCP6V61T-E/OT
MCP6V61UT-E/OT
MCP6V71T-E/OT
MCP6V71UT-E/OT
MCP6V81T-E/OT
MCP6V81UT-E/OT
MCP6V91T-E/OT
MCP6V91UT-E/OT
MCP73811T-420I/OT
MCP73811T-435I/OT
MCP73811T-440I/OT
MCP73811T-450I/OT
MCP73812T-420I/OT
MCP73812T-435I/OT
MCP73812T-440I/OT
MCP73812T-450I/OT
MCP73826-4.1VCHTR
MCP73826-4.2VCHTR
MCP73831T-2ACI/OT
MCP73831T-2ACI/OTAAA
MCP73831T-2ADI/OT
MCP73831T-2ATI/OT
MCP73831T-2DCI/OT
MCP73831T-3ACI/OT



GBNG-12CPPC550 - CCB 3006 and 3006.001 Initial Notice: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

Affected Catalog Part Numbers (CPN)

MCP73831T-4ADI/OT
MCP73831T-5ACI/OT
MCP73832T-2ACI/OT
MCP73832T-2ACI/OTAAA
MCP73832T-2ATI/OT
MCP73832T-2DCI/OT
MCP73832T-2DFI/OT
MCP73832T-3ACI/OT
MCP73832T-4ADI/OT
MCP73832T-5ACI/OT
MCP9501PT-005E/OT
MCP9501PT-015E/OT
MCP9501PT-025E/OT
MCP9501PT-035E/OT
MCP9501PT-045E/OT
MCP9501PT-055E/OT
MCP9501PT-065E/OT
MCP9501PT-075E/OT
MCP9501PT-085E/OT
MCP9501PT-095E/OT
MCP9501PT-105E/OT
MCP9501PT-105E/OTRT
MCP9501PT-115E/OT
MCP9501PT-115E/OTRT
MCP9501PT-125E/OT
MCP9501PT-125E/OTRT
MCP9501PT-135E/OT
MCP9501PT-145E/OT
MCP9502PT-005E/OT
MCP9502PT-015E/OT
MCP9502PT-025E/OT
MCP9502PT-035E/OT
MCP9502PT-045E/OT
MCP9502PT-055E/OT
MCP9502PT-065E/OT
MCP9502PT-075E/OT
MCP9502PT-085E/OT
MCP9502PT-095E/OT
MCP9502PT-095E/OTA20
MCP9502PT-105E/OT
MCP9502PT-115E/OT
MCP9502PT-125E/OT
MCP9502PT-135E/OT
MCP9502PT-145E/OT
MCP9503NT-005E/OT

GBNG-12CPPC550 - CCB 3006 and 3006.001 Initial Notice: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

Affected Catalog Part Numbers (CPN)

MCP9503NT-015E/OT
MCP9503NT-025E/OT
MCP9503NT-035E/OT
MCP9503NT-045E/OT
MCP9503NT-055E/OT
MCP9503PT-005E/OT
MCP9503PT-015E/OT
MCP9503PT-025E/OT
MCP9504NT-005E/OT
MCP9504NT-015E/OT
MCP9504NT-025E/OT
MCP9504NT-035E/OT
MCP9504NT-045E/OT
MCP9504NT-055E/OT
MCP9504PT-005E/OT
MCP9504PT-015E/OT
MCP9504PT-025E/OT
MCP9509CT-E/OT
MCP9509HST-E/OT
MCP9509HT-E/OT
MCP9509HT-E/OTBAB
MCP9800A0T-M/OT
MCP9800A0T-M/OTRC2
MCP9800A1T-M/OT
MCP9800A1T-M/OTRC2
MCP9800A2T-M/OT
MCP9800A2T-M/OTRC2
MCP9800A3T-M/OT
MCP9800A3T-M/OTRC2
MCP9800A4T-M/OT
MCP9800A4T-M/OTRC2
MCP9800A5T-M/OT
MCP9800A5T-M/OTRC2
MCP9800A6T-M/OT
MCP9800A6T-M/OTRC2
MCP9800A7T-M/OT
MCP9800A7T-M/OTRC2
MCP9802A0T-M/OT
MCP9802A0T-M/OTRC2
MCP9802A1T-M/OT
MCP9802A1T-M/OTRC2
MCP9802A2T-M/OT
MCP9802A2T-M/OTRC2
MCP9802A3T-M/OT
MCP9802A3T-M/OTRC2

GBNG-12CPPC550 - CCB 3006 and 3006.001 Initial Notice: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

Affected Catalog Part Numbers (CPN)

MCP9802A4T-M/OT
MCP9802A4T-M/OTRC2
MCP9802A5T-M/OT
MCP9802A5T-M/OTRC2
MCP9802A6T-M/OT
MCP9802A6T-M/OTRC2
MCP9802A7T-M/OT
MCP9802A7T-M/OTRC2
MTCH101-I/OT
MTCH101T-I/OT
PIC10F200-E/OT
PIC10F200-I/OT
PIC10F200-I/OT204
PIC10F200T-E/OT
PIC10F200T-E/OT030
PIC10F200T-E/OT124
PIC10F200T-E/OT147
PIC10F200T-E/OT159
PIC10F200T-E/OT186
PIC10F200T-E/OT191
PIC10F200T-E/OT198
PIC10F200T-I/OT
PIC10F200T-I/OT051
PIC10F200T-I/OT071
PIC10F200T-I/OT077
PIC10F200T-I/OT102
PIC10F200T-I/OT107
PIC10F200T-I/OT108
PIC10F200T-I/OT119
PIC10F200T-I/OT125
PIC10F200T-I/OT127
PIC10F200T-I/OT128
PIC10F200T-I/OT130
PIC10F200T-I/OT131
PIC10F200T-I/OT134
PIC10F200T-I/OT140
PIC10F200T-I/OT151
PIC10F200T-I/OT153
PIC10F200T-I/OT157
PIC10F200T-I/OT158
PIC10F200T-I/OT160
PIC10F200T-I/OT161
PIC10F200T-I/OT163
PIC10F200T-I/OT168
PIC10F200T-I/OT169

GBNG-12CPPC550 - CCB 3006 and 3006.001 Initial Notice: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

Affected Catalog Part Numbers (CPN)

PIC10F200T-I/OT170
PIC10F200T-I/OT177
PIC10F200T-I/OT180
PIC10F200T-I/OT182
PIC10F200T-I/OT183
PIC10F200T-I/OT185
PIC10F200T-I/OT190
PIC10F200T-I/OT192
PIC10F200T-I/OT194
PIC10F200T-I/OT195
PIC10F200T-I/OT196
PIC10F200T-I/OT197
PIC10F200T-I/OT199
PIC10F200T-I/OT200
PIC10F200T-I/OT202
PIC10F200T-I/OT204
PIC10F200T-I/OT205
PIC10F200T-I/OT208
PIC10F200T-I/OT209
PIC10F202-E/OT
PIC10F202-I/OT
PIC10F202T-E/OT
PIC10F202T-E/OT081
PIC10F202T-E/OT096
PIC10F202T-E/OT109
PIC10F202T-I/OT
PIC10F202T-I/OT065
PIC10F202T-I/OT084
PIC10F202T-I/OT085
PIC10F202T-I/OT088
PIC10F202T-I/OT090
PIC10F202T-I/OT105
PIC10F202T-I/OT106
PIC10F202T-I/OT108
PIC10F204-E/OT
PIC10F204-I/OT
PIC10F204T-E/OT
PIC10F204T-E/OT028
PIC10F204T-E/OT038
PIC10F204T-E/OT050
PIC10F204T-I/OT
PIC10F204T-I/OT020
PIC10F204T-I/OT033
PIC10F204T-I/OT043
PIC10F204T-I/OT051

GBNG-12CPPC550 - CCB 3006 and 3006.001 Initial Notice: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

Affected Catalog Part Numbers (CPN)

PIC10F206-E/OT
PIC10F206-I/OT
PIC10F206T-E/OT
PIC10F206T-I/OT
PIC10F206T-I/OT030
PIC10F206T-I/OT031
PIC10F206T-I/OT032
PIC10F206T-I/OT041
PIC10F206T-I/OT043
PIC10F206T-I/OT044
PIC10F220-E/OT
PIC10F220-I/OT
PIC10F220T-E/OT
PIC10F220T-E/OT030
PIC10F220T-I/OT
PIC10F220T-I/OT027
PIC10F220T-I/OT028
PIC10F220T-I/OT035
PIC10F220T-I/OT037
PIC10F220T-I/OT040
PIC10F222-E/OT
PIC10F222-I/OT
PIC10F222T-E/OT
PIC10F222T-E/OT023
PIC10F222T-I/OT
PIC10F222T-I/OT020
PIC10F222T-I/OT032
PIC10F222T-I/OT033
PIC10F222T-I/OT038
PIC10F222T-I/OT039
PIC10F222T-I/OT044
PIC10F222T-I/OT045
PIC10F222T-I/OT047
PIC10F222T-I/OT048
PIC10F222T-I/OT052
PIC10F222T-I/OT053
PIC10F222T-I/OT055
PIC10F222T-I/OT056
TC1014-1.8VCT713
TC1014-2.5VCT713
TC1014-2.6VCT713
TC1014-2.7VCT713
TC1014-2.85VCT713
TC1014-2.8VCT713
TC1014-3.0VCT713

GBNG-12CPPC550 - CCB 3006 and 3006.001 Initial Notice: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

Affected Catalog Part Numbers (CPN)

TC1014-3.1VCT713
TC1014-3.3VCT713
TC1014-3.6VCT713
TC1014-4.0VCT713
TC1014-5.0VCT713
TC1015-1.8VCT713
TC1015-2.5VCT713
TC1015-2.6VCT713
TC1015-2.6VCT713BAE
TC1015-2.7VCT713
TC1015-2.85VCT713
TC1015-2.85VCT713BAF
TC1015-2.85VCT723
TC1015-2.8VCT713
TC1015-2.8VCT713BAB
TC1015-2.8VCT723
TC1015-3.0VCT713
TC1015-3.0VCT723
TC1015-3.0VCTMR
TC1015-3.1VCT713
TC1015-3.2VCT713
TC1015-3.3VCT713
TC1015-3.3VCT713BAC
TC1015-3.3VCT723
TC1015-3.3VCTMR
TC1015-3.6VCT713
TC1015-3.6VCT723
TC1015-3.6VCTMR
TC1015-3.8VCT713
TC1015-4.0VCT713
TC1015-4.0VCT723
TC1015-4.0VCTMR
TC1015-5.0VCT713
TC1015-5.0VCTMR
TC1016-1.85VCTTR
TC1016-1.8VCTTR
TC1016-2.6VCTTR
TC1016-2.7VCTTR
TC1016-2.85VCTTR
TC1016-2.8VCTTR
TC1016-2.9VCTTR
TC1016-3.0VCTTR
TC1016-3.3VCTTR
TC1016-4.0VCTTR
TC1017-1.85VCTTR

GBNG-12CPPC550 - CCB 3006 and 3006.001 Initial Notice: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

Affected Catalog Part Numbers (CPN)

TC1017-1.8VCTTR
TC1017-1.9VCTTR
TC1017-2.0VCTTR
TC1017-2.5VCTTR
TC1017-2.6VCTTR
TC1017-2.7VCTTR
TC1017-2.85VCTTR
TC1017-2.8VCTTR
TC1017-2.9VCTTR
TC1017-3.0VCTTR
TC1017-3.3VCTTR
TC1017-4.0VCTTR
TC1054-1.8VCT713
TC1054-2.5VCT713
TC1054-2.6VCT713
TC1054-2.7VCT713
TC1054-2.85VCT713
TC1054-2.8VCT713
TC1054-3.0VCT713
TC1054-3.3VCT713
TC1054-3.6VCT713
TC1054-4.0VCT713
TC1054-4.2VCT713
TC1054-5.0VCT713
TC1055-1.8VCT713
TC1055-2.5VCT713
TC1055-2.6VCT713
TC1055-2.7VCT713
TC1055-2.85VCT713
TC1055-2.8VCT713
TC1055-3.0VCT713
TC1055-3.3VCT713
TC1055-3.6VCT713
TC1055-4.0VCT713
TC1055-5.0VCT713
TC1070VCT713
TC1070VCT713AA
TC1071VCT713
TC1072-1.8VCH713
TC1072-2.5VCH713
TC1072-2.6VCH713
TC1072-2.7VCH713
TC1072-2.85VCH713
TC1072-2.8VCH713
TC1072-3.0VCH713

GBNG-12CPPC550 - CCB 3006 and 3006.001 Initial Notice: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

Affected Catalog Part Numbers (CPN)

TC1072-3.3VCH713
TC1072-3.6VCH713
TC1072-4.0VCH713
TC1072-5.0VCH713
TC1073-1.8VCH713
TC1073-2.5VCH713
TC1073-2.6VCH713
TC1073-2.7VCH713
TC1073-2.85VCH713
TC1073-2.8VCH713
TC1073-3.0VCH713
TC1073-3.3VCH713
TC1073-3.6VCH713
TC1073-4.0VCH713
TC1073-5.0VCH713
TC1185-1.8VCT713
TC1185-2.0VCT713
TC1185-2.5VCT713
TC1185-2.6VCT713
TC1185-2.7VCT713
TC1185-2.85VCT713
TC1185-2.85VCTMR
TC1185-2.8VCT713
TC1185-2.8VCT723
TC1185-2.8VCTMR
TC1185-2.95VCT713
TC1185-3.0VCT713
TC1185-3.0VCT723
TC1185-3.0VCTMR
TC1185-3.2VCT713
TC1185-3.3VCT713
TC1185-3.3VCT723
TC1185-3.6VCT713
TC1185-4.0VCT713
TC1185-4.15VCT713
TC1185-5.0VCT713
TC1186-1.8VCT713
TC1186-2.5VCT713
TC1186-2.5VCT723
TC1186-2.5VCTMR
TC1186-2.6VCT713
TC1186-2.7VCT713
TC1186-2.7VCT723
TC1186-2.7VCTMR
TC1186-2.85VCT713



GBNG-12CPPC550 - CCB 3006 and 3006.001 Initial Notice: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

Affected Catalog Part Numbers (CPN)

TC1186-2.85VCT723
TC1186-2.85VCTMR
TC1186-2.8VCT713
TC1186-2.8VCTMR
TC1186-2.8VCTTR
TC1186-3.0VCT713
TC1186-3.0VCT723
TC1186-3.0VCTMR
TC1186-3.3VCT713
TC1186-3.6VCT713
TC1186-4.0VCT713
TC1186-5.0VCT713
TC1187VCT713
TC1187VCT713AAA
TC1187VCTMR
TC1188QECTTR
TC1188RECTTR
TC1188SECTTR
TC1188TECTTR
TC1189QECTTR
TC1189RECTTR
TC1189SECTTR
TC1189TECTTR
TC1189TECTTRBAA
TC1223-1.8VCTTR
TC1223-2.5VCTTR
TC1223-2.6VCTTR
TC1223-2.7VCTTR
TC1223-2.85VCTTR
TC1223-2.8VCTTR
TC1223-3.0VCTTR
TC1223-3.3VCTTR
TC1223-3.6VCTTR
TC1223-4.0VCTTR
TC1223-4.2VCTTR
TC1223-5.0VCTTR
TC1224-1.8VCTTR
TC1224-2.5VCTTR
TC1224-2.6VCTTR
TC1224-2.7VCTTR
TC1224-2.85VCTTR
TC1224-2.8VCTRT
TC1224-2.8VCTTR
TC1224-3.0VCTTR
TC1224-3.1VCT715

GBNG-12CPPC550 - CCB 3006 and 3006.001 Initial Notice: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

Affected Catalog Part Numbers (CPN)

TC1224-3.1VCTMR
TC1224-3.1VCTTR
TC1224-3.3VCTTR
TC1224-3.6VCTTR
TC1224-4.0VCTTR
TC1224-5.0VCTTR
TC2014-1.8VCTTR
TC2014-2.5VCTTR
TC2014-2.6VCTTR
TC2014-2.7VCTTR
TC2014-2.85VCTTR
TC2014-2.8VCTTR
TC2014-3.0VCTTR
TC2014-3.3VCTTR
TC2014-5.0VCTTR
TC2015-1.8VCTTR
TC2015-2.5VCTTR
TC2015-2.6VCTTR
TC2015-2.7VCTTR
TC2015-2.85VCTTR
TC2015-2.8VCTTR
TC2015-3.0VCTTR
TC2015-3.3VCTTR
TC2015-5.0VCTTR
TC2054-1.8VCTTR
TC2054-2.5VCTTR
TC2054-2.6VCTTR
TC2054-2.7VCTTR
TC2054-2.85VCTTR
TC2054-2.8VCTTR
TC2054-3.0VCTTR
TC2054-3.3VCTTR
TC2054-5.0VCTTR
TC2055-1.8VCTTR
TC2055-2.5VCTTR
TC2055-2.6VCTTR
TC2055-2.7VCTTR
TC2055-2.85VCTTR
TC2055-2.8VCTTR
TC2055-3.0VCTTR
TC2055-3.3VCTTR
TC2055-5.0VCTTR
TC2185-1.8VCTTR
TC2185-2.5VCTTR
TC2185-2.6VCTTR

GBNG-12CPPC550 - CCB 3006 and 3006.001 Initial Notice: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

Affected Catalog Part Numbers (CPN)

TC2185-2.7VCTTR
TC2185-2.85VCTTR
TC2185-2.8VCTTR
TC2185-3.0VCTTR
TC2185-3.3VCTTR
TC2185-5.0VCTTR
TC2186-1.8VCTTR
TC2186-2.5VCTTR
TC2186-2.6VCTTR
TC2186-2.7VCTTR
TC2186-2.85VCTTR
TC2186-2.8VCTTR
TC2186-3.0VCTTR
TC2186-3.3VCTTR
TC2186-5.0VCTTR
TC6501P045VCTTR
TC6501P055VCTTR
TC6501P065VCTTR
TC6501P075VCTTR
TC6501P085VCTTR
TC6501P095VCTRT
TC6501P095VCTTR
TC6501P095VCTTRAAB
TC6501P105VCTRT
TC6501P105VCTTR
TC6501P105VCTTRAAC
TC6501P115VCTTR
TC6501P115VCTTRAAD
TC6501P120VCTTR
TC6501P120VCTTRAAF
TC6501P125VCTRT
TC6501P125VCTTR
TC6501P125VCTTRAAE
TC6502P045VCTTR
TC6502P055VCTTR
TC6502P065VCTTR
TC6502P075VCTTR
TC6502P085VCTTR
TC6502P095VCTTR
TC6502P105VCTTR
TC6502P115VCTTR
TC6502P125VCTTR
TC6503N015VCTTR
TC6503P005VCTTR
TC6504N015VCTTR

GBNG-12CPPC550 - CCB 3006 and 3006.001 Initial Notice: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material.

Affected Catalog Part Numbers (CPN)

TC6504P005VCTTR
TC74A0-3.3VCTTR
TC74A0-5.0VCTTR
TC74A1-3.3VCTTR
TC74A1-5.0VCTTR
TC74A1-5.0VCTTR-V01
TC74A2-3.3VCTTR
TC74A2-5.0VCTTR
TC74A3-3.3VCTTR
TC74A3-5.0VCTTR
TC74A4-3.3VCTTR
TC74A4-5.0VCTTR
TC74A5-3.3VCTTR
TC74A5-5.0VCTTR
TC74A6-3.3VCTTR
TC74A6-5.0VCTTR
TC74A7-3.3VCTTR
TC74A7-5.0VCTTR
TC77-3.3MCTTR
TC77-5.0MCTTR
TCM828ECT713
TCM828ECT723
TCM828ECTMR
TCM828VT713
TCM829ECT713
TCM829ECT723
TCM829ECTMR



**MICROCHIP**

## **QUALIFICATION PLAN SUMMARY**

**PCN #: GBNG-12CPPC550**

**June 15, 2017**

**Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material. The 5L SOT-23 package will qualify by similarity.**

**Purpose: Qualification of MMT as an additional assembly site for selected products available in 5L and 6L SOT-23 package using 8900NC die attach material. The 5L SOT-23 package will qualify by similarity.**

**CCB No: 3006 and 3006.001**

<b><u>Misc.</u></b>	<b>Assembly site</b>	MMT
	<b>BD Number</b>	BDM-001366 rev B
	<b>MP Code (MPC)</b>	DEBU8YC8XA00
	<b>Part Number (CPN)</b>	25LC040AT-E/OT
<b><u>Lead-Frame</u></b>	<b>Paddle size</b>	72x41 mils
	<b>Material</b>	CDA194
	<b>Surface</b>	Ag Spot Plated
	<b>Treatment</b>	None
	<b>Process</b>	Stamped
	<b>Lead-lock</b>	No
	<b>Part Number</b>	10100602
	<b>Lead Plating</b>	Matte Tin
	<b>LF Matrix (RowxColumn)</b>	6x32 (192 units/strip)
	<b>Strip test capable</b>	Yes
<b><u>Bond Wire</u></b>	<b>Material</b>	Au
<b><u>Die Attach</u></b>	<b>Part Number</b>	8900NC
	<b>Conductive</b>	No
<b><u>MC</u></b>	<b>Part Number</b>	G600V
<b><u>PKG</u></b>	<b>PKG Type</b>	SOT-23
	<b>Pin/Ball Count</b>	6
<b><u>Die</u></b>	<b>Die Thickness</b>	8 mils
	<b>Die Size</b>	54.5x29.8 mils
<b>MSL Classification</b>		L1/260C

Test Name	Conditions	Sample Size	Min. Qty of Spares per Lot (should be properly marked)	Qty of Lots	Total Units	Fail Accept Qty	Est. Dur. Days	Special Instructions
Wire Bond Pull - WBP	Mil. Std. 883-2011	5	0	3	15	0 fails after TC	5	30 bonds from a minimum of 5 devices.
Wire Bond Shear - WBS	CDF-AEC-Q100-001	5	0	3	15		5	30 bonds from a minimum of 5 devices.
Wire Sweep		5	0	3	15	0		Required for any reduction in wire bond thickness.
Physical Dimensions	Measure per JESD22 B100 and B108	10	0	3	30	0	5	
External Visual	Mil. Std. 883-2009/2010	All devices prior to submission for qualification testing	0	3	ALL	0	5	
HTSL (High Temp Storage Life)	+175 C for 504 hours. Electrical test pre and post stress at +25°C and hot temp.85°C. 1 lot to be tested at 125C	45	5	1	50	0	25	
Preconditioning - Required for surface mount devices	+150°C Bake for 24 hours, moisture loading requirements per MSL level + 3X reflow at peak reflow temperature per Jedec-STD-020D for package type; Electrical test pre and post stress at +25°C. MSL1 @ 260°C	231	15	3	738	0	15	Spares should be properly identified. 77 parts from each lot to be used for HAST, Autoclave, Temp Cycle test.
HAST	+130°C/85% RH for 96 hours. Electrical test pre and post stress at +25°C and hot temp.  1 lot to be tested at 125C	77	5	3	246	0	10	Spares should be properly identified. Use the parts which have gone through Pre-conditioning.

Test Name	Conditions	Sample Size	Min. Qty of Spares per Lot (should be properly marked)	Qty of Lots	Total Units	Fail Accept Qty	Est. Dur. Days	Special Instructions
Unbiased HAST	+130°C/85% RH for 96 hrs. Electrical test pre and post stress at +25°C.	77	5	3	246	0	10	Spares should be properly identified. Use the parts which have gone through Pre-conditioning.
Temp Cycle	-65°C to +150°C for 500 cycles. Electrical test pre and post stress at hot temp; 3 gram force WBP, on 5 devices from 1 lot, test following Temp Cycle stress.  1 lot to be tested at 125C	77	5	3	246	0	15	Spares should be properly identified. Use the parts which have gone through Pre-conditioning.