Home

Product / Process Change Notification JLIO-7NKT8K

The information below reflects a change that is being implemented.

Notice Date: 01/26/2009

Product Category: Battery Management; Infrared Devices;

> Linear Devices; Mixed Signal Devices; Power Management; RS232; Supervisor; Thermal Management; dsPIC; CAN

Communication; Ethernet Communication;

Infrared Communication; LIN

Communication; Serial Communication; 11xxx: 24xxx: 25xxx: 34xxx: 93xxx: Other: PIC10xxx; PIC12xxx; PIC16xxx; PIC17xxx; PIC18xxx; PIC24xxx; PIC32xxx; rfPIC;

RFID; SDP

Notification Subject: CCB#875: CHANGE SHIPPING

> MATERIALS FROM MOISTURE BARRIER BAG TO STATIC SHIELDED BAG AND **REMOVE THE REDUNDANT MSL-1**

CAUTION LABEL.

Notification Body:

PCN Status: **Final Notification**

Microchip Part#s Affected:

All MSL-1 Products.

Description of Change:

Change shipping materials from moisture barrier bag to static shielded bag. Remove the redundant MSL-1 caution label.

Pre-Change Shipping Materials:

Shipping Bag: Moisture barrier bag, which exceeds the requirements of JEDEC J-STD-033B.1 and EIA-541

standard.

Shipping Label: One bar code label includes the Level 1 classification and maximum reflow temperature

information.

One redundant MSL-1 caution label.

Post-Change Shipping Materials:

Shipping Bag: Static-shielded bag, which meets the requirements of JEDEC J-STD-033B.1 and EIA-541

standard.

Shipping Label: One bar code label includes the Level 1 classification and maximum reflow temperature information.

Impacts to Data Sheet:

None

Reason for Change:

Current bagging and labeling exceed the requirements of JEDEC J-STD-033B.1 and EIA-541 and are unnecessary for MSL-1 material.

Change Implementation Status:

In progress

Estimated Change Implementation Date(s):

February, 20th, 2009 (Date Code: 0908)

Markings to Distinguish Revised From Unrevised Devices: (e.g.: Date Code, Device Marking, Ship Container Marking)
Absence of redundant MSL-1 Caution Label.

Attachment(s):

PCN_JLIO-7NKT8K_CCB#875_Example.pdf