



[ADD](#) | [EMAIL](#) | [g+](#) | [in](#) | [twitter](#) | [f](#)

MT29F4G16ABADAH4-AIT

DATA SHEETS (1)

SPECS

SIM MODELS & SOFTWARE

ROHS CERTIFICATES

DOCUMENTATION & SUPPORT

PARTS WITH THE SAME DATA SHEET (7)

WHERE TO BUY

Data Sheets (1)

Data Sheet

4Gb, 8Gb x8, x16 Automotive NAND Flash Memory Data Sheet

MT29F4G08ABADAH4-AITX:D, MT29F4G08ABADAWP-AITX:D, MT29F4G08ABBDAH4-AITX:D, MT29F4G08ABBDAH4-AIT:D, MT29F4G16ABADAH4-AIT:D, MT29F4G16ABADAWP-AIT:D, MT29F4G16ABBDAH4-AIT:D, MT29F8G16ADBDAH4-AIT:D, MT29F4G08ABADAH4-AATX:D, MT29F4G08ABADAWP-AATX:D, MT29F4G16ABADAH4-AAT:D, MT29F8G08ADBDAH4-AAT:D

File Type: PDF

Updated: 04/2017

DOWNLOAD

Automotive NAND Flash SLC NAND

Specs

Orderable Parts for: MT29F4G16ABADAH4-AIT

SEE ALL SLC NAND PARTS

	Status	Media	FBGA Code	SPD Data	Chipset Validation	PLP	Start Date	Alternative Part
MT29F4G16ABADAH4-AIT:D	Production	N/A	NQ446	N/A	N/A	No		N/A

Detailed Specifications

Density	4Gb	Status	Production	Width	x16	Voltage	3.3V
Package	VFBGA	Pin Count	63-ball	MT/s		Op Temp	-40C to +85C

Sim Models & Software

Sim Models

HSpice



HSpice: NAND 4/8/16Gb SLC (Rev D) M60A (ZIP)

NAND Flash
SLC NAND

Rev. 2.3

File Type: ZIP

Updated: 07/31/2014

DOWNLOAD

IBIS



IBIS: NAND 4/8/16Gb SLC (Rev D) M60A (ZIP)

NAND Flash
SLC NAND

Rev. 2.3

File Type: ZIP

Updated: 07/31/2014

DOWNLOAD

Software

Software Support Pack

NAND FLASH lockunlock bug fix (ZIP)

MLC NAND
NAND Flash
SLC NAND

Reset NAND before write protect check.

File Type: ZIP

Updated: 03/31/2016

DOWNLOAD

Software Support Pack

YAFFS mark bad block issue (ZIP)

MLC NAND
NAND Flash
SLC NAND

If the bitflips num over mtd->bitflip_threshold the mtd_read_oob will return -EUCLEAN and tags->ecc_result > YAFFS_ECC_RESULT_NO_ERROR. Then we will call yaffs_handle_chunk_error.

File Type: ZIP

Updated: 03/31/2016

DOWNLOAD

Software Support Pack



NANDcode Flash Translation Layer (ZIP)

NAND Flash
SLC NAND

NANDcode is a "C" FTL (Flash Translation Layer) software library for ARM platform.

File Type: ZIP

Updated: 08/08/2014

DOWNLOAD

Software Driver

MT29F, SLC, 60/70 Series (1Gb, 2Gb, 4Gb, 8Gb, 16Gb, 32Gb) General Low-Level Driver for Parallel NAND Flash memory (ZIP)

NAND Flash
SLC NAND

M60A, M61A, M62B, M68A, M68M, M70M, M71M, M72A, M73A, M79M. Download the technical note for this driver [here](#).

File Type: ZIP

Updated: 04/05/2013

DOWNLOAD

Software Driver



MT29F, SLC, 60 Series (1Gb, 2Gb, 4Gb) General Low-Level Driver for SPI NAND Flash memory (ZIP)

NAND Flash
Serial NAND
SLC NAND

M68A, M69A, M60A

File Type: ZIP

Updated: 12/28/2011

DOWNLOAD

RoHS Certificates

RoHS Certificates

RoHS Certificate of Compliance (PDF)

Part-specific certification of how this product meets the requirements of the current DIRECTIVE 2002/95/EC, a.k.a. Restriction of Hazardous Substances (RoHS) Directive.

File Type: (PDF)

Updated: 02/2018

DOWNLOAD

RoHS Certificates

China RoHS Certificate (PDF)

Part-specific certification as required by China's Management Methods for Controlling Pollution by Electronic Information Products.

File Type: (PDF)

Updated: 02/2018

DOWNLOAD

Documentation & Support

[See All SLC NAND Documentation](#)

Technical Notes

SEARCH (17) SLC NAND TECHNICAL NOTES

Technical Notes

TN-29-62: Software Device Drivers for Large Page Micron NAND Flash Memory Devices (PDF)

NAND Flash
SLC NAND

(TN-29-62) Download the low-level driver described in this document [here](#).

Technical Notes

TN-13-49: SLC NAND Device Refresh (PDF)

NAND Flash
SLC NAND

(TN-13-49) This technical note discusses the adverse effects of high temperature and PROGRAM/ERASE (P/E) cycles on flash memory data retention and how the REFRESH operation can be used to mitigate these adverse effects.

Technical Notes

TN-29-58: ONFI NV-DDR2 Design Guide (PDF)

NAND Flash
SLC NAND

(TN-29-58) This technical note explains the device features that enable NV-DDR2 and provides guidelines for system designs to enable I/O transfer rates of up to 400 MT/s using the NV-DDR2 interface.

Technical Notes

TN-29-76: Using the Block Lock Feature on MT29F NAND Flash Memory Devices (PDF)

NAND Flash
SLC NAND

(TN-29-76) This technical note describes the block lock feature on Micron's MT29F NAND Flash memory devices.

Technical Notes

TN-26-03: How to Read, Program, and Manage Small Page NAND OTP Memory Area (PDF)

NAND Flash
SLC NAND

(TN-26-03) This technical note explains how to read, program, and manage small page NAND memory.

SEARCH (17) SLC NAND TECHNICAL NOTES

MT29F4G16ABADAH4-AIT (Current)		MT29F4G08ABADAH4-AITX	MT29F4G08ABADAWP-AITX	MT29F4G08ABBDAH4-AITX
Status	Production	Production	Production	Production
Density	4Gb	4Gb	4Gb	4Gb
Width	x16	x8	x8	x8
Voltage	3.3V	3.3V	3.3V	1.8V
Package	VFBGA	VFBGA	TSOP	VFBGA
Pin Count	63-ball	63-ball	48-pin	63-ball
MT/s				
Op Temp	-40C to +85C	-40C to +85C	-40C to +85C	-40C to +85C

Where to Buy

Orderable Parts

	Status	Media	FBGA Code	SPD Data	Chipset Validation	PLP	Start Date	Alternative Part
MT29F4G16ABADAH4-AIT:D	Production	N/A	NQ446	N/A	N/A	No		N/A

Contact Your Sales Rep

CONTACT A REP

- OR - Check with Distributors

Your Region: Americas



VIEW



VIEW

See All Distributors

DRAM
DRAM Modules
NAND Flash
Managed NAND
NOR Flash
Hybrid Memory Cube
Multichip Packages
Memory Cards
Solid State Drives

By Industry
Automotive Memory Solutions
Consumer
Embedded Memory Solutions
Federal Solutions
Financial Services
Industrial Memory Solutions
Mobile Memory Solutions
Networking Innovations

By Application
Client
Cloud
Data Center
Storage Data Security
Enterprise SSD Storage
Supercomputing Memory

Contact Us
Support Documentation and Downloads
Sales Support
Sales Network
Authorized Sales
Authorized Distributors
Legal
Site Map
Surplus Equipment

Our Company
News and Events
Micron Blogs
Jobs
Micron Foundation
History of Innovation
Locations
Our Commitment
Investor Relations
Suppliers

