

## Product Compliance Statement

February 19, 2016

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, and PBDE, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit [www.molex.com](http://www.molex.com)



Haim Eliyahu  
Manager, Global Product Compliance

Table A

Molex P/N	Part Description	RoHS Compliance Status	Low-Halogen Status
1060530000	FC Connector, Multimode, 127µm Ferrule, 3.00mm Cable Diameter, Metal Coupling Nut, Black Boot	Compliant with Exemption 6(c)	Not Low-Halogen
106053-3000	FC Connector, Multimode, 128µm Ferrule, 3.00mm Cable Diameter, Metal Coupling Nut, Black Boot	Compliant with Exemption 6(c)	Not Low-Halogen
1060534000	FC Connector, Multimode, 125µm Ferrule, 3.00mm Simplex Cable Diameter, Metal Coupling Nut, Yellow Boot	Compliant with Exemption 6(c)	Not Low-Halogen
106053-5000	FC Connector, Singlemode, 126µm Ferrule, 3.00mm Cable Diameter, Metal Coupling Nut, Yellow Boot	Compliant with Exemption 6(c)	Low-Halogen
106053-5500	FC Connector, Singlemode, 126µm Ceramic PC Ferrule, 900mm Buffered Fiber, Metal Coupling Nut, Yellow Boot	Compliant with Exemption 6(c)	Low-Halogen
1061101000	ST Adapter, Metal Body, Ceramic Alignment Sleeve, D-Hole Mount Style	Compliant with Exemption 6(c)	Not Low-Halogen
1061121000	ST Adapter, Metal Body, Metal Alignment Sleeve, D-Hole Mount Style	Compliant with Exemption 6(c)	Not Low-Halogen
1061131000	ST Adapter, Metal Body, Polymer Alignment Sleeve, D-Hole Mount Style	Compliant with Exemption 6(c)	Not Low-Halogen
1061520000	FC Adapter, Metal Body, Ceramic Alignment Sleeve, Square Hole Mount Style, Standard Key	Compliant with Exemption 6(c)	Low-Halogen
1061521000	FC Adapter, Metal Body, Ceramic Alignment Sleeve, D-Hole Mount Style, Standard Key	Compliant with Exemption 6(c)	Not Low-Halogen
1061522000	FC Adapter, APC, Metal Body, Ceramic Alignment Sleeve, Square Flange Mount Style, Tight Fit Key	Compliant with Exemption 6(c)	Low-Halogen
1061523000	FC Adapter, APC, Metal Body, Ceramic Alignment Sleeve, D-Hole Mount Style, Tight Fit Key	Compliant with Exemption 6(c)	Low-Halogen
1061720000	ST-FC Adapter, Metal Body, Metal Alignment Sleeve, Standard Key	Compliant with Exemption 6(c)	Not Low-Halogen
1062831035		Compliant with Exemption 6(c)	Not Low-Halogen
1062831040		Compliant with Exemption 6(c)	Not Low-Halogen
1062831045		Compliant with Exemption 6(c)	Not Low-Halogen
1062831055		Compliant with Exemption 6(c)	Not Low-Halogen
1062831060		Compliant with Exemption 6(c)	Not Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>Low-Halogen Status</b>
1062831065		Compliant with Exemption 6(c)	Not Low-Halogen
1062831070		Compliant with Exemption 6(c)	Not Low-Halogen
1062831075		Compliant with Exemption 6(c)	Not Low-Halogen
1062831080		Compliant with Exemption 6(c)	Not Low-Halogen
1062831085		Compliant with Exemption 6(c)	Not Low-Halogen
1062831090		Compliant with Exemption 6(c)	Not Low-Halogen
1062831095		Compliant with Exemption 6(c)	Not Low-Halogen
1062831150		Compliant with Exemption 6(c)	Not Low-Halogen
1200650528	Micro-Change® (M12) Single-Ended Cordset, 5 Poles, Male (Straight) to Pigtail, 22 AWG, PVC Cable, 5.0m (16.40') Length	Compliant with Exemption 6(c)	Not Low-Halogen
1200650951	Micro-Change® (M12) Single-Ended Cordset, 8 Poles, Female (Straight) to Pigtail, 0.25mm2 PUR/PVC Cable, 2.0m (6.56') Length	Compliant with Exemption 6(c)	Not Low-Halogen
1200651724	Micro-Change® (M12) Single-Ended Cordset, 5 Poles, Male (90°) to Pigtail, 22 AWG, PVC Cable, 2.0m (6.56') Length	Compliant with Exemption 6(c)	Not Low-Halogen
1200710041	Micro-Change® (M12) Single Keyway with PG7 Cable Fitting, Straight Female, 5 Poles, Cable Diameter 3.30-6.60mm	Compliant with Exemption 6(c)	Low-Halogen
1200710045	Micro-Change® (M12) Single Keyway with PG7 Cable Fitting, Straight Male, 5 Poles, Cable Diameter 3.30-6.60mm	Compliant with Exemption 6(c)	Low-Halogen
1200840028	Ultra-Lock® (M12) Receptacle, Female, 4 Poles, M16x1.5 Mounting Threads, PCB Pins, 5.00mm Stand-off	Compliant with Exemption 6(c)	Low-Halogen
1200840031	Ultra-Lock® (M12) Receptacle, Male (Straight), 5 Poles, M16x1.5 Mounting Threads, PCB Pins, 5.00mm stand-off	Compliant with Exemption 6(c)	Low-Halogen
1200840032	Ultra-Lock® (M12) Receptacle, 8 Pole Male, M16x1.5 Mounting Threads, PCB Pins, 5.00mm Stand-off	Compliant with Exemption 6(c)	Low-Halogen
1200840033	Ultra-Lock® (M12) Receptacle, 8 Pole, Female, M16x1.5 Mounting Threads, PCB Pins, 5.00mm Stand-off	Compliant with Exemption 6(c)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>Low-Halogen Status</b>
1200840047	Ultra-Lock® (M12) Receptacle, 8 Poles, Male, M16x1.5 Mounting Threads, PCB Pins, 5.00mm Stand-off	Compliant with Exemption 6(c)	Low-Halogen
1200840048	Ultra-Lock® (M12) Receptacle, 8 Poles, Female, M16x1.5 Mounting Threads, PCB Pins, 5.00mm Stand-off	Compliant with Exemption 6(c)	Low-Halogen
1200845002	Ultra-Lock® (M12) Receptacle, 8 Poles, Female (Straight) to Leads, M16x1.5 Threads, 1.0m (3.28') Length	Compliant with Exemption 6(c)	Not Low-Halogen
1200845095	Ultra-Lock® (M12) Receptacle, 8 Poles, M16x1.5 Mounting Threads, Female (Straight) to 0.25mm² PVC Leads, 0.30m (11.81") Length	Compliant with Exemption 6(c)	Not Low-Halogen
1200845097	Ultra-Lock® (M12) Receptacle, 8 Pole, M16x1.5 Mounting Threads, Female (Straight) to 0.25mm² PVC Leads, 0.30m (11.81") Length	Compliant with Exemption 6(c)	Not Low-Halogen
1200845130	Ultra-Lock® (M12) Receptacle, Female, 4 Poles, M16x1.5 Mounting Threads, PCB Pins, 5.00mm stand-off	Compliant with Exemption 6(c)	Low-Halogen
1200845179	Ultra-Lock® (M12) Receptacle, Female (Straight), 5 Poles, M16x1.5 Mounting Threads, PCB Pins, 5.00mm stand-off	Compliant with Exemption 6(c)	Low-Halogen
1200910001	Nano-Change® (M8) Attachable Connectors, Straight Female, 3 Poles	Compliant with Exemption 6(c)	Low-Halogen
1200910007	Nano-Change® (M8) Attachable Connectors, Straight Female, 4 Poles	Compliant with Exemption 6(c)	Low-Halogen
1212010001	mPm® DIN Valve Connector, Form A, External Thread, 2 Pole Plus Ground Terminal, 250V AC/300V DC, Black Nitrile Gasket	Compliant with Exemption 6(c)	Low-Halogen
1212010002	mPm® DIN Valve Connector, Form A, External Thread, 3 Pole Plus Ground Terminal, 250V AC/300V DC, Black Nitrile Gasket	Compliant with Exemption 6(c)	Low-Halogen
1212010003	mPm® DIN Valve Connector, Form A, External Thread, 2 Pole Plus Ground Terminal, 250V AC/DC, Black Nitrile Gasket, Bulk Pack, Un-Mounted	Compliant with Exemption 6(c)	Low-Halogen
1212020001	mPm® DIN Valve Connector, Form B - Industrial, External Thread, 2 Pole Plus Ground Terminal, 250V AC/300V DC, Black Nitrile Gasket	Compliant with Exemption 6(c)	Low-Halogen
1212020002	mPm® DIN Valve Connector, Form B - Industrial, External Thread, 2 Pole Plus Ground Terminal, 250V AC/DC, Black Nitrile Gasket, Bulk Pack, Un-Mounted	Compliant with Exemption 6(c)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>Low-Halogen Status</b>
1212030001	mPm® DIN Valve Connector, Form B, External Thread, 2 Pole Plus Ground Terminal, 250V AC/DC, Black Nitrile Gasket	Compliant with Exemption 6(c)	Low-Halogen
1212040001	mPm® DIN Valve Connector, Form C, External Thread, 2 Pole Plus Ground Terminal, 250V AC/300V DC, Black Nitrile Gasket	Compliant with Exemption 6(c)	Not Low-Halogen
1212040009	mPm® DIN Valve Connector, Form C, External Thread, 2 Pole Plus Ground Terminal, 250V AC/DC, Black Nitrile Gasket, Bulk Pack, Un-Mounted	Compliant with Exemption 6(c)	Not Low-Halogen
1212050001	mPm® DIN Valve Connector, Form C - Industrial, External Thread, 2 Pole Plus Ground Terminal, 250V AC/DC, Black Nitrile Gasket	Compliant with Exemption 6(c)	Not Low-Halogen
1212050005	mPm® DIN Valve Connector, Form C - Industrial, External Thread, 3 Pole Plus Ground Terminal, 250V AC/DC, Black Nitrile Gasket	Compliant with Exemption 6(c)	Not Low-Halogen
1212050009	mPm® DIN Valve Connector, Form C - Industrial, External Thread, 2 Pole Plus Ground Terminal, 250V AC/DC, Black Nitrile Gasket	Compliant with Exemption 6(c)	Not Low-Halogen
1212070004	mPm® DIN Valve Connector, Form A, External Threads, 2 Pole Plus Ground with C4 Circuit, 24V, Red LED, Transparent Nitrile Gasket	Compliant with Exemption 6(c)	Not Low-Halogen
1212070106	mPm® DIN Valve Connector, Form A, External Threads, 2 Pole Plus Ground with C4 Circuit, 230V, Amber LED, Transparent Nitrile Gasket	Compliant with Exemption 6(c)	Low-Halogen
1212080080	mPm® DIN Valve Connector, Form B - Industrial, External Thread, 2 Pole Plus Ground with C4 Circuit, 24V, Amber LED, Transparent Nitrile Gasket	Compliant with Exemption 6(c)	Low-Halogen
1212080083	mPm® DIN Valve Connector, Form B - Industrial, External Thread, 2 Pole Plus Ground with C4 Circuit, 230V, Amber LED, Transparent Nitrile Gasket	Compliant with Exemption 6(c)	Low-Halogen
1300060162	Mini-Change® A-Size Single-Ended Cordset, 2 Poles, Male (Straight) to Pigtail, 16 AWG, PVC Cable, 3.66m (12.0') Length	Compliant with Exemption 6(c)	Not Low-Halogen
1300060250	Mini-Change® A-Size Single-Ended Cordset, 3 Poles, Female (Straight) to Pigtail, 16 AWG, PVC Cable, 9.14m (30.0') Length	Compliant with Exemption 6(c)	Not Low-Halogen
1300170004	Mini-Change® Field Attachable, Female Connector, 3 Pole, Cable Range: 5.08-11.43mm Outside Diameter with Internal Threads	Compliant with Exemption 6(c)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>Low-Halogen Status</b>
1300170005	Mini-Change® Field Attachable, Female Connector, 3 Pole, Cable Range: 5.08-11.43mm Outside Diameter with Internal Threads, Stainless Steel	Compliant with Exemption 6(c)	Low-Halogen
1300170011	Mini-Change® Field Attachable, Male Connector, 3 Pole, Cable Range: 5.08-11.43mm Outside Diameter with External Threads	Compliant with Exemption 6(c)	Not Reviewed
1300170024	Mini-Change® Field Attachable, Female Connector, 5 Pole, Cable Range: 5.08-11.43mm Outside Diameter with Internal Threads, Stainless Steel	Compliant with Exemption 6(c)	Low-Halogen
1300170029	Mini-Change® Field Attachable, Male Connector, 5 Pole, Cable Range: 5.08-11.43mm Outside Diameter with External Threads	Compliant with Exemption 6(c)	Not Low-Halogen
1302990200	Brad® Micro-Change® (M12) Harsh-Duty Receptacle, 4 Pole, D-Code, Vertical	Compliant with Exemption 6(c)	Not Low-Halogen
1303030200	Brad® Micro-Change® (M12) Heavy-Duty Ethernet Receptacle, HDM12EX, 4 Pole, D-Code, PCB M24 Mount	Compliant with Exemption 6(c)	Not Low-Halogen
1303035200	Brad® Micro-Change® (M12) Heavy-Duty Ethernet Receptacle, HDM12, 4 Pole, D-Code, PCB M18 Mount	Compliant with Exemption 6(c)	Not Low-Halogen
1303040003	Brad® Micro-Change® (M12) Heavy-Duty Ethernet Single-Ended Cordset, 4 Poles, HDM12 to Pigtail, XLPE Cable, 1.0m (3.28') Length	Compliant with Exemption 6(c)	Not Low-Halogen
391000802	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 2 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39100-0803	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 3 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391000804	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 4 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391000805	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 5 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391000806	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 6 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391000807	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 7 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39100-0808	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 8 Circuits	Compliant with Exemption 6(c)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	Low-Halogen Status
391000809	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 9 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391000810	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 10 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391000811	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 11 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39100-0812	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 12 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391000902	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 2 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
391000903	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 3 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
391000904	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 4 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
391000905	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 5 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
391000906	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 6 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
391000907	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 7 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
391000908	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 8 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
391000909	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 9 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
391000910	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 10 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
391000911	8.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 11 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
39100-0912		Compliant with Exemption 6(c)	Low-Halogen
391001002	10.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 2 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001004	10.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 4 Circuits	Compliant with Exemption 6(c)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>Low-Halogen Status</b>
391001005	10.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 5 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001006	10.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 6 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001007	10.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 7 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39100-1008	10.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 8 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001009	10.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 9 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001010	10.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 10 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001011	10.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 11 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001012	10.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 12 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001202	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 2 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001203	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 3 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001204	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 4 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001205	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 5 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39100-1206	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 6 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001207	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 7 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001208	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 8 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001209	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 9 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001210	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 10 Circuits	Compliant with Exemption 6(c)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>Low-Halogen Status</b>
391001211	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 11 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001212	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 12 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001302	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 2 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
391001303	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 3 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
391001304	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 4 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
391001305	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 5 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
391001306	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 6 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
391001307	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 7 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
391001308	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 8 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
391001309	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 9 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
391001310	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 10 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
391001311	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 11 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
391001312	12.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 12 Circuits, Low Profile	Compliant with Exemption 6(c)	Low-Halogen
391001502	15.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 2 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001503	15.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 3 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001504	15.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 4 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001505	15.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 5 Circuits	Compliant with Exemption 6(c)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>Low-Halogen Status</b>
391001506	15.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 6 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001507	15.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 7 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001508	15.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 8 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001509	15.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 9 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001510	15.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 10 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001511	15.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 11 Circuits	Compliant with Exemption 6(c)	Low-Halogen
391001512	15.00mm Pitch Beau™ Eurostyle™ Two-Screw Terminal Strips, 12 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39351-0002	3.50mm Beau™ Eurostyle™ Pluggable PCB Terminal Block, 180° Wire Entry, 2 Circuits	Compliant with Exemption 6(c)	Not Low-Halogen
39357-0002	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 2 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0003	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 3 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0004	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 4 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0005	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 5 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0006	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 6 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0007	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 7 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0008	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 8 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0009	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 9 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0010	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 10 Circuits	Compliant with Exemption 6(c)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>Low-Halogen Status</b>
39357-0011	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 11 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0012	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 12 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0013	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 13 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0014	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 14 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0015	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 15 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0016	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 16 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0017	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 17 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0018	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 18 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0019	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 19 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0020	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 20 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0021	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 21 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0022	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 22 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0023	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 23 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0024	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 24 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39357-0025	3.50mm Pitch Beau Eurostyle™ Fixed Mount PCB Terminal Block, 25 Circuits	Compliant with Exemption 6(c)	Low-Halogen
39380-0102	6.35mm Pitch Beau™ Eurostyle™ Fixed Mount PCB Terminal Block, Modular, 2 Circuits	Compliant with Exemption 6(c)	Low-Halogen
394210002	12.00mm Pitch Beau™ EuroMax™ Horizontal Plug, 2 Circuits	Compliant with Exemption 6(c)	Not Low-Halogen
394210003	12.00mm Pitch Beau™ EuroMax™ Horizontal Plug, 3 Circuits	Compliant with Exemption 6(c)	Not Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>Low-Halogen Status</b>
394210004	12.00mm Pitch Beau™ EuroMax™ Horizontal Plug, 4 Circuits	Compliant with Exemption 6(c)	Not Low-Halogen
394210005	12.00mm Pitch Beau™ EuroMax™ Horizontal Plug, 5 Circuits	Compliant with Exemption 6(c)	Not Low-Halogen
394210006	12.00mm Pitch Beau™ EuroMax™ Horizontal Plug, 6 Circuits	Compliant with Exemption 6(c)	Not Low-Halogen
394210007	12.00mm Pitch Beau™ EuroMax™ Horizontal Plug, 7 Circuits	Compliant with Exemption 6(c)	Not Low-Halogen
394210008	12.00mm Pitch Beau™ EuroMax™ Horizontal Plug, 8 Circuits	Compliant with Exemption 6(c)	Not Low-Halogen
394210009	12.00mm Pitch Beau™ EuroMax™ Horizontal Plug, 9 Circuits	Compliant with Exemption 6(c)	Not Low-Halogen
394210010	12.00mm Pitch Beau™ EuroMax™ Horizontal Plug, 10 Circuits	Compliant with Exemption 6(c)	Not Low-Halogen
394211006	12.00mm Pitch Beau™ EuroMax™ Horizontal Plug, 6 Circuits, With Optional Imprinting on Part	Compliant with Exemption 6(c)	Not Low-Halogen
394220002	12.00mm Pitch Beau™ EuroMax™ Horizontal Plug, with Retention Screws, 2 Circuits	Compliant with Exemption 6(c)	Not Low-Halogen
394220003	12.00mm Pitch Beau™ EuroMax™ Horizontal Plug, with Retention Screws, 3 Circuits	Compliant with Exemption 6(c)	Not Low-Halogen
394220004	12.00mm Pitch Beau™ EuroMax™ Horizontal Plug, with Retention Screws, 4 Circuits	Compliant with Exemption 6(c)	Not Low-Halogen
394220005	12.00mm Pitch Beau™ EuroMax™ Horizontal Plug, with Retention Screws, 5 Circuits	Compliant with Exemption 6(c)	Not Low-Halogen
394220006	12.00mm Pitch Beau™ EuroMax™ Horizontal Plug, with Retention Screws, 6 Circuits	Compliant with Exemption 6(c)	Not Low-Halogen
394220007	12.00mm Pitch Beau™ EuroMax™ Horizontal Plug, with Retention Screws, 7 Circuits	Compliant with Exemption 6(c)	Not Low-Halogen