

Product Compliance Statement

May 18, 2016

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, and PBDE, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at http://echa.europa.eu/chem_data/authorisation_process/candidate_list_table_en.asp.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit www.molex.com



Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
1718131003	3.96mm Pitch, KK® 396 RPC Vertical Header with Friction Lock, 15µm Gold (Au) Plating, Pin Length 17.02mm, Bag, 3 Circuits	Compliant	Not Contained Per -ED/79/2015 (17 December 2015)	Low-Halogen
1718131004	3.96mm Pitch, KK® 396 RPC Vertical Header with Friction Lock, 15µm Gold (Au) Plating, Pin Length 17.02mm, Bag, 4 Circuits	Compliant	Not Contained Per -ED/79/2015 (17 December 2015)	Low-Halogen
1718131006	3.96mm Pitch, KK® 396 RPC Vertical Header with Friction Lock, 15µm Gold (Au) Plating, Pin Length 17.02mm, Bag, 6 Circuits	Compliant	Not Contained Per -ED/79/2015 (17 December 2015)	Low-Halogen
1718134003	3.96mm Pitch, KK® 396 RPC Vertical Header with Friction Lock, 15µm Gold (Au) Plating, Pin Length 17.02mm, Tape and Reel, 3 Circuits	Compliant	Not Contained Per -ED/79/2015 (17 December 2015)	Low-Halogen
1718134004	3.96mm Pitch, KK® 396 RPC Vertical Header with Friction Lock, 15µm Gold (Au) Plating, Pin Length 17.02mm, Tape and Reel, 4 Circuits	Compliant	Not Contained Per -ED/79/2015 (17 December 2015)	Low-Halogen
1718134006	3.96mm Pitch, KK® 396 RPC Vertical Header with Friction Lock, 15µm Gold (Au) Plating, Pin Length 17.02mm, Tape and Reel, 6 Circuits	Compliant	Not Contained Per -ED/79/2015 (17 December 2015)	Low-Halogen
1718560008	2.54mm Pitch, KK® 254 RPC Vertical Header with Friction Lock, Tin (Sn) Plating, Pin Length 12.95mm, Bag, 8 Circuits	Compliant	Not Contained Per -ED/79/2015 (17 December 2015)	Low-Halogen
1718560010	2.54mm Pitch, KK® 254 RPC Vertical Header with Friction Lock, Tin (Sn) Plating, Pin Length 12.95mm, Bag, 10 Circuits	Compliant	Not Contained Per -ED/79/2015 (17 December 2015)	Low-Halogen
1718563008	2.54mm Pitch, KK® 254 RPC Vertical Header with Friction Lock, Tin (Sn) Plating, Pin Length 12.95mm, Tape and Reel, 8 Circuits	Compliant	Not Contained Per -ED/79/2015 (17 December 2015)	Low-Halogen
1718563010	2.54mm Pitch, KK® 254 RPC Vertical Header with Friction Lock, Tin (Sn) Plating, Pin Length 12.95mm, Tape and Reel, 10 Circuits	Compliant	Not Contained Per -ED/79/2015 (17 December 2015)	Low-Halogen
1718570003	2.54mm Pitch, KK® 254 RPC Wire-to-Board Right-Angle Header with Friction Lock, Tin (Sn) Plating, Bag, 3 Circuits	Compliant	Not Contained Per -ED/79/2015 (17 December 2015)	Low-Halogen
1718573003	2.54mm Pitch, KK® 254 RPC Wire-to-Board Right-Angle Header with Friction Lock, Tin (Sn) Plating, Tape and Reel, 3 Circuits	Compliant	Not Contained Per -ED/79/2015 (17 December 2015)	Low-Halogen