

2222 Wellington Court Lisle, IL 60532 USA

# **Product Compliance Declaration**

Please see <u>www.molex.com</u> for the most up-to-date information.

Contact Information							
Name	Molex Product Compliance	E-Mail	Product.Compliance@molex.com				
Part Inform	ation						
Part Number	0026604070	Part Weight	2.618G				
Part Name	KK 156 Hdr Assy FrLk 07 Ckt Tin						

### **Product Composition**

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
KK 156 Hdr Assy FrLk 07 Ckt Tin	Assembly		100	2.618
KK.045 Sq Pin Bando .720 (197) Sn	Assembly		50.2674	1.316
KK.045 Sq Pin Bando .720 (999) unplt	Component		49.1979	1.288
Cartridge Brass 70% Unplated	Material		49.1979	1.288
Copper	Substance	7440-50-8	34.4385	0.9016
Zinc (metal)	Substance	7440-66-6	14.7594	0.3864
Tin Plating	Material		0.4813	0.0126
Tin	Substance	7440-31-5	0.4813	0.0126
Nickel Plating	Material		0.5882	0.0154
Nickel	Substance	7440-02-0	0.5882	0.015398
Further Additives	Substance	system	6E-5	0.000002
KK 156 Header FrLk 07 Ckt	Component		49.7326	1.302
PBT GF NATURAL	Material		49.7326	1.302

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
PBT	Substance		31.971	0.837
Antimonytrioxide	Substance	1309-64-4	2.9129	0.076259
Flame Retardant, ISO 1043-4 FR(17)	Substance		11.0122	0.288301
Further Additives	Substance	system	0.4263	0.011159
GF-Fiber	Substance		3.4103	0.089281

## **ROHS** Declaration Information

Regulatory Revision 2011/65/EU

Compliance Status Compliant

#### **Contained Substances Exceeding Threshold**

None

#### Exemptions

None

## **REACH-SVHC** Declaration Information

Regulatory Revision ED/30/2017 (7 July 2017)

#### **Contained Substances Exceeding Threshold**

None

## **GADSL Declaration Information**

Regulatory Revision GADSL imported from IMDS

# **Contained Substances Exceeding Threshold**

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
Lead	Cartridge Brass 70% (CA260)	*Note	350	Yes
	e-plate Sn (electrodeposited Tin Coatings, bright and matt)	*Note	150	Yes

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
Antimonytrioxide	PBT GF NATURAL	*Note	70,000	Yes
Nickel	Ep-Ni	*Note	997,500	Yes
Copper	Cartridge Brass 70% (CA260)	*Note	700,000	Yes
Glass fibres	PBT GF NATURAL	*Note	80,000	Yes

\*Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

#### Exemptions

Part Name	Exemption
Cartridge Brass 70% (CA260)	44 Concentration within acceptable GADSL limits
e-plate Sn (electrodeposited Tin Coatings, bright and matt)	44 Concentration within acceptable GADSL limits
Ep-Ni	33 Other application (Surface not routinely touched or nickel release rate < 0.5µg/ cm2/week)

## **HFLH Declaration Information**

Regulatory Revision IEC 61249-2-21

#### **Contained Substances Exceeding Threshold**

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
Bromine and its compounds	PBT GF NATURAL	900	250,000	Yes
Bromine and Chlorine combined	PBT GF NATURAL	1,500	250,000	Yes

# **China ROHS Declaration Information**

Part Number	0026604070							
Part Name	KK 156 Hdr Assy FrLk 07 Ckt Tin	<b>te</b>						
Part Informatio	on			Ha	zardous S	Substance	es	
Components			Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
KK 156 Hdr Assy FrLk 07 Ckt Tin		0	0	0	0	0	0	
KK.045 Sq Pin Bando .720 (197) Sn		0	0	0	0	0	0	

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Components	Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
KK.045 Sq Pin Bando .720 (999) unplt	0	0	0	0	0	0
KK 156 Header FrLk 07 Ckt	0	0	0	0	0	0

# **Process Information**

Component Plating / Surface Finish	SnCu
Termination Base Alloy	Brass
Solder Alloy	N/A
Process Capability	WAVE
Maximum Exposure Time (seconds)	005
Maximum Process Temperature (C)	235
Maximum Cycles at Reflow Temperature	001
J-STD-020 Moisture Sensitivity Level	N/A

Aug 23, 2017

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.