

# **Product Compliance Declaration**

Please see <a href="https://www.molex.com">www.molex.com</a> for the most up-to-date information.

**Contact Information** 

Name Molex Product Compliance E-Mail Product.Compliance@molex.com

**Part Information** 

Part Name 5CKT WAFER ASSY W/LOCK 504505A

## **Product Composition**

| Name                               | Туре      | CAS Number | Proportion<br>(% Total) | Mass<br>(Grams) |
|------------------------------------|-----------|------------|-------------------------|-----------------|
| 5CKT WAFER ASSY W/LOCK 504505A     | Assembly  |            | 100                     | 0.5176          |
| WAFER                              | Component |            | 51.7002                 | 0.2676          |
| PA66 UF IVORY                      | Material  |            | 51.7002                 | 0.2676          |
| PA66                               | Substance |            | 44.5914                 | 0.230805        |
| Flame Retardant, ISO 1043-4 FR(30) | Substance |            | 4.136                   | 0.021408        |
| Further Additives                  | Substance | system     | 0.517                   | 0.002676        |
| Pigment portion                    | Substance | system     | 0.3878                  | 0.002007        |
| Antimonytrioxide                   | Substance | 1309-64-4  | 2.068                   | 0.010704        |
| SQ WIRE PIN .025                   | Assembly  |            | 48.2998                 | 0.25            |
| .025SQ WIRE PIN,PLAIN              | Component |            | 47.3338                 | 0.245           |
| Cartridge Brass 70% Unplated       | Material  |            | 47.3338                 | 0.245           |
| Copper                             | Substance | 7440-50-8  | 33.1337                 | 0.1715          |
| Zinc (metal)                       | Substance | 7440-66-6  | 14.2002                 | 0.0735          |

#### Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

| Name           | Туре      | CAS Number | Proportion<br>(% Total) | Mass<br>(Grams) |
|----------------|-----------|------------|-------------------------|-----------------|
| Tin Plating    | Material  |            | 0.483                   | 0.0025          |
| Tin            | Substance | 7440-31-5  | 0.483                   | 0.0025          |
| Copper Plating | Material  |            | 0.483                   | 0.0025          |
| Copper         | Substance | 7440-50-8  | 0.483                   | 0.0025          |

## **ROHS Declaration Information**

Regulatory Revision 2011/65/EU

Compliance Status Compliant

**Contained Substances Exceeding Threshold** 

None

**Exemptions** 

None

## **REACH-SVHC Declaration Information**

**Regulatory Revision** ED/30/2017 (7 July 2017)

**Contained Substances Exceeding Threshold** 

None

## **GADSL Declaration Information**

Regulatory Revision GADSL imported from IMDS

## **Contained Substances Exceeding Threshold**

| Substance Group  | Substance Location  | Threshold (PPM) | Concentration (PPM) | Intentionally<br>Added |
|------------------|---|-----------------|---------------------|------------------------|
| Lead             | Cartridge Brass 70% (CA260)                                 | *Note           | 350                 | Yes                    |
| Lead             | e-plate Sn (electrodeposited Tin Coatings, bright and matt) | *Note           | 150                 | Yes                    |
| Antimonytrioxide | PA66 UF IVORY   | *Note           | 50,000              | Yes                    |

#### Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

| Substance Group | Substance Location                            | Threshold<br>(PPM) | Concentration (PPM) | Intentionally<br>Added |
|-----------------|---|--------------------|---------------------|------------------------|
| Copper          | Cartridge Brass 70% (CA260)                   | *Note              | 700,000             | Yes                    |
| CODDEI          | e-plate Cu (electrodeposited Copper Coatings) | *Note              | 999,625             | Yes                    |

<sup>\*</sup>Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

## **Exemptions**

| Part Name   | Exemption                                       |
|---|---|
| Cartridge Brass 70% (CA260)                                 | 44 Concentration within acceptable GADSL limits |
| e-plate Sn (electrodeposited Tin Coatings, bright and matt) | 44 Concentration within acceptable GADSL limits |

## **HFLH Declaration Information**

Regulatory Revision IEC 61249-2-21

## **Contained Substances Exceeding Threshold**

None

### **China ROHS Declaration Information**

| Part Number     | 0022041051                        |                |      |         |           |                  |     |      |
|-----------------|-----------------------------------|----------------|------|---------|-----------|------------------|-----|------|
| Part Name       | 5CKT WAFER ASSY W/LOCK<br>504505A | <del>(e)</del> |      |         |           |                  |     |      |
| Part Informatio | n                                 |                |      | Ha      | zardous S | Substance        | s   |      |
| Components      |                                   |                | Lead | Mercury | Cadmium   | Hex.<br>Chromium | PBB | PBDE |
| 5CKT WAFE       | R ASSY W/LOCK 504505A             |                | 0    | 0       | 0         | 0                | 0   | 0    |
| WAFER           |                                   |                | 0    | 0       | 0         | 0                | 0   | 0    |
| SQ WIRE PIN     | N .025                            |                | 0    | 0       | 0         | 0                | 0   | 0    |
| .025SQ WIRE     | E PIN,PLAIN                       |                | 0    | 0       | 0         | 0                | 0   | 0    |

## **Process Information**

| Component Plating / Surface Finish | N/A |  |
|------------------------------------|-----|--|
|------------------------------------|-----|--|

#### Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

| Termination Base Alloy               | N/A |
|--------------------------------------|-----|
| Solder Alloy                         | N/A |
| Process Capability                   | N/A |
| Maximum Exposure Time (seconds)      | N/A |
| Maximum Process Temperature (C)      | N/A |
| Maximum Cycles at Reflow Temperature | N/A |
| J-STD-020 Moisture Sensitivity Level | N/A |

Aug 3, 2017