

Product Compliance Statement

August 01, 2018

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, and PBDE, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU RoHS Phthalates Content.** EU RoHS Phthalates: DEHP, BBP, DBP, and DIBP, are declared if above 0.1% of the homogeneous materials of parts per amendment EU 2015/863 to the EU RoHS Directive (2011/65/EU). Restriction date on the use of these phthalates is July 22nd 2019.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit www.molex.com



Haim Eliyahu
Manager, Global Product Compliance

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0982660061	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 6 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660062	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 6 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0982660075	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 8 Circuits 0.051m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660077	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 8 Circuits, 0.076m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660083	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 8 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660084	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 8 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0982660095	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 10 Circuits, 0.03m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660105	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 10 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660106	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 10 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660112	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 10 Circuits, 0.229m Cable Length, Tin(Sn) Plating	Compliant	Not Relevant	Not Reviewed	Not Reviewed
0982660123	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 12 Circuits, 0.102m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Reviewed	Not Reviewed
0982660127	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 12 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660128	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 12 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0982660144	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 14 Circuits, 0.076m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660149	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 14 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660150	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 14 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660165	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 16 Circuits, 0.076m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Reviewed	Not Reviewed
0982660171	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 16 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660172	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 16 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Reviewed	Not Reviewed
0982660193	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 18 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660194	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 18 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Reviewed	Not Reviewed
0982660211	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 20 Circuits, 0.102m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0982660215	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 20 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660216	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 20 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660259	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 24 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Reviewed	Not Reviewed	Not Low-Halogen
0982660260	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 24 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0982660267	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 24 Circuits, 0.254m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660269	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 24 Circuits, 0.305m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Reviewed	Not Reviewed
0982660281	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 26 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660317	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 30 Circuits 0.051m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660325	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 30 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660326	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 30 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660339	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 32 Circuits 0.051m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Reviewed	Not Reviewed
0982660347	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 32 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0982660425	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 40 Circuits, 0.03m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660430	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 40 Circuits, 0.076m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660431	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 40 Circuits, 0.102m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660432	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 40 Circuits, 0.102m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660433	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 40 Circuits, 0.127m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0982660435	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 40 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660436	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 40 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660441	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 40 Circuits, 0.229m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Reviewed	Not Reviewed
0982660545	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 50 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660546	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 50 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982661011	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 31 Circuits, 0.051m Cable Length, Tin(Sn) Plating	Compliant	Not Reviewed	Not Reviewed	Not Low-Halogen
0982661033	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 33 Circuits, 0.051m Cable Length, Tin(Sn) Plating	Compliant	Not Reviewed	Not Reviewed	Not Low-Halogen
0982670358	1.00mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 20 Circuits, 0.051m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982670395	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 22 Circuits, 0.254m Cable Length, Tin(Sn) Plating	Compliant	Not Reviewed	Not Reviewed	Not Low-Halogen
0982670473	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 30 Circuits, 0.127m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982680257	1.25mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 20 Circuits, 0.051m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982851000		Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Relevant
0982852000		Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Relevant
0984631501		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0984631510		Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Relevant
0985870014	HDX Crimp Terminal, Female, 0.635mm , AWG 20-24 (0.22-0.60mm ²), Tin (Sn)	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Relevant
0986271001	HDX Crp Mod Blk 1-15 15Ckt	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Relevant
0986271002	HDX Crp Mod Nat 16-30 15Ckt	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Relevant
0986491003	CMC Wire Cap for 32 Circuits CMC Receptacle	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Relevant
0986581211	MOX Crimp Terminal, Female, 0.635mm, 20-24 AWG (0.22-0.60mm ²), Reel, Tin (Sn)	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
0986581212	MOX Crimp Terminal, Female, 0.635mm, 18-22 AWG (0.75mm ²), Reel, Tin (Sn)	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
0986581213	MOX Crimp Terminal, Female, 0.635mm, 20-24 AWG (0.22-0.50mm ²), Reel, Tin (Sn)	Compliant	Not Contained	Not Contained Per -ED/01/2017 (12 January 2017)	Low-Halogen
0986581222	MOX Crimp Terminal, Female, 0.635mm, 18-22 AWG (0.75mm ²), Reel, Selective Gold	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Relevant
0986581223	MOX Crimp Terminal, Female, 0.635mm, 20-24 AWG (0.22-0.50mm ²), Reel, Selective Gold	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0987801019	2.54mm Pitch, Male Header, PA 4.6, 6 Circuits, Dual Row, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0989442001	Custom Part For General Market Use 643193211	Compliant	Not Reviewed	Not Contained Per - ED/108/2014 (17 Dec 2014)	Not Relevant
0989442002	Custom Part For General Market Use 643193218	Compliant	Not Contained	Not Contained Per - ED/108/2014 (17 Dec 2014)	Not Relevant
0989443002	Custom Part For General Market Use 643191218	Compliant	Not Contained	Not Contained Per - ED/108/2014 (17 Dec 2014)	Not Relevant

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0989502003	Custom Part For General Market Use 643203319	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Relevant
0989971002	CMC Right Angled Header, 0.64mm/1.50mm/2.80mm, 53 Circuit	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Relevant
0099990986	2.50mm Pitch Mini-SPOX Wire-to-Board Header, Vertical, Shrouded, 2 Circuits, Tin (Sn) Plating, with Swaged PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0099990987	2.50mm Pitch Mini-SPOX Wire-to-Board Header, Vertical, Shrouded, 3 Circuits, Tin (Sn) Plating, with Swaged PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0099990988	2.50mm Pitch Mini-SPOX Wire-to-Board Header, Vertical, Shrouded, 4 Circuits, Tin (Sn) Plating, with Swaged PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0099990989	2.50mm Pitch Mini-SPOX Wire-to-Board Header, Vertical, Shrouded, 5 Circuits, Tin (Sn) Plating, with Swaged PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0099990990	2.50mm Pitch Mini-SPOX Wire-to-Board Header, Vertical, Shrouded, 6 Circuits, Tin (Sn) Plating, with Swaged PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0099990991	2.50mm Pitch Mini-SPOX Wire-to-Board Header, Vertical, Shrouded, 7 Circuits, Tin (Sn) Plating, with Swaged PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0099990992	2.50mm Pitch Mini-SPOX Wire-to-Board Header, Vertical, Shrouded, 8 Circuits, Tin (Sn) Plating, with Swaged PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0099990993	2.50mm Pitch Mini-SPOX Wire-to-Board Header, Vertical, Shrouded, 9 Circuits, Tin (Sn) Plating, with Swaged PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0099990994	2.50mm Pitch Mini-SPOX Wire-to-Board Header, Vertical, Shrouded, 10 Circuits, Tin (Sn) Plating, with Swaged PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0099990995	2.50mm Pitch Mini-SPOX Wire-to-Board Header, Vertical, Shrouded, 11 Circuits, Tin (Sn) Plating, with Swaged PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0099990996	2.50mm Pitch Mini-SPOX Wire-to-Board Header, Vertical, Shrouded, 12 Circuits, Tin (Sn) Plating, with Swaged PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0099990998	2.50mm Pitch Mini-SPOX Wire-to-Board Header, Vertical, Shrouded, 14 Circuits, Tin (Sn) Plating, with Swaged PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0099990999	2.50mm Pitch Mini-SPOX Wire-to-Board Header, Vertical, Shrouded, 15 Circuits, Tin (Sn) Plating, with Swaged PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0002065104	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1561, Female, with 1.27µm Gold Max. Insulation Diameter, Loose in Bag Packaged	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002065105	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1561, Female, with 1.27µm Gold Max. Insulation Diameter, Reel	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002065108	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002065109	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002065135	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38µm Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002066101	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76µm Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel Packaged	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002066103	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Bag	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002066104	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective 1.27µm Select Gold (Au) Plated Brass Contact, 18-24 AWG, Bag Packaged	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002066135	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0002066138	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002067103	1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with 2.54µm Tin (Sn) Plated Brass Contact, Bag Packaged	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002067104	1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with .76µm Selective Gold (Au) Plated Brass Contact, Bag Packaged	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002068103	1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Tin (Sn) Plated Brass Contact, Bag	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002082005	MLX Male Crimp Terminal 42023, 14-20 AWG, Reel, Phosphor Bronze, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002082006	MLX Crimp Terminal 42023, 14-20 AWG, Bag Tin (Sn)	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002091118	2.36mm Diameter Standard .093" Crimp Terminal, Dimpled Female, 18-22 AWG, Bag	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002091122	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Reel	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0002092103	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0002092105	Vertical Solder Relief (VSR) Direct-Solder Crimp Terminal, Series 4706, Male, Tin (Sn) Plated Brass Contact, 16-18 AWG, 11.20mm Terminal Progression	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002092133	2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Tin/Lead (Sn/Pb) Plated Contact, With Detent, Bag Packaged	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0002092134	2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Tin (Sn) Plated Contact, Without Detent, Bag Packaged	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0002092167	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4549, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Bag Packaged	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002095102	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Reel	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002095106	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) Plated Brass Contact, 14-20 AWG, Bag	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002095111	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Bag	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002095130	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Reel	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002095132	2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1377, Female, with Gold (Au) Plated Contact, Bag	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002095133	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Bag	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002095142	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Bag	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002095143	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002095169	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Gold (Au) Plated Phosphor Bronze Contact, 14-20 AWG, Reel	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002096110	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Bag	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0002096122	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002096125	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Reel	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0002096132	2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Gold (Au) Plated Contact, Without Detent, Bag Packaged	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003061041	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 4 Circuits, with Standard Mounting Ears	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003062023	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003062031	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 3 Circuits, with Standard Mounting Ears, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003062033	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 3 Circuits, with Pre-bent Mounting Ears, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003062041	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 4 Circuits, with Standard Mounting Ears	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003062044	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003062092	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 9 Circuits, without Mounting Ears, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003062121	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 12 Circuits, with Pre-bent Mounting Ears, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003066023	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003066062	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0003067023	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Black, 2 Circuits, without Mounting Ears, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003067044	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003067061		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003092011	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 1 Circuit, Friction Lock	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003092021	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 2 Circuits, with Standard Mounting Ears	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003092022	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003092041	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 4 Circuits, Single Row	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003092049	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 4 Circuits, Dual Row, without Mounting Ears, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003092121	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 12 Circuits, 3 Rows	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003092151	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows, without Mounting Ears, with Pull Tabs, without Lock Windows	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003092159	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows, with Pre-Bent Mounting Ears, without Pull Tabs, with Lock Windows	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003096021	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, with Pre-bent Mounting Ears, with Ramps, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003097022	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003097032	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0003122035	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003122036	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003122045	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 4 Circuits, Natural (Translucent)	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0003122046	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 4 Circuits, Natural (Translucent)	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0008500135	KK 254 Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, Reel	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0008520132	KK 396 Crimp Terminal 8818, 18-22 AWG, Bag, Phosphor Bronze Tin (Sn)	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0008560124	KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Gold(Au)	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0008650116	KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.38µm Selective Gold (Au)	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0009481034	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 3 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0009503061	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0009503121	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 12 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0009508030	KK 3.96mm Crimp Terminal Housing, 3 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0009524064	3.96mm Pitch KK Crimp Housing, Female, Friction Ramp, 6 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0010011044	5.08mm Pitch KK Crimp Terminal Housing, 4 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0010011094	5.08mm Pitch KK Crimp Terminal Housing, 9 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0010013026	5.08mm Pitch SPOX Crimp Terminal Housing, 2 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010013066	5.08mm Pitch SPOX Crimp Terminal Housing, 6 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010013096	5.08mm Pitch SPOX Crimp Terminal Housing, 9 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010061045		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0010081021	KK Header, Vertical, Round Pin, 2 Circuits, Tin (Sn) Plating, Pin Length 19.05mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0010081031	KK Header, Vertical, Round Pin, 3 Circuits, Tin (Sn) Plating, Pin Length 19.05mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0010081082	KK Header, Vertical, Round Pin, 8 Circuits, Tin (Sn) Plating, Pin Length 23.80mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0010081112	KK Header, Vertical, Round Pin, 11 Circuits, Tin (Sn) Plating, Pin Length 23.80mm	Compliant	Not Contained	Not Contained Per - ED/108/2014 (17 Dec 2014)	Low-Halogen
0010085041	KK Header, Vertical, with Polarizing Backwall, 4 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0010085051	KK Header, Vertical, with Polarizing Backwall, 5 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0010085061	KK Header, Vertical, with Polarizing Backwall, 6 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0010085071	KK Header, Vertical, with Polarizing Backwall, 7 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0010085081	KK Header, Vertical, with Polarizing Backwall, 8 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0010085091	KK Header, Vertical, with Polarizing Backwall, 9 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0010085101	KK Header, Vertical, with Polarizing Backwall, 10 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0010085121	KK Header, Vertical, with Polarizing Backwall, 12 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0010112063	KK 254 Crimp Housing, High Pressure, 6 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010112073	KK 254 Crimp Housing, High Pressure, 7 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010112093	KK 254 Crimp Housing, High Pressure, 9 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010112103	KK 254 Crimp Housing, High Pressure, 10 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010112113	KK 254 Crimp Housing, High Pressure, 11 Circuit	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010112133	KK 254 Crimp Housing, High Pressure, 13 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010112143	KK 254 Crimp Housing, High Pressure, 14 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010112153	KK 254 Crimp Housing, High Pressure, 15 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010112173	KK 254 Crimp Housing, High Pressure, 17 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010112183	KK 254 Crimp Housing, High Pressure, 18 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010321021	5.08mm Pitch SPOX Wire-to-Board Header, Vertical, with Friction Lock, 2 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010321041	5.08mm Pitch SPOX Wire-to-Board Header, Vertical, with Friction Lock, 4 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010844020	6.35mm Pitch MLX Power Connector Header, Vertical, 2 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0010844040	6.35mm Pitch MLX Power Connector Header, Vertical, 4 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010844042	6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 4 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010844062	6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 6 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010844090	6.35mm Pitch MLX Power Connector Header, Vertical, 9 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010844092	6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 9 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010844120	6.35mm Pitch MLX Power Connector Header, Vertical, 12 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010844150	6.35mm Pitch MLX Power Connector Header, Vertical, 15 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010844152	6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 15 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0010845040	6.35mm Pitch MLX Power Connector Header, Vertical, 4 Circuits, Polyester 94V-0, Tin (Sn) Plating, White	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0010845090	6.35mm Pitch MLX Power Connector Header, Vertical, 9 Circuits, Polyester 94V-0, Tin (Sn) Plating, White	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0010845120	6.35mm Pitch MLX Power Connector Header, Vertical, 12 Circuits, Polyester 94V-0, Tin (Sn) Plating, White	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0010883261	2.54mm Pitch C-Grid Breakaway Header, High Profile, Dual Row, Right Angle, 26 Circuits, 6.10mm Mating Pin Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0010883281	2.54mm Pitch C-Grid Breakaway Header, High Profile, Dual Row, Right Angle, 28 Circuits, 6.10mm Mating Pin Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0010894042	2.54mm Pitch C-Grid Breakaway Header, High Profile, Dual Row, Right Angle, 4 Circuits, 6.10mm Mating Pin Length, 0.38µm Gold (Au) Selective Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0010894106	2.54mm Pitch C-Grid Breakaway Header, High Profile, Dual Row, Right Angle, 10 Circuits, 6.10mm Mating Pin Length, 0.76µm Gold (Au) Selective Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen