

## Product Compliance Statement

August 01, 2018

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, and PBDE, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU RoHS Phthalates Content.** EU RoHS Phthalates: DEHP, BBP, DBP, and DIBP, are declared if above 0.1% of the homogeneous materials of parts per amendment EU 2015/863 to the EU RoHS Directive (2011/65/EU). Restriction date on the use of these phthalates is July 22nd 2019.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit [www.molex.com](http://www.molex.com)



Haim Eliyahu  
Manager, Global Product Compliance

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0190070021	Flag InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm <sup>2</sup> ) Wire, Box, Tab 6.35 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0190080001	Flag Krimptite Quick Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Box, Tab 4.75 x 0.51mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190160045	.205 X .020 FEM QD KRIMPTITE (BB-1191)	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190160110	.205 X .020 FEM QD KRIMPTITE (AA-1190)	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190160006		Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
0190160098	Krimptite Quick Disconnect, Female, for 24-26 (0.20-0.12mm <sup>2</sup> ) Wire, Box, Tab 4.75 x 0.51mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190180001	VibraKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Box, Tab 4.75 x 0.51mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190180003	VibraKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Mylar Tape, Tab 4.75 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190180013	VibraKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm <sup>2</sup> ) Wire, Mylar Tape, Tab 4.75 x 0.51mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190190036	Avikrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm <sup>2</sup> ) Wire, Metal Strip, Tab 6.35 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0190220010	Krimptite Quick Disconnect, Male, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Mylar Tape, Tab 6.35 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190230014	InsulKrimp Fully Insulated Quick Disconnect, Male, for 14-16 AWG (2.00-1.30mm <sup>2</sup> ) Wire, Mylar Tape, Tab 6.35 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0190250003	Avikrimp Quick Disconnect, Male, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Mylar Tape, Tab 4.75 x 0.51mm	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
0190360003	Avikrimp Snap Plug, for 18-22 AWG Wire, Box, 22.78mm Length	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0190390005	Avikrimp Snap Plug Receptacle for 18-22 AWG Wire, Nylon, Fits Male Plug Diameter 4.57mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0190410016	Krimptite Ring Tongue Terminal Flag for 10-12 AWG Wire, Stud Size 1/4" (M6)	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190440066	RING KRIMPTITE (A-120-06) SPM	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190440077	RING KRIMPTITE (A-122-56)	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190540073	RING INSULKRIMP (B-218-14X)	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0190540092	InsulKrimp Ring Tongue Terminal for 14-16 Heavy Duty AWG Wire	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190670003	NylaKrimp Funnel Entry Ring Tongue Terminal for 8 AWG Wire, Stud Size 8 (M4)	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0190670055	NylaKrimp Funnel Entry Ring Tongue Terminal for 6 AWG Wire, Stud Size 5/16" (M8)	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0190670059	NylaKrimp Funnel Entry Ring Tongue Terminal for 6 AWG Wire, Stud Size 7/16" (M11)	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0190670119	RING NYLAKRIMP (K-990-56)	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0190690198	Krimptite Ring Tongue Terminal for 10-12 AWG Wire, Stud Size 7/16" (M11), Length 32.51mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190690235	Krimptite Ring Tongue Terminal for 10-12 AWG Wire, Stud Size 8 (M4), Length 18.82mm, Mylar Tape Carrier	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190690034	Krimptite Ring Tongue Terminal for 18-22 AWG Wire	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190690122	Krimptite Ring Tongue Terminal for 14-16 AWG Wire	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190690209	Krimptite Ring Tongue Terminal for 10-12 AWG Wire, Stud Size 10 (M5), Length 19.94mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190700131	InsulKrimp Ring Tongue Terminal for 10-12 AWG Wire, Stud Size 10 (M5), Length 31.60mm, Mylar Tape Carrier	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0190700146	InsulKrimp Ring Tongue Terminal for 10-12 AWG Wire, Stud Size 8 (M4), Length 26.21mm, Mylar Tape Carrier	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0190700012	InsulKrimp Ring Tongue Terminal for 18-22 AWG Wire	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0190700066	InsulKrimp Ring Tongue Terminal for 14-16 AWG Wire	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190710305	InsulKrimp Ring Tongue Terminal for 1/0 AWG Wire	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0190710149	InsulKrimp Ring Tongue Terminal for 8 AWG Wire, Stud Size 1/4" (M6), Length 36.25mm, Mylar Tape Carrier	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0190710150	InsulKrimp Ring Tongue Terminal for 8 AWG Wire	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0190730242	Avikrimp Ring Tongue Terminal for 10 to 12 AWG Wire, Stud Size 5/16" (M8), Length 34.59mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0190740009	Krimptite Steel Star Ring Tongue Terminal for 18-22 AWG Wire, Stud Size 6 (M3.5)	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190750007	InsulKrimp Steel Star Ring Tongue Terminal for 18-22 AWG Wire, Stud Size 6 (M3.5)	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0190750011	InsulKrimp Steel Star Ring Tongue Terminal for 18-22 AWG Wire, Stud Size 10 (M5)	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0190770011	Avikrimp Steel Star Ring Tongue Terminal 18-22 AWG Wire, Stud Size 8 (M4)	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0190990161		Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0191180088	Krimptite Flanged Spade Tongue Terminal for 10-12 AWG Wire, Stud Size 10 (M5), Length 19.56mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0191210007	InsulKrimp Flanged Spade Tongue Terminal for 18-22 AWG Wire, Stud Size 8 (M4)	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0191210009	InsulKrimp Flanged Spade Tongue Terminal for 18-22 AWG Wire, Stud Size 10 (M5)	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0191270099	Avikrimp Flanged Spade Tongue Terminal for 14-16 AWG Wire, Stud Size 10 (M5)	Compliant	Not Contained	Not Contained Per -ED/21/2016 (20 June 2016)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0191290043	Krimptite Block Spade Terminal for 18-22 AWG Wire	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0191290051	Krimptite Block Spade Terminal for 18-22 AWG Wire	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0191310004	InsulKrimp Block Spade Tongue Terminal for 10 to 12 AWG Wire, Stud Size 8 (M4), Length 27.31mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0191310006	InsulKrimp Block Spade Tongue Terminal for 10 to 12 AWG Wire, Stud Size 6 (M3.5), Length 27.31mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0191310022	InsulKrimp Block Spade Tongue Terminal for 14 to 16 AWG Wire, Stud Size 6 (M3.5), Length 22.05mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0191310025	InsulKrimp Block Spade Tongue Terminal for 14 to 16 AWG Wire, Stud Size 4 (M2.6), Length 19.94mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0191410058	Krimptite Spade Tongue Terminal for 14-16 AWG Wire	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0191470019	VersaKrimp Block Spade Terminal for 18-22 AWG Wire	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0191470090	VersaKrimp Block Spade Terminal for 10-12 AWG Wire	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0191640020	Perma-Seal Ring Tongue Terminal for 14-16 AWG Wire, Stud Size 3/8" (M9)	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0191930080	VersaKrimp Ring Tongue Terminal for 14-16 AWG Wire	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0191930089	VersaKrimp Ring Tongue Terminal for 14-16 AWG Wire	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0191930115	RING VERSAKRIMP TAPED (C-330-10T)	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0191930232	VersaKrimp Ring Tongue Terminal for 6 AWG Wire	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0191930239	RING VERSAKRIMP (E-359-38)	Compliant	Not Contained	Not Relevant	Not Relevant
0191930247	VersaKrimp Ring Tongue Terminal for 6 AWG Wire, Stud Size 10 (M5), Mylar Tape Carrier	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0191930250	VersaKrimp Ring Tongue Terminal for 6 AWG Wire, Stud Size M6, Mylar Tape Carrier	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0191980018	Avikrimp Spade Tongue Terminal for 16-14 AWG Wire, Stud Size 6 (M3.5), Mylar Tape Carrier, Length 20.42mm	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
0191980012	Avikrimp Spade Tongue Terminal for 14-16 AWG Wire	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0192030064	VersaKrimp Temp-Term Ring Tongue Terminal for 14 to 16 AWG Wire, Stud Size 10 (M5), Mylar Tape Carrier	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0192030086	Krimptite Temp-Term Ring Tongue Terminal for 14 to 16 AWG Wire, Stud Size 10 (M5), Mylar Tape Carrier	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0192210378	Compression Style Ring Tongue Terminal for 1 AWG Cable, Stud Size 3/8" (M9), Unplated	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0194180037	MX150L 12 Circuit Receptacle for 14-16 AWG Wire, without CPA	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0194250001	Weather Tight Male Boot for Self-Contained Power Connectors, Solid Cable, 12-14 AWG	Compliant	Not Contained	Not Contained Per - ED/108/2014 (17 Dec 2014)	Low-Halogen
0194270104	5.84mm Pitch MX150L Right Angle PCB Header, Dual Row, without PCB Flange, Gold (Au) Plated, 10 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0194280004	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Standard Profile, 6 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0194320002	MX150L 4 Circuit Female Receptacle for 8 AWG Wire	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
2005280060	1.00mm Pitch Easy-On FFC/FPC Connector, 1.90mm Height, Double Bottom Contact Type (FD19 Series), Right Angle, Surface Mount, ZIF, 6 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
2008750002	Micro-Fit TPA Plug Housing, Single Row, 2 Circuits, UL 94V-0, Low-Halogen, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
2008750003	Micro-Fit TPA Plug Housing, Single Row, 3 Circuits, UL 94V-0, Low-Halogen, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
2008750004	Micro-Fit TPA Plug Housing, Single Row, 4 Circuits, UL 94V-0, Low-Halogen, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
2008750005	Micro-Fit TPA Plug Housing, Single Row, 5 Circuits, UL 94V-0, Low-Halogen, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
2008750006	Micro-Fit TPA Plug Housing, Single Row, 6 Circuits, UL 94V-0, Low-Halogen, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
2018440030	MultiCat Hermaphroditic Backshell, 3 Circuits, 8-10 AWG, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
2023961207	1.00mm Pitch Pico-Clasp Wire-to-Board Header, Surface Mount, Single Row, Right Angle, 0.10µm Gold Plated, with Inner Positive Lock, 12 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022027103	KK 254 PC Board Connector, Top Entry, with Cat Ear Terminal, 2.54µm Tin (Sn), 10 Circuits, without Hooks	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0022045042	KK 254 Solid Header, Vertical, with Friction Lock, 4 Circuits, Tin (Sn) Plating, Pin 2 Voided	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0022057145	2.50mm Pitch Mini-SPOX Wire-to-Board Header, Right Angle, Shrouded, Friction Lock, 14 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022102131	KK 254 Wire-to-Board Header, Single Row, Vertical, 13 Circuits, PA Polyamide Nylon, Gold (Au) Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0022280032	KK 254 Breakaway Header, Vertical, with Friction Lock, 3 Circuits, 0.76µm Gold (Au) Selective Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022280151	KK 254 Breakaway Header, Vertical, with Friction Lock, 15 Circuits, 0.38µm Gold (Au) Selective Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022281240	KK 254 Breakaway Header, Right-Angle with Friction Lock, 24 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022283200	KK 254 Breakaway Header, Vertical, with Polarizing Wall, 20 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284072	KK 254 Breakaway Header, Vertical, 7 Circuits, Tin (Sn) Plating, Mating Pin Length 7.49mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284095	KK 254 Breakaway Header, Vertical, 9 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 7.49mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284115	KK 254 Breakaway Header, Vertical, 11 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 7.49mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0022284125	KK 254 Breakaway Header, Vertical, 12 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 7.49mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284133	KK 254 Breakaway Header, Vertical, 13 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.09mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284142	KK 254 Breakaway Header, Vertical, 14 Circuits, Tin (Sn) Plating, Mating Pin Length 7.49mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284145	KK 254 Breakaway Header, Vertical, 14 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 7.49mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284153	KK 254 Breakaway Header, Vertical, 15 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.09mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284154	KK 254 Breakaway Header, Vertical, 15 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 8.13mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284155	KK 254 Breakaway Header, Vertical, 15 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 7.49mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284178	KK 254 Breakaway Header, Vertical, 17 Circuits, 0.76µm Gold (Au) Selective Plating, Mating Pin Length 7.49mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284184	KK 254 Breakaway Header, Vertical, 18 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 8.13mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284185	KK 254 Breakaway Header, Vertical, 18 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 7.49mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284195	KK 254 Breakaway Header, Vertical, 19 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 7.49mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284210	KK 254 Breakaway Header, Vertical, 21 Circuits, Tin (Sn) Plating, Mating Pin Length 6.09mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284213	KK 254 Breakaway Header, Vertical, 21 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.09mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen



**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0022284215	KK 254 Breakaway Header, Vertical, 21 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 7.49mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284220	KK 254 Breakaway Header, Vertical, 22 Circuits, Tin (Sn) Plating, Mating Pin Length 6.09mm	Compliant	Not Contained	Not Contained Per -ED/01/2017 (12 January 2017)	Not Low-Halogen
0022284221	KK 254 Breakaway Header, Vertical, 22 Circuits, Tin (Sn) Plating, Mating Pin Length 8.13mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284226	KK 254 Breakaway Header, Vertical, 22 Circuits, 0.76µm Gold (Au) Selective Plating, Mating Pin Length 6.09mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284240	KK 254 Breakaway Header, Vertical, 24 Circuits, Tin (Sn) Plating, Mating Pin Length 6.09mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284243	KK 254 Breakaway Header, Vertical, 24 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.09mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284245	KK 254 Breakaway Header, Vertical, 24 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 7.49mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284253	KK 254 Breakaway Header, Vertical, 25 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.09mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284256	KK 254 Breakaway Header, Vertical, 25 Circuits, 0.76µm Gold (Au) Selective Plating, Mating Pin Length 6.09mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284265	KK 254 Breakaway Header, Vertical, 26 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 7.49mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284270	KK 254 Breakaway Header, Vertical, 27 Circuits, Tin (Sn) Plating, Mating Pin Length 6.09mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284280	KK 254 Breakaway Header, Vertical, 28 Circuits, Tin (Sn) Plating, Mating Pin Length 6.09mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284284	KK 254 Breakaway Header, Vertical, 28 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 8.13mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0022284303	KK 254 Breakaway Header, Vertical, 30 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.09mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284323	KK 254 Breakaway Header, Vertical, 32 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.09mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284330	KK 254 Breakaway Header, Vertical, 33 Circuits, Tin (Sn) Plating, Mating Pin Length 6.09mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022284350	KK 254 Breakaway Header, Vertical, 35 Circuits, Tin (Sn) Plating, Mating Pin Length 6.09mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022285081	KK 254 Breakaway Header, Vertical, 8 Circuits, Tin (Sn) Plating, Mating Pin Length 8.13mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022285086	KK 254 Breakaway Header, Vertical, 8 Circuits, 0.76µm Gold (Au) Selective Plating, Mating Pin Length 6.09mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022285111	KK 254 Breakaway Header, Vertical, 11 Circuits, Tin (Sn) Plating, Mating Pin Length 8.13mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022285152	KK 254 Breakaway Header, Vertical, 15 Circuits, Tin (Sn) Plating, Mating Pin Length 7.49mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022285170	KK 254 Breakaway Header, Vertical, 17 Circuits, Tin (Sn) Plating, Mating Pin Length 6.09mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022285173	KK 254 Breakaway Header, Vertical, 17 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.09mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022285180	KK 254 Breakaway Header, Vertical, 18 Circuits, Tin (Sn) Plating, Mating Pin Length 6.09mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022285223	KK 254 Breakaway Header, Vertical, 22 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.09mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022285230	KK 254 Breakaway Header, Vertical, 23 Circuits, Tin (Sn) Plating, Mating Pin Length 6.09mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0022285240	KK 254 Breakaway Header, Vertical, 24 Circuits, Tin (Sn) Plating, Mating Pin Length 6.09mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022285250	KK 254 Breakaway Header, Vertical, 25 Circuits, Tin (Sn) Plating, Mating Pin Length 6.09mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022285253	KK 254 Breakaway Header, Vertical, 25 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.09mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022285280	KK 254 Breakaway Header, Vertical, 28 Circuits, Tin (Sn) Plating, Mating Pin Length 6.09mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022285324	KK 254 Breakaway Header, Vertical, 32 Circuits, 0.38µm (15µ") Gold (Au) Selective Plating, Mating Pin Length 8.13mm (.320"), with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022286022	KK 254 Breakaway Header, Right-Angle, 2 Circuits, 0.38µm (15µ") Gold (Au) Selective Plating, Mating Pin Length 9.17mm (.361")	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022286062	KK 254 Breakaway Header, Right-Angle, 6 Circuits, 0.38µm (15µ") Gold (Au) Selective Plating, Mating Pin Length 9.17mm (.361")	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022286180	KK 254 Breakaway Header, Right-Angle, 18 Circuits, Tin (Sn) Plating, Mating Pin Length 9.17mm (.361")	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022286182	KK 254 Breakaway Header, Right-Angle, 18 Circuits, 0.38µm (15µ") Gold (Au) Selective Plating, Mating Pin Length 9.17mm (.361")	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022286250	KK 254 Breakaway Header, Right-Angle, 25 Circuits, Tin (Sn) Plating, Mating Pin Length 9.17mm (.361")	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022287032	KK 254 Breakaway Header, Right-Angle, 3 Circuits, 0.38µm (15µ") Gold (Au) Selective Plating, Mating Pin Length 9.17mm (.361"), with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288051	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 5 Circuits, Tin (Sn) Plating, Mating Pin Length 8.23mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288053	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 5 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 8.23mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0022288055	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 5 Circuits, 0.76µm Gold (Au) Selective Plating, Mating Pin Length 8.23mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288071	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 7 Circuits, Tin (Sn) Plating, Mating Pin Length 8.23mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288092	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 9 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.20mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288093	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 9 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 8.23mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288104	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 10 Circuits, 0.76µm Gold (Au) Selective Plating, Mating Pin Length 6.20mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288111	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 11 Circuits, Tin (Sn) Plating, Mating Pin Length 8.23mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288121	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 12 Circuits, Tin (Sn) Plating, Mating Pin Length 8.23mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288123	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 12 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 8.23mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288131	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 13 Circuits, Tin (Sn) Plating, Mating Pin Length 8.23mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288132	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 13 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.20mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288141	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 14 Circuits, Tin (Sn) Plating, Mating Pin Length 8.23mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288142	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 14 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.20mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288143	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 14 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 8.23mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0022288161	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 16 Circuits, Tin (Sn) Plating, Mating Pin Length 8.23mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288163	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 16 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 8.23mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288172	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 17 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.20mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288181	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 18 Circuits, Tin (Sn) Plating, Mating Pin Length 8.23mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288190	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 19 Circuits, Tin (Sn) Plating, Mating Pin Length 6.20mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288193	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 19 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 8.23mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288221	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 22 Circuits, Tin (Sn) Plating, Mating Pin Length 8.23mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288250	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 25 Circuits, Tin (Sn) Plating, Mating Pin Length 6.20mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288252	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 25 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.20mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288262	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 26 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.20mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022288335	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 33 Circuits, 0.76µm Gold (Au) Selective Plating, Mating Pin Length 8.23mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022289054	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 5 Circuits, 0.76µm Gold (Au) Selective Plating, Mating Pin Length 6.20mm, with Kinked PC Tails	Compliant	Not Relevant	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022289062	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 6 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.20mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0022289092	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 9 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.20mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022289133	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 13 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 8.23mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022289143	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 14 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 8.23mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022289200	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 20 Circuits, Tin (Sn) Plating, Mating Pin Length 6.20mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022289222	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 22 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.20mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022289242	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 24 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.20mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022552183	2.54mm Pitch SL Crimp Housing, Dual Row, Version C, Back Ribs, 18 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022552381	2.54mm Pitch SL Crimp Housing, Dual Row, Version A, Non-polarized, 38 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022566267	2.54mm Pitch SL Crimp Housing, Dual Row, Version F, 26 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022566287	2.54mm Pitch SL Crimp Housing, Dual Row, Version F, 28 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0022566527	2.54mm Pitch SL Crimp Housing, Dual Row, Version F, 52 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0025021012	2.54mm Pitch C-Grid Header, Dual Row, Shrouded, with PC Slot and Guide Ear, 12 Circuits, 0.76µm Gold (Au) Selective Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0025021024	2.54mm Pitch C-Grid Header, Dual Row, Shrouded, with PC Slot and Guide Ear, 24 Circuits, 0.76µm Gold (Au) Selective Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0025021050	2.54mm Pitch C-Grid Header, Dual Row, Shrouded, with PC Slot and Guide Ear, 50 Circuits, 0.76µm Gold (Au) Selective Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0250010601	2.54mm Pitch Board-to-Board Ribbon Cable Jumper - 26 AWG, Stranded Topcoat, 6 Circuits, Strip and Retain, 0.025m Length	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0026481101	KK 396 Breakaway Header, Vertical, 10 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0026481132	KK 396 Breakaway Header, Right-Angle, 13 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0026481166	KK 396 Breakaway Header, Right-Angle with Friction Lock, 16 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0026481171	KK 396 Breakaway Header, Vertical, 17 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0026481172	KK 396 Breakaway Header, Right-Angle, 17 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0026481182	KK 396 Breakaway Header, Right-Angle, 18 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0026481191	KK 396 Breakaway Header, Vertical, 19 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0026481195	KK 396 Breakaway Header, Vertical, Square Pin, with Friction Lock, 19 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0026481202	KK 396 Breakaway Header, Right-Angle, 20 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0026481211	KK 396 Breakaway Header, Vertical, 21 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0026481212	KK 396 Breakaway Header, Right-Angle, 21 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0026481215	KK 396 Breakaway Header, Vertical, Square Pin, with Friction Lock, 21 Circuits, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0026482082	KK 396 Breakaway Header, Right-Angle, 8 Circuits, Gold (Au) Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0026482091	KK 396 Breakaway Header, Vertical, 9 Circuits, 0.50µm (20µ") Gold (Au) Overall Plating, Pin length 19.05mm (.750")	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0026482112	KK 396 Breakaway Header, Right-Angle, 11 Circuits, Gold (Au) Plating	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen