

Product Compliance Statement

July 31, 2018

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, and PBDE, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU RoHS Phthalates Content.** EU RoHS Phthalates: DEHP, BBP, DBP, and DIBP, are declared if above 0.1% of the homogeneous materials of parts per amendment EU 2015/863 to the EU RoHS Directive (2011/65/EU). Restriction date on the use of these phthalates is July 22nd 2019.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit www.molex.com



Haim Eliyahu
Manager, Global Product Compliance

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0988241025	NSCC Pin Connector, Unsealed, 2.8mm, 5.00mm Pitch 2, Circuits, Green	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Relevant
0988532961	SQUIB Right Angle AK-2 Cable Assembly, Code 1, 1.0m Length	Compliant	Not Reviewed	Not Contained Per -ED/01/2018 (15 January 2018)	Not Reviewed
0988971109	NSCC Receptacle Terminal Size 1.5, Wire Size 0.22 up to 0.44mm ²	Compliant	Not Contained	Not Contained Per -ED/21/2016 (20 June 2016)	Not Reviewed
0988971119	NSCC Receptacle Terminal Size 1.5, Wire Size 0.49 up to 0.94mm ²	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0988971129	NSCC Receptacle Terminal Size 1.5, Wire Size 0.95 up to 1.87mm ²	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0988981049	5.00mm Pitch UCC2 Receptacle Terminal, 3.00mm ² ; to 5.00mm ² ; (AWG 10-12), Reel, Pre Tin Plated	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Relevant
0989131019		Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Relevant
0989131029		Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Relevant
0989131039		Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Relevant
0989151029		Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Relevant
0989151039		Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Relevant
0989821010	2.54mm Pitch MOX Receptacle Kit, Dual Row, 20 Circuits, White	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Relevant
0989821016	2.54mm Pitch MOX Receptacle Kit, Dual Row, 20 Circuits, Blue	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Relevant
0989821021	2.54mm Pitch MOX Receptacle Kit, 4 Rows, 40 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Relevant
1000130338	Heat Sink for T-Path Cage, PCI Height, No Lightpipes	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1000142747	zQSFP+ 1X1 Cage W/EM GSKT,HS,LP,L=59.50	Compliant	Not Contained	Contained Per - ED/01/2018 (15 January 2018)	Low-Halogen
1001890101	Internal iPass+ HD-to-iPass+ HD, 4X Short Body Cable Assembly, Straight-to-Straight, Controller to Backplane, 0.3m Length	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1040870924	HSAUTOLINK R/A CONN E(TAPE&REEL PACKING)	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Relevant
1041280500	IllumiMate 1.00mm Pitch Wire-to-Board Crimp Housing, Single Row, Friction Lock, 5 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1050208001	0.5MM PITCH DIP DISPLAY PORT HEADER -LF-	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1052630003	Cellular 6 Band Antenna, 200.00mm Cable Length	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053002300	Nano-Fit Crimp Terminal, Female, 0.76µm Gold (Au) Plating, 20-22 AWG	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1053010002	Micro-USB 2.0 B Plug Top Shell	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053010003	Micro-USB 2.0 B Plug Bottom Shell	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053082216	Nano-Fit Receptacle Housing, TPA Capable, 2.50mm Pitch, Dual Row, 16 Circuits, Natural, Glow Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053091103	Nano-Fit Vertical Header, Through Hole, 2.50mm Pitch, Single Row, 3 Circuits, with Kinked Pins, Tin (Sn) Plating, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053091104	Nano-Fit Vertical Header, Through Hole, 2.50mm Pitch, Single Row, 4 Circuits, with Kinked Pins, Tin (Sn) Plating, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053091105	Nano-Fit Vertical Header, Through Hole, 2.50mm Pitch, Single Row, 5 Circuits, with Kinked Pins, Tin (Sn) Plating, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053091106	Nano-Fit Vertical Header, Through Hole, 2.50mm Pitch, Single Row, 6 Circuits, with Kinked Pins, Tin (Sn) Plating, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1053091107	Nano-Fit Vertical Header, Through Hole, 2.50mm Pitch, Single Row, 7 Circuits, with Kinked Pins, Tin (Sn) Plating, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053091108	Nano-Fit Vertical Header, Through Hole, 2.50mm Pitch, Single Row, 8 Circuits, with Kinked Pins, Tin (Sn) Plating, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053091203	Nano-Fit Vertical Header, Through Hole, 2.50mm Pitch, Single Row, 3 Circuits, with Kinked Pins, 0.38µm Gold (Au) Plating, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053091304	Nano-Fit Vertical Header, Through Hole, 2.50mm Pitch, Single Row, 4 Circuits, with Kinked Pins, 0.76µm Gold (Au) Plating, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053092102	Nano-Fit Vertical Header, Through Hole, 2.50mm Pitch, Single Row, 2 Circuits, with Kinked Pins, Tin (Sn) Plating, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053092103	Nano-Fit Vertical Header, Through Hole, 2.50mm Pitch, Single Row, 3 Circuits, with Kinked Pins, Tin (Sn) Plating, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053092104	Nano-Fit Vertical Header, Through Hole, 2.50mm Pitch, Single Row, 4 Circuits, with Kinked Pins, Tin (Sn) Plating, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053092105	Nano-Fit Vertical Header, Through Hole, 2.50mm Pitch, Single Row, 5 Circuits, with Kinked Pins, Tin (Sn) Plating, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053092106	Nano-Fit Vertical Header, Through Hole, 2.50mm Pitch, Single Row, 6 Circuits, with Kinked Pins, Tin (Sn) Plating, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053092107	Nano-Fit Vertical Header, Through Hole, 2.50mm Pitch, Single Row, 7 Circuits, with Kinked Pins, Tin (Sn) Plating, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053092108	Nano-Fit Vertical Header, Through Hole, 2.50mm Pitch, Single Row, 8 Circuits, with Kinked Pins, Tin (Sn) Plating, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053092204	Nano-Fit Vertical Header, Through Hole, 2.50mm Pitch, Single Row, 4 Circuits, with Kinked Pins, 0.38µm Gold (Au) Plating, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053092303	Nano-Fit Vertical Header, Through Hole, 2.50mm Pitch, Single Row, 3 Circuits, with Kinked Pins, 0.76µm Gold (Au) Plating, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1053111102	Nano-Fit Vertical Header, Through Hole, 2.50mm Pitch, Single Row, 2 Circuits, with Solder Clips, Tin (Sn) Plating, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053131102	Nano-Fit Right Angle Header, Through Hole, 2.50mm Pitch, Single Row, 2 Circuits, Tin (Sn) Plating, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053131103	Nano-Fit Right Angle Header, Through Hole, 2.50mm Pitch, Single Row, 3 Circuits, Tin (Sn) Plating, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053131104	Nano-Fit Right Angle Header, Through Hole, 2.50mm Pitch, Single Row, 4 Circuits, Tin (Sn) Plating, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053131107	Nano-Fit Right Angle Header, Through Hole, 2.50mm Pitch, Single Row, 7 Circuits, Tin (Sn) Plating, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053141104	Nano-Fit Right Angle Header, Through Hole, 2.50mm Pitch, Dual Row, 4 Circuits, Tin (Sn) Plating, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053141108	Nano-Fit Right Angle Header, Through Hole, 2.50mm Pitch, Dual Row, 8 Circuits, Tin (Sn) Plating, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053141110	Nano-Fit Right Angle Header, Through Hole, 2.50mm Pitch, Dual Row, 10 Circuits, Tin (Sn) Plating, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053141112	Nano-Fit Right Angle Header, Through Hole, 2.50mm Pitch, Dual Row, 12 Circuits, Tin (Sn) Plating, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053141114	Nano-Fit Right Angle Header, Through Hole, 2.50mm Pitch, Dual Row, 14 Circuits, Tin (Sn) Plating, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1053141116	Nano-Fit Right Angle Header, Through Hole, 2.50mm Pitch, Dual Row, 16 Circuits, Tin (Sn) Plating, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1054051108	Nano-Fit Right Angle Header, Surface Mount, 2.50mm Pitch, Dual Row, 8 Circuits, 0.76µm Tin (Sn) Plating, Black, Glow Wire Capable	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
1054051310	Nano-Fit Right Angle Header, Surface Mount, 2.50mm Pitch, Dual Row, 10 Circuits, 0.76µm Gold (Au) Plating, Black, Glow Wire Capable	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1054052112	Nano-Fit Right Angle Header, Surface Mount, 2.50mm Pitch, Dual Row, 12 Circuits, 0.76µm Tin (Sn) Plating, Natural, Glow Wire Capable	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
1054052208	Nano-Fit Right Angle Header, Surface Mount, 2.50mm Pitch, Dual Row, 8 Circuits, 0.38µm Gold (Au) Plating, Natural, Glow Wire Capable	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
1054052216	Nano-Fit Right Angle Header, Surface Mount, 2.50mm Pitch, Dual Row, 16 Circuits, 0.38µm Gold (Au) Plating, Natural, Glow Wire Capable	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
1060043282	Bezel Adapter, Simplex, Black Body, Push Tab, Logo, Shutter, FC/SC Metal Adapter Loaded, Phosphor Bronze (CuSn) Alignment Sleeve, Snap Mount Style	Compliant*	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen*
1060043283	Bezel Adapter, Simplex, Black Body, Push Tab, Logo, Shutter, FC/SC Metal Adapter Loaded, Zirconia (Zn) Alignment Sleeve, Snap Mount Style	Compliant*	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen*
1060043284	Bezel Adapter, Simplex, Black Body, Push Tab, Logo, Shutter, SC Black Adapter Loaded, Phosphor Bronze (CuSn) Alignment Sleeve, Snap Mount Style	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1060043285	Bezel Adapter, Simplex, Black Body, Push Tab, Logo, Shutter, SC Black Adapter Loaded, Zirconia (Zn) Alignment Sleeve, Snap Mount Style	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1060043286	Bezel Adapter, Simplex, Black Body, Push Tab, Logo, Shutter, SC Red Adapter Loaded, Phosphor Bronze (CuSn) Alignment Sleeve, Snap Mount Style	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1060043287	Bezel Adapter, Simplex, Black Body, Push Tab, Logo, Shutter, SC Red Adapter Loaded, Zirconia (Zn) Alignment Sleeve, Snap Mount Style	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1060043288	Bezel Adapter, Simplex, Black Body, Push Tab, Logo, Shutter, MTP* Black Adapter Loaded, Snap Mount Style	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1060043289	SPX AD BEZEL TAB MX LBL BLK MTP SMAL FLN	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1060043290	Bezel Adapter, Simplex, Black Body, Push Tab, Shutter, ST/SC Metal Adapter Loaded, Phosphor Bronze (CuSn) Alignment Sleeve, Snap Mount Style	Compliant*	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen*
1060043291	Bezel Adapter, Simplex, Black Body, Push Tab, Shutter, ST/SC Metal Adapter Loaded, Zirconia (Zn) Alignment Sleeve, Snap Mount Style	Compliant*	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen*

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1060043292	Bezel Adapter, Simplex, Black Body, Push Tab, Shutter, FC/SC Metal Adapter Loaded, Phosphor Bronze (CuSn) Alignment Sleeve, Snap Mount Style	Compliant*	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen*
1060043293	Bezel Adapter, Simplex, Black Body, Push Tab, Shutter, FC/SC Metal Adapter Loaded, Zirconia (Zn) Alignment Sleeve, Snap Mount Style	Compliant*	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen*
1060043294	Bezel Adapter, Simplex, Black Body, Push Tab, Shutter, SC Black Adapter Loaded, Phosphor Bronze (CuSn) Alignment Sleeve, Snap Mount Style	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1060043295	Bezel Adapter, Simplex, Black Body, Push Tab, Shutter, SC Black Adapter Loaded, Zirconia (Zn) Alignment Sleeve, Snap Mount Style	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1060043296	Bezel Adapter, Simplex, Black Body, Push Tab, Shutter, SC Red Adapter Loaded, Phosphor Bronze (CuSn) Alignment Sleeve, Snap Mount Style	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1060043297	Bezel Adapter, Simplex, Black Body, Push Tab, Shutter, SC Red Adapter Loaded, Zirconia (Zn) Alignment Sleeve, Snap Mount Style	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1060043298	Bezel Adapter, Simplex, Black Body, Push Tab, Shutter, MTP* Black Adapter Loaded, Snap Mount Style	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1060100000	ST Connector, Multimode, 127µm Ceramic PC+ Ferrule, 3.00mm Simplex Cable, Polymer Coupling Nut, Straight Boot	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1060103000	ST Connector, Multimode, 128µm Ceramic PC+ Ferrule, 3.00mm Simplex Cable, Polymer Coupling Nut, Straight Boot	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1060103500	ST Connector, Multimode Enhanced, 128µm Ceramic PC Ferrule, 900µm Buffered Fiber, Polymer Coupling Nut, Black Boot	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1060105000	ST Connector, Singlemode, 126µm Ceramic PC+ Ferrule, 3.00mm Simplex Cable, Polymer Coupling Nut, Straight Boot	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1060212400	Tight-Jacketed Cable LC Connector, Singlemode, APC, Green Housing, Straight Boot, Simplex Cable, Diameter 2.00mm	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1060343900	SC Connector, Duplex, Fibre Channel, Multimode, 128µm Ceramic Ferrule, 2.00mm Duplex Cable, Beige Housing, Beige Boot, Tunable	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1060530100	FC Connector, 127µm, Ceramic Ferrule, 1.60mm and 2.00mm Multimode Cable, Black Boot	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1060532100	FC Connector, Singlemode, 125.5µm Ferrule, 1.60mm / 2.00mm Cable Diameter, Yellow Boot	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1060535100	FC Connector, Singlemode, 126µm Ferrule, 1.60mm / 2.00mm Cable Diameter, Yellow Boot	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1060593110	Optical Industrial Adapter, Industrial LC, In-Line, Multimode	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1061671110	SC to ST Adapter, Duplex, Multimode, Beige Body, Metal Alignment Sleeve, Snap Mount Style	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1061702400	BSCII Backplane Adapter , Black Body, Ceramic Alignment Sleeve, Spring Clip to Plate Mount Style, 4, 2, 1 Positions, Shutter	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1062841005		Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1062841015		Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1062845101		Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1068150019	Polymicro Technologies Flexible Fused Silica Capillary Tubing, Inner Diameter 75µm, Outer Diameter 375µm, TSP075375	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1110251302	12x IB, 84ckt iPass to 3 QSFP Splitter,	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1110251304	12x IB, 84ckt iPass to 3 QSFP Splitter,	Compliant	Not Contained	Not Contained Per -ED/108/2014 (17 Dec 2014)	Not Low-Halogen
1110401055	QSFP+ Copper Patch Cable 0.5m,30awg Beld	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1110401105	QSFP+ Copper Patch Cable 1m,30awg Belden	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1110401205	QSFP+ Copper Patch Cable 2m,30awg Belden	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1110401305	QSFP+ Copper Patch Cable 3m,30awg Belden	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1110401505	QSFP+ Copper Patch Cable 5m,30awg Belden	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1110510401	4x iPass PCIe Cable Assembly Gen 2, 1m	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1110510405		Compliant	Not Contained	Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1200070476	Micro-Change (M12) Double-Ended Cordset, 4 Poles, Female (Straight) to Male (Straight), 0.34mm ² PVC Cable, 10.0m (32.81') Length	Compliant with Exemption 6(c)*	Not Contained*	Not Contained Per -ED/01/2018 (15 January 2018)*	Not Low-Halogen*
1200270093	Nano-Change (M8) Single-Ended Cordset, 3 Poles, Female (90°) to Pigtail, 0.25mm ² PVC Cable, 10.0m (32.81') Length	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1200270154	Nano-Change (M8) Single-Ended Cordset, 4 Poles, Female (90°) to Pigtail, 0.25mm ² PVC Cable, 10.0m (32.81') Length	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
1200271131	NC-4P-MM-90-5M-PUR	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
1200310050	Nano-Change (M8) Receptacle, 5 Poles, M8 x 1.0 Mounting Threads, Female (Straight) to 22 AWG Leads, 0.30m (11.81") Length	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
1200655099	Micro-Change (M12) Single-Ended Cordset, 12 Poles, Female (90°) to Pigtail, 26 AWG, PUR Cable, 2.0m (6.56') Length	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1200668822	Micro-Change (M12) Double-Ended Cordset with Knurled Hexnut, 4 Poles, Female (Straight) to Male (Straight), 22 AWG, Unshielded WSOR Cable, 10.0m (32.81') Length	Compliant with Exemption 6(c)*	Not Contained*	Not Contained Per -ED/01/2018 (15 January 2018)*	Not Low-Halogen*
1200705165	M12-REC-4P-FRONT-PG9-PIN	Compliant with Exemption 6(c)*	Not Contained*	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen*

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1200868055	Nano-Change (M8) Single-Ended Cordset, 4 Poles, Female (90°) to Pigtail, 0.25mm ² PUR LSOH Cable, 1.0m (3.28') Length	Compliant with Exemption 6(c)	Not Reviewed	Contained Per - ED/79/2015 (17 December 2015)	Low-Halogen
1200868393	Nano-Change (M8) Single-Ended Cordset, 3 Poles, Male (90°) to Pigtail, 0.25mm ² PUR LSOH Cable, 2.0m (6.56') Length	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/79/2015 (17 December 2015)	Low-Halogen
1200890033	Nano-Change (M8) 4 Pole, Male to 2-Female Solid Body Y	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1201080200	Micro-Change (M12) Double-Ended Cordset, 4 Poles, Male (90°) to Male (90°), 22 AWG, Shielded PUR Cable, 2.0m (6.56') Length	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1201080236	Micro-Change (M12) Double-Ended Cordset, 4 Poles, Male (Straight) to Male (Straight), 22 AWG, Shielded PUR Cable, 1.0m (3.28') Length	Not Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1201080238	Micro-Change (M12) Double-Ended Cordset, 4 Poles, Male (Straight) to Male (Straight), 22 AWG, Shielded PUR Cable, 5.0m (16.40') Length	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1201090005	Ultra-Lock (M12) Ethernet Receptacle, 4 Poles, Female (Straight) to RJ-45 Male Plug, 0.60m (1.97') Length	Compliant with Exemption 6(c)	Contained: DEHP	Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
1203410601	Standard RJ-45 CAT6A Double-Ended Cordset, 8 Poles, Male (Straight) to Male (Straight), 26 AWG, Shielded PUR Cable, 1.0m (3.28') Length	Not Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen*
1205000004		Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/21/2016 (20 June 2016)	Not Low-Halogen
1205020003		Compliant with Exemption 6(c)	Not Contained	Not Contained Per - ED/108/2014 (17 Dec 2014)	Low-Halogen
1205020004	Brad M12 Power Receptacle, 4 Poles, Male (Straight) to 14 AWG Leads, F-Coded, Front Panel Mount, 0.30m (11.81") Length	Compliant with Exemption 6(c)	Not Contained	Not Contained Per - ED/108/2014 (17 Dec 2014)	Low-Halogen
1210230231	VST-A-FA PG9 DF/N	Compliant with Exemption 6(c)	Not Contained	Contained Per - ED/01/2017 (12 January 2017)	Low-Halogen
1210230254	DIN FIELD ATTACHABLE	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1210230433	mPm DIN Valve Connector, Form C - Industrial, PG7 Internal Threads, 2 Pole Plus Ground Terminal, 250V AC/300V DC, Black Nitrile Gasket, Bulk Pack Mounted	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/01/2017 (12 January 2017)	Low-Halogen
1210230464	mPm DIN Valve Connector, Form C - Industrial, PG7 Internal Threads, 3 Pole Plus Ground Terminal, 250V AC/300V DC, Black Nitrile Gasket and Screw, Bulk Pack Mounted	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
1210230612	mPm DIN Valve Connector, Form A, PG9 Internal Threads, 2 Pole Plus Ground, Black Nitrile Gasket, Bulk Pack Mounted	Compliant with Exemption 6(c)	Not Contained	Contained Per -ED/01/2017 (12 January 2017)	Low-Halogen
1210230620	mPm DIN Valve Connector, Form A, PG11 Internal Threads, 2 Pole Plus Ground, Black Nitrile Gasket, Bulk Pack Mounted	Compliant with Exemption 6(c)	Not Contained	Contained Per -ED/01/2017 (12 January 2017)	Low-Halogen
1210230633	mPm DIN Valve Connector, Form A, PG11 Internal Threads, 3 Pole Plus Ground, Black Nitrile Gasket, Bulk Pack Mounted	Compliant with Exemption 6(c)	Not Contained	Contained Per -ED/01/2017 (12 January 2017)	Low-Halogen
1210503238	CAB452N PUR 3G075X3000 BK	Compliant with Exemption 7(c)-I	Not Contained	Contained Per -ED/108/2014 (17 Dec 2014)	Not Low-Halogen
1212020003	mPm DIN Valve Connector, Form B - Industrial, External Thread, 2 Pole Plus Ground Terminal, 250V AC/DC, Black Silicone Gasket	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
1212050015	mPm DIN Valve Connector, Form C - Industrial, External Thread, 3 Pole Plus Ground Terminal, 250V AC/DC, Black Nitrile Gasket, Bulk Pack Un-Mounted, UL94-V0 Rated	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1212050024	FORM MICRO 3P EXT THREAD ASSY BLACK	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
1300138076	Mini-Change Receptacle, 5 Poles, 1/2" - 14 NPT Threads, Female (Straight) to 16 AWG Leads, 1.0m (3.28') Length	Compliant with Exemption 6(c)	Not Contained	Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1300138077	Mini-Change Receptacle, 5 Poles, 1/2" - 14 NPT Threads, Female (Straight) to 16 AWG Leads, 2.0m (6.56') Length	Compliant with Exemption 6(c)	Not Contained	Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1300138079	Mini-Change Receptacle, 5 Poles, 1/2" - 14 NPT Threads, Male (Straight) to 16 AWG Leads, 2.0m (6.56') Length	Compliant with Exemption 6(c)	Not Contained	Contained Per -ED/01/2017 (12 January 2017)	Not Low-Halogen
1300130223	Mini-Change A-Size Receptacle with Leads, 1/2" - 14 NPT Threads, Male (Straight) 3 Poles, 1.0m (3.28') Length	Compliant with Exemption 6(c)	Not Contained	Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1300130605	Mini-Change A-Size Receptacle with Leads, 1/2" - 14 NPT Threads, Male (Straight) 6 Poles, 1.83m (6.0') Length	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1300170018	Mini-Change Field Attachable, Male Connector, 4 Pole, Cable Range: 5.08-11.43mm Outside Diameter with Internal Threads	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
1300170027	Mini-Change Field Attachable, Male Connector, 5 Pole, Cable Range: 5.08-11.43mm Outside Diameter with Internal Threads, Stainless Steel	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
1300180217	Mini-Change 3 Pole Tee Adapter, Female to Male, with Female Drop	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
1300250071	Mini-Change Double-Ended Cordset, 5 Poles, Male (Straight) to Female (Straight), 15 and 18 AWG, DeviceNet Thick (Trunk) Cable, 4.0m (13.12') Length	Compliant with Exemption 6(c)	Not Contained	Not Reviewed	Not Low-Halogen
1300250076	Mini-Change Double-Ended Cordset, 5 Poles, Male (Straight) to Female (Straight), 15 and 18 AWG, DeviceNet Thick (Trunk) Cable, 6.0m (19.68') Length	Compliant with Exemption 6(c)	Not Contained	Not Reviewed	Not Low-Halogen
1300250054	Mini-Change Double-Ended Cordset, 5 Poles, Male (Straight) to Female (Straight), 15 and 18 AWG, DeviceNet Thick (Trunk) Cable, 1.0m (3.28') Length	Compliant with Exemption 6(c)	Not Contained	Not Reviewed	Not Low-Halogen*
1300250061	Mini-Change Double-Ended Cordset, 5 Poles, Male (Straight) to Female (Straight), 15 & 18 AWG, DeviceNet Thick (Trunk) Cable, 2.0m (6.56') Length	Compliant with Exemption 6(c)*	Not Contained	Not Reviewed	Not Low-Halogen*
1300250067	Mini-Change Double-Ended Cordset, 5 Poles, Male (Straight) to Female (Straight), 15 and 18 AWG, DeviceNet Thick (Trunk) Cable, 3.0m (9.84') Length	Compliant with Exemption 6(c)	Not Contained	Not Reviewed	Not Low-Halogen
1300250504	Micro-Change (M12) Double-Ended Cordset, 5 Poles, Male (Straight) to Female (Straight), DeviceNet Thin High Flex Cable, 3.0m (9.84') Length	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1300250508	Micro-Change (M12) Double-Ended Cordset, 5 Poles, Male (Straight) to Female (Straight), DeviceNet Thin High Flex Cable, 5.0m (16.40') Length	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1300390302	DeviceNet Trunk Receptacle, 5 Poles, 1/2" - 14 NPT, Male (Straight) to Leads, 4.0m (13.12') Length	Compliant with Exemption 6(c)*	Not Reviewed	Not Contained Per -ED/108/2014 (17 Dec 2014)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1300390371	Mini-Change Terminator, Male, 5 Pole	Compliant with Exemption 6(c)	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1300540024		Compliant with Exemption 6(c)	Not Reviewed	Not Contained Per - ED/108/2014 (17 Dec 2014)	Not Low-Halogen
1302011111	Mini-Change 7/8"-16 UN-2A Internal Thread Closure Cap, Anodized Aluminum	Compliant with Exemption 6(b)-II	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Reviewed
1302011116	Mini-Change 1"-16 UN Internal Thread Closure Cap, Zinc Die-Cast with Black Epoxy	Compliant with Exemption 6(b)-II	Not Contained	Not Reviewed	Not Relevant
1302090056	Micro-Change Stranded Cable, Shielded PVC, 22 AWG, 3 Conductors, 76.20m Length, Yellow	Compliant	Not Contained	Not Contained Per -ED/21/2016 (20 June 2016)	Not Low-Halogen
1302100049	Micro-Change Stranded Cable, TPE, 18 AWG, 4 Conductors, 76.20m Length, Yellow	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1302110004	DeviceNet Thin Cable, 22 AWG Power Pair, 22 AWG Data Pair, 76.20m Length	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1302110077	Micro-Change Stranded Cable, Shielded PVC, 22 AWG, 6 Conductors, 76.20m Length, Yellow	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1461860050	GPS and Wi-Fi 2.4GHz / 5GHz Combo Flex Antenna, 18.00mm Width, Cable Length 50.00mm	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
0015045061	2.54mm SL Interim Clip, 6 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0015045244	2.54mm SL Interim Clip, 24 Circuits, Polarized	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0015045264	2.54mm SL Interim Clip, 26 Circuits, Polarized	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0015045401	2.54mm SL Interim Clip, 40 Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
1510240021	DDR4 DIMM Socket Aerodynamic design, Vertical Press-Fit, .76µm Gold Plating, 288 Circuits, Black Housing, Black Latch	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510340015	11.00mm Pitch EXTreme Guardian Power Receptacle Assembly, 6 AWG, PBT, 5Circuits	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1510340016	11.00mm Pitch EXTreme Guardian Power Receptacle Assembly, 6 AWG, PBT, 6Circuits	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
1510653004	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 2.50µm Tin (Sn) Plating, without Peg, 2.60mm PC Tail Length, 4 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653006	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 2.50µm Tin (Sn) Plating, without Peg, 2.60mm PC Tail Length, 6 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653010	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 2.50µm Tin (Sn) Plating, without Peg, 2.60mm PC Tail Length, 10 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653054	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 2.50µm Tin (Sn) Plating, with Peg, 2.60mm PC Tail Length, 4 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653056	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 2.50µm Tin (Sn) Plating, with Peg, 2.60mm PC Tail Length, 6 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653057	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 2.50µm Tin (Sn) Plating, with Peg, 2.60mm PC Tail Length, 7 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653059	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 2.50µm Tin (Sn) Plating, with Peg, 2.60mm PC Tail Length, 9 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653060	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 2.50µm Tin (Sn) Plating, with Peg, 2.60mm PC Tail Length, 10 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653106	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.05µm Gold (Au) Plating, without Peg, 2.60mm PC Tail Length, 6 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653107	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.05µm Gold (Au) Plating, without Peg, 2.60mm PC Tail Length, 7 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1510653108	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.05µm Gold (Au) Plating, without Peg, 2.60mm PC Tail Length, 8 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653109	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.05µm Gold (Au) Plating, without Peg, 2.60mm PC Tail Length, 9 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653110	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.05µm Gold (Au) Plating, without Peg, 2.60mm PC Tail Length, 10 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653154	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.05µm Gold (Au) Plating, with Peg, 2.60mm PC Tail Length, 4 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653156	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.05µm Gold (Au) Plating, with Peg, 2.60mm PC Tail Length, 6 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653204	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.38µm Gold (Au) Plating, without Peg, 2.60mm PC Tail Length, 4 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653207	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.38µm Gold (Au) Plating, without Peg, 2.60mm PC Tail Length, 7 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653208	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.38µm Gold (Au) Plating, without Peg, 2.60mm PC Tail Length, 8 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653209	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.38µm Gold (Au) Plating, without Peg, 2.60mm PC Tail Length, 9 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653210	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.38µm Gold (Au) Plating, without Peg, 2.60mm PC Tail Length, 10 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653254	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.38µm Gold (Au) Plating, with Peg, 2.60mm PC Tail Length, 4 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1510653256	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.38µm Gold (Au) Plating, with Peg, 2.60mm PC Tail Length, 6 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653257	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.38µm Gold (Au) Plating, with Peg, 2.60mm PC Tail Length, 7 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653259	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.38µm Gold (Au) Plating, with Peg, 2.60mm PC Tail Length, 9 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653260	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.38µm Gold (Au) Plating, with Peg, 2.60mm PC Tail Length, 10 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653304	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.75µm Gold (Au) Plating, without Peg, 2.60mm PC Tail Length, 4 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653306	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.75µm Gold (Au) Plating, without Peg, 2.60mm PC Tail Length, 6 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653307	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.75µm Gold (Au) Plating, without Peg, 2.60mm PC Tail Length, 7 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653310	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.75µm Gold (Au) Plating, without Peg, 2.60mm PC Tail Length, 10 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653354	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.75µm Gold (Au) Plating, with Peg, 2.60mm PC Tail Length, 4 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653358	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.75µm Gold (Au) Plating, with Peg, 2.60mm PC Tail Length, 8 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510653359	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 0.75µm Gold (Au) Plating, with Peg, 2.60mm PC Tail Length, 9 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1510654004	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 2.50µm Tin (Sn) Plating, without Peg, 3.60mm PC Tail Length, 4 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510654006	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 2.50µm Tin (Sn) Plating, without Peg, 3.60mm PC Tail Length, 6 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510654007	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 2.50µm Tin (Sn) Plating, without Peg, 3.60mm PC Tail Length, 7 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510654008	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 2.50µm Tin (Sn) Plating, without Peg, 3.60mm PC Tail Length, 8 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510654009	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 2.50µm Tin (Sn) Plating, without Peg, 3.60mm PC Tail Length, 9 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1510654010	2.00mm Pitch Milli-Grid Header, Through Hole, Single Row, Right Angle, 2.50µm Tin (Sn) Plating, without Peg, 3.60mm PC Tail Length, 10 Circuits, Lead-free	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen