

## Product Compliance Statement

November 11, 2018

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, and PBDE, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU RoHS Phthalates Content.** EU RoHS Phthalates: DEHP, BBP, DBP, and DIBP, are declared if above 0.1% of the homogeneous materials of parts per amendment EU 2015/863 to the EU RoHS Directive (2011/65/EU). Restriction date on the use of these phthalates is July 22nd 2019.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit [www.molex.com](http://www.molex.com)



Haim Eliyahu  
Manager, Global Product Compliance

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>
0638300002	Conductor Anvil	Compliant	Not Reviewed
0622018787	Backplane Press-In Tool	Compliant	Not Reviewed
0622018674	Impact Backplane Press-In Tool, 3-Pair by 8-Column Assemblies	Compliant	Not Reviewed
0622030040	CXP Removal Tool	Compliant	Not Reviewed
0622018676	Press-In Tool for Backplane Module	Compliant	Not Reviewed
0622018668	Press-In Tool for Power Module Assembly	Compliant	Not Reviewed
0638139800	Extraction Tool	Compliant	Not Reviewed
0622018672	Vertical Receptacle Press-In Tool	Compliant	Not Reviewed
0532611519		Not Relevant	Not Relevant
0634540005	Insulation Punch	Compliant	Not Reviewed
0622010100	HDM Custom Power Module Insertion Tool	Compliant	Not Reviewed
0848549102	Mini-Change Solder Cup Connector, Female Contacts, Internal Threads, 4 Poles, meets NMEA 2000®	Compliant with Exemption 6(c)	Not Reviewed
0011184109	Cut-off Punch	Compliant	Not Reviewed
0639006700	FineAdjust Applicator for Terminals, 14 AWG Wire	Compliant	Not Reviewed
0622018642	Right-Angle Power Module Installation Press-In Tool	Compliant	Not Reviewed
0459713215	1.27mm Pitch, SEARAY Receptacle, 300 Circuits, 6.00mm Unmated Height, 10 Rows, with Pegs, Solder Charge Lead-Free	Compliant	Not Relevant
0011185418	Conductor Punch	Compliant	Not Reviewed
0634451630	Anvil	Compliant	Not Reviewed
0532611119		Not Relevant	Not Relevant
0634451646	Anvil	Compliant	Not Reviewed
0634463414	Punch	Compliant	Not Reviewed
0192880048	ATP Crimp Dies for the Tape Crimp Module and ATP-101 & 301 Press	Compliant	Not Reviewed
0732513151	50 Ohms, SMA Straight Jack, Reverse Polarity Edge Mount for .062 PCB	Compliant with Exemption 6(c)	Not Relevant
0194351211	MX150L 12 Circuit Rear Mount Flange Plug for 14-16 AWG Wire, with Gasket, Black	Compliant	Not Reviewed
0194351213	MX150L 12 Circuit Rear Mount Flange Plug for 14-16 AWG Wire, without Gasket, Black	Compliant	Not Reviewed

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>
0764501127	Impact 100 Ohm 2 Pair Right-Angle Male Header, Unguided, Dual Endwall, 10 Columns, 60 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	Compliant	Not Relevant
0761451603	Impact 100 Ohm 6 Pair Vertical Backplane Header, Unguided, Open Endwall, 16 Columns, 288 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	Compliant	Not Relevant
0761451717	Impact 100 Ohm 6 Pair Vertical Backplane Header, Unguided, Left Endwall, 14 Columns, 252 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	Compliant	Not Relevant
0761503116	Impact 100 Ohm 6 Pair Right-Angle Daughtercard Receptacle, Left Guided, 16 Columns, 288 Circuits, Plated Through Hole Dimension 0.46mm, Polarizing Key Position A, Lead-Free	Compliant	Not Relevant
0761559114	Impact 100 Ohm 4 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 120 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Key Orientation A, Lead-Free	Compliant	Not Relevant
0459848482	1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Right-Angle, 8 Power Contacts, 40 Signal Contacts, Select Gold (Au) Plating, for 2.36mm Thick PC Board, with Guide Posts, with Press-fit Plastic Pegs	Compliant	Not Relevant
0760105035	0.80mm Pitch iPass I/O Connector Shell, Vertical, Retention Fit, 26 Circuits, Universal Key	Compliant	Not Relevant
0761551827	Impact 100 Ohm 4 Pair Vertical Backplane Header, Unguided, Dual Endwall, 8 Columns, 96 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	Compliant	Not Relevant
0428910097	KK 156 Hdr Assy FrLk Peg 03 Ckt Tin	Compliant	Not Relevant
0760105127	0.80mm Pitch iPass I/O Connector Shell, Vertical, Through Hole 1.96mm, 36 Circuits, Dual Key	Compliant	Not Relevant
0026202101	KK 396 Wire-to-Board Header, Vertical Round Pin, 10 Circuits, Tin (Sn) Plating, with Mating Pin Length of 11.43mm (.450")	Compliant	Not Reviewed
5041862800	Micro-Lock 1.25mm Pitch Dual-Row Crimp Housing, White, 28 Circuits, 5041862800	Compliant	Not Relevant
0011020001	Hand Insertion Tool	Compliant	Not Reviewed

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>
0638234300	Hand Crimp Tool for CP 2.8 Receptacle Crimp Terminals	Compliant	Not Reviewed
0639123700	T2 Terminator for 1.50mm (.059") Pitch CLIK-Mate Wire-to-Board Crimp Terminals	Compliant	Not Reviewed
0533642870	0.8 BtB Wafer Assy ST SMT 28CktEmbsTpPkg	Compliant	Not Relevant
0639009000	FineAdjust for 6.35mm Tab Heavy Tab Crimp Terminals, 16-18 AWG Wire	Compliant	Not Reviewed
0639023500	Fine Adjust Applicator for Serial SATA Crimp Power Terminal	Compliant	Not Reviewed
0934441206	ML-XT Sealed 2 Circuit Receptacle Housing, Pre-Assembled with Large Rear Seal and Cover, White	Compliant	Not Reviewed
0934451209	ML-XT Sealed 2 Circuit Plug Housing, Pre-Assembled with Large Rear Seal and Cover, Red	Compliant	Not Reviewed
0638026200	Mini-Mac Applicator Rear Feed	Compliant	Not Reviewed
0639021900	FineAdjust Applicator for CP 0.6mm Terminal	Compliant	Not Reviewed
0638655100	FineAdjust Applicator	Compliant	Not Reviewed
0050304436	MiniFit Jr RA SR /Pegs 30Au V-2 5Ckt	Compliant	Not Relevant
0934441203	ML-XT Sealed 2 Circuit Receptacle Housing, Pre-Assembled with Large Rear Seal and Cover, Green	Compliant	Not Reviewed
0897621581	2.92mm Straight Plug-to-2.92mm Straight Plug, Temp-Flex 047SC-2901 Cable, Length 228.6mm, 50 Ohms	Compliant with Exemption 6(c)	Not Relevant
0877590601		Compliant	Not Reviewed
0639014600	FineAdjust Applicator for Crimp Terminal, Male, 22 AWG Wire	Compliant	Not Reviewed
0621000700	IDT Discrete Handtool Module	Compliant	Not Reviewed
0639101400	T2 Terminator Tooling to be used with Low Force Crimp Terminals, 20-24 AWG Wire	Compliant	Not Reviewed
0634640002	Conductor Anvil	Compliant	Not Reviewed
1002121011	Imperium 2 Circuit, Single Ended Male-to-Pigtail Cable Assembly, 1.0m Cable Length	Compliant	Not Reviewed
0639012500	FineAdjust Applicator for Flat Blade Crimp Terminal, 18-20 AWG, UL 1007 Wire	Compliant	Not Reviewed
0638919500	Mini-Mac Applicator for Terminals	Compliant	Not Reviewed

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>
0639006300	FineAdjust Applicator for Board in Connector Mini Crimp Terminals, 20-22 AWG	Compliant	Not Reviewed
0934441203	ML-XT Sealed 2 Circuit Receptacle Housing, Pre-Assembled with Large Rear Seal and Cover, Green	Compliant	Not Reviewed
0639114200	T2 Terminator for 1.50mm Female Crimp Terminal	Compliant	Not Reviewed
0640052400	Crimp Head for the AT-200 Pneumatic Hand Tool	Compliant	Not Reviewed
0638019271	Replacement Blades for Bench Top Pneumatic Wire Stripper	Compliant	Not Reviewed
0638234370		Compliant	Not Reviewed
0638026100	Mini-Mac Applicator Rear Feed	Compliant	Not Reviewed
0638628000	FineAdjust Applicator	Compliant	Not Reviewed
0934451203	ML-XT Sealed 2 Circuit Plug Housing, Pre-Assembled with Large Rear Seal and Cover, Green	Compliant	Not Reviewed
0638612000	FineAdjust Applicator	Compliant	Not Reviewed
0934451202	ML-XT Sealed 2 Circuit Plug Housing, Pre-Assembled with Large Rear Seal and Cover, Grey	Compliant	Not Reviewed
0639024600	FineAdjust Applicator for .093" Pin and Socket Terminals	Compliant	Not Reviewed
0639019700	FineAdjust Applicator for RAST5 Normal Force Female Crimp Terminal	Compliant	Not Reviewed
0638812000	Mini-Mac Applicator	Compliant	Not Reviewed
0834249058	Commercial Micro-D, CMD-to-CMD, 25 Circuits, Female - Female, 0.91m Length	Compliant	Not Reviewed
0622018836	Impact Backplane Press-In Tool	Compliant	Not Reviewed
0638027500	Mini-Mac Applicator Rear Feed	Compliant	Not Reviewed
0639119400	T2 Terminator Die for 1.00mm Pitch Wire-to-Board Crimp Terminal	Compliant	Not Reviewed
0638934300	Mini-Mac Applicator for Board-in Crimp Terminals	Compliant	Not Reviewed
0877971002	C-Grid Header, Through Hole, Dual Row Dual Body, Vertical, Gold (Au) Flash Plating, 7.62mm Stacking Height, Tray Packaging, 10 Circuits, Lead-Free	Compliant	Not Reviewed
0934451204	ML-XT Sealed 2 Circuit Plug Housing, Pre-Assembled with Large Rear Seal and Cover, Blue	Compliant	Not Reviewed
0639124900	T2 Terminator for insulation OD 2.30-2.60mm - 18-24 AWG	Compliant	Not Reviewed

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>
0190820001		Compliant	Not Relevant
0934441202	ML-XT Sealed 2 Circuit Receptacle Housing, Pre-Assembled with Large Rear Seal and Cover, Grey	Compliant	Not Reviewed
0639011200	FineAdjust Applicator for 1.52mm Female Terminal	Compliant	Not Reviewed
0934441602	ML-XT Sealed 2 Circuit Receptacle Housing with Heatshrink, Pre-Assembled with Large Rear Seal and Cover, Grey	Compliant	Not Reviewed
0734151840		Compliant with Exemption 6(c)	Not Relevant
0934441601	ML-XT Sealed 2 Circuit Receptacle Housing with Heatshrink, Pre-Assembled with Large Rear Seal and Cover, Black	Compliant	Not Reviewed
0638882200	Mini-Mac for .100 Center Crimp Terminals 26-28 AWG	Compliant	Not Reviewed
0639013100	FineAdjust Applicator for Male Flat Blade Crimp Terminals	Compliant	Not Reviewed
0734151600		Compliant with Exemption 6(c)	Not Relevant
0026202102	KK 396 Wire-to-Board Header, Vertical Round Pin, 10 Circuits, Tin (Sn) Plating, with Mating Pin Length of 16.18mm (.637")	Compliant	Not Reviewed
0639018900	FineAdjust Applicator for Insulation OD 0.91-1.09mm - 20-24 AWG	Compliant	Not Reviewed
0639119500	T2 Terminator for 3.7 LED Connector Plug Crimp Terminal	Compliant	Not Reviewed
0039014020	Mini-Fit Jr. Receptacle Housing, Single Row, 2 Circuits, UL 94V-2, Natural	Compliant	Not Relevant
0874271034	Mini Fit Jr R/A Header, w/o flg T&R, 10ckt	Compliant	Not Relevant
0639007800	FineAdjust Applicator for 6.35mm Tab Heavy Terminals, Type A, 14-16 AWG	Compliant	Not Reviewed
0638234270		Compliant	Not Reviewed
0639020200	FineAdjust Applicator for Insulation OD 1.10-1.30mm - 22-28 AWG	Compliant	Not Reviewed
0639119600	T2 Terminator for 2.00mm Pitch Female Crimp Terminal	Compliant	Not Reviewed
0934441202	ML-XT Sealed 2 Circuit Receptacle Housing, Pre-Assembled with Large Rear Seal and Cover, Grey	Compliant	Not Reviewed

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>
0897621582	2.92mm Straight Plug-to-2.92mm Straight Plug, Temp-Flex 047SC-2901 Cable, Length 304.80mm, 50 Ohms	Compliant with Exemption 6(c)	Not Relevant
0639007700	FineAdjust Applicator for 2.00mm Pitch Crimp Terminal, 22-26 AWG	Compliant	Not Reviewed
0639008400	FineAdjust Applicator for Female Terminal, 18-24 AWG Wire	Compliant	Not Reviewed
0639023800	FineAdjust Applicator for Insulation OD 0.95-1.08mm - 22-28 AWG	Compliant	Not Reviewed
0638678100	FineAdjust Applicator, Insulation Range 2.41-3.05mm	Compliant	Not Reviewed
0621000700	IDT Discrete Handtool Module	Compliant	Not Reviewed
0464371285	TEN60, RA Plug Assy, 3AC	Compliant	Not Relevant
0639123900	T2 Terminator for insulation OD 1.40-1.70mm - 18-24 AWG	Compliant	Not Reviewed
0387800312	CB BTd SEMS 12 ASY	Compliant	Not Reviewed
0639018800	FineAdjust Applicator for Insulation OD 1.10-1.30mm - 20-24 AWG	Compliant	Not Reviewed
0639006500	FineAdjust Applicator for Discrete Wire, 24-24 AWG Wire	Compliant	Not Reviewed
0639014500	FineAdjust Applicator for Crimp Terminal, Male, 28 AWG, 41 Strands/44 AWG Wire	Compliant	Not Reviewed
0639009900	FineAdjust Applicator for Crimp Terminals, 14-20 AWG Wire with 2.41-2.95mm Diameter Insulation	Compliant	Not Relevant
0934441602	ML-XT Sealed 2 Circuit Receptacle Housing with Heatshrink, Pre-Assembled with Large Rear Seal and Cover, Grey	Compliant	Not Reviewed
0934451204	ML-XT Sealed 2 Circuit Plug Housing, Pre-Assembled with Large Rear Seal and Cover, Blue	Compliant	Not Reviewed
0934451205	ML-XT Sealed 2 Circuit Plug Housing, Pre-Assembled with Large Rear Seal and Cover, Yellow	Compliant	Not Reviewed
0857911020	PDJack Gigabit Single Port Magnetic Jack with Integrated POE+, Class 1	Compliant with Exemption 7(a),7(c)-I	Not Reviewed
0639018400	FineAdjust Applicator for SCC Sealed Receptacle Terminals	Compliant	Not Reviewed
0639123100	T2 Terminator for 2.50mm Pitch Crimp Terminal	Compliant	Not Reviewed
0639007500	FineAdjust Applicator for Crimp Terminals, 14-20 AWG Wire with 2.08-2.50mm Diameter Insulation	Compliant	Not Reviewed

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>
0639118800	T2 Terminator for insulation OD 1.10-1.30mm - 20-24 AWG	Compliant	Not Reviewed
0417910887	KK 156 Hdr Assy FrLk 14 Ckt Tin	Compliant	Not Relevant
0387015305	SR BTS PC RA 5 ASY C	Compliant	Not Reviewed
0934441209	ML-XT Sealed 2 Circuit Receptacle Housing, Pre-Assembled with Large Rear Seal and Cover, Red	Compliant	Not Reviewed
0638952900	Mini-Mac Applicator for Solar Pin and Socket Crimp Terminals, 14 AWG and 2.50mm	Compliant	Not Reviewed
0638018400	TM-3000 and TM-4000 Press Adapter Kit for JAE Applicator	Compliant	Not Reviewed
0934451208	ML-XT Sealed 2 Circuit Plug Housing, Pre-Assembled with Large Rear Seal and Cover, Orange	Compliant	Not Reviewed
0395326103		Compliant	Not Reviewed
0622018868	Impact Daughter Card Press-In Tool	Compliant	Not Reviewed
0639000100	FineAdjust Applicator for 2.50mm Pitch Splash Proof Crimp Terminal, 20-22 AWG	Compliant	Not Reviewed
0039039162	Mini Fit Crimp Rec Hsg 16Ckt Black V-0	Compliant	Not Relevant
0639008200	FineAdjust Applicator for Male and Female Terminals, 14-16 AWG Wire	Compliant	Not Reviewed
0639020900	FineAdjust Applicator for 2.00mm (.079") Grid Wire-to-Board Crimp Terminal	Compliant	Not Reviewed
0877971001	C-Grid Header, Through Hole, Dual Row Dual Body, Vertical, 2.50µm Tin (Sn) Plating, 19.05mm Stacking Height, Tray Packaging, 10 Circuits, Lead-Free	Compliant	Not Reviewed
0198002140	ATP Crimp Dies for the Tape Crimp Module and ATP-101 & 301 Press	Compliant	Not Reviewed
0639013200	FineAdjust Applicator for Male Flat Blade Crimp Terminals	Compliant	Not Reviewed
0638681000	FineAdjust Applicator, Insulation Range 1.40–1.79mm	Compliant	Not Reviewed
0639015600	FineAdjust Applicator for Insulation OD 1.90-2.30mm - 18-24 AWG	Compliant	Not Reviewed
0638027600	Mini-Mac Applicator Rear Feed	Compliant	Not Reviewed
0639025500	FineAdjust Applicator for 1.25mm (.049") / 2.00mm (.078") Wire-to-Board Crimp Terminal	Compliant	Not Reviewed
0934441204	ML-XT Sealed 2 Circuit Receptacle Housing, Pre-Assembled with Large Rear Seal and Cover, Blue	Compliant	Not Reviewed



**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>
0395326102		Compliant	Not Reviewed
0639107500	T2 Terminator for MLX Crimp Terminals, 14-20 AWG	Compliant	Not Reviewed
0934451206	ML-XT Sealed 2 Circuit Plug Housing, Pre-Assembled with Large Rear Seal and Cover, White	Compliant	Not Reviewed
0639011400	FineAdjust Applicator for 1.75mm Wire-To-Board Crimp Terminal, 24-28 AWG	Compliant	Not Reviewed
0638061300	Mini-Mac Applicator Rear Feed	Compliant	Not Reviewed
0639024800	FineAdjust Applicator for Insulation OD 2.50-2.95mm Optimized for 18 AWG Only	Compliant	Not Reviewed
0638170200	Manual Cable Cutter Hand Tool – 8awg to 4.80mm <sup>2</sup> (1000 MCM)	Compliant	Not Reviewed
0639009700	FineAdjust Applicator for OBD II 4.00mm Wire-to-Wire Crimp Terminal, 0.30-0.85mm <sup>2</sup> and 18-22 AWG	Compliant	Not Reviewed
0194351219	12 WAY PNL MNT ASSY KEY B 22-18 NO GSKT	Compliant	Not Reviewed
0638615000	FineAdjust Applicator	Compliant	Not Reviewed
0639010500	FineAdjust Applicator	Compliant	Not Reviewed
0638952800	Mini-Mac Applicator for Solar Pin and Socket Crimp Terminals, 10-12 AWG and 6.00-4.00mm	Compliant	Not Reviewed
0934441201	ML-XT Sealed 2 Circuit Receptacle Housing, Pre-Assembled with Large Rear Seal and Cover, Black	Compliant	Not Reviewed
0639104300	T2 Terminator Tooling Die	Compliant	Not Reviewed
0022172027	KK 254 PC Board Connector, Bottom Entry, 0.80µm Gold (Au), 2 Circuits	Compliant	Not Relevant
0349851601	MX150 Hybrid Sealed Female Connector Assembly, Dual Row, 16 Circuits, Keying Option A, without Connector Position Assurance, Black	Compliant	Not Relevant
0441561001		Compliant	Not Reviewed
0022154072	KK 100 PCB Assy RtAn 07 Ckt Tin	Compliant	Not Reviewed
0639001300	FineAdjust for Low Force Crimp Terminal, 26-30 AWG Wire	Compliant	Not Reviewed
0387800212		Compliant	Not Reviewed
1002121031	Imperium 2 Circuit, Single Ended Male-to-Pigtail Cable Assembly, 2.0m Cable Length	Compliant	Not Reviewed
0638950900	Mini-Mac Applicator for CP2.8 Crimp Terminals 3.00 - 5.0mm <sup>2</sup> type ID & IR Wire	Compliant	Not Reviewed

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>
0934441207	ML-XT Sealed 2 Circuit Receptacle Housing, Pre-Assembled with Large Rear Seal and Cover, Brown	Compliant	Not Reviewed
0638887100	Mini-Mac for Cat Ear and Anti-Fish Hook Crimp Terminals, 22-30 AWG Wire	Compliant	Not Reviewed
0397000503	7.50mm Pitch, Eurostyle Fixed-Mount Push-Button Terminal Block, 45° Modular Luminaire, 10A, 26-14 AWG, Light Gray, 3 Circuits	Compliant	Not Relevant
0639022400	FineAdjust Applicator for Robot Conn 36P Crimp Terminals	Compliant	Not Reviewed
0638687000	FineAdjust Applicator	Compliant	Not Reviewed
0934451202	ML-XT Sealed 2 Circuit Plug Housing, Pre-Assembled with Large Rear Seal and Cover, Grey	Compliant	Not Reviewed
0639014700	FineAdjust for Solar Shingle Receptacle Terminals	Compliant	Not Reviewed
0621002100	Removal Tool for Impact Mezzanine 85 Ohm Vertical Header	Compliant	Not Reviewed
0639012900	FineAdjust Applicator for two 20 AWG - UL 1007 wires	Compliant	Not Reviewed
0639007900	FineAdjust Applicator for 2.50mm Wire-to-Wire Male Crimp Terminal, 22-28 AWG Wire	Compliant	Not Reviewed
0734151004	50 Ohms, MMCX Right-Angle Jack, PCB, Gold (Au) Plated Body per Commercial Requirements, Tape and Reel	Compliant with Exemption 6(c)	Not Relevant
0638024000	Mini-Mac Applicator Rear Feed	Compliant	Not Reviewed
0638131400	Manual Extraction Tool	Compliant	Not Reviewed
0639011100	FineAdjust Applicator for 14.50mm Pitch Wedge Terminal, 0.50mm <sup>2</sup> , 0.75mm <sup>2</sup> and 20 AWG	Compliant	Not Reviewed
0622018677	Press-In Tool for Daughter Card Module	Compliant	Not Reviewed
0621000400	IDT Manual Handtool	Compliant	Not Reviewed
0011184011	Insulation Anvil	Compliant	Not Reviewed
0639011600	FineAdjust Applicator for Bulb Socket Contact Terminals	Compliant	Not Reviewed
0639009800	FineAdjust Applicator for Crimp Terminals, 14-20 AWG Wire with 2.65-3.30mm Diameter Insulation	Compliant	Not Reviewed
1002132031	Imperium 2 Circuit, Double Ended Male-to-Male Cable Assembly, 2.0m Cable Length	Compliant	Not Reviewed
0387036508	JTERM EDGEON SQUARE 8 NI .325 CNTR	Compliant	Not Relevant

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>RoHS Phthalates (EU 2015/863)</b>
0638120000	Insertion Tool	Compliant	Not Reviewed
0934451201	ML-XT Sealed 2 Circuit Plug Housing, Pre-Assembled with Large Rear Seal and Cover, Black	Compliant	Not Reviewed
0198002140	ATP Crimp Dies for the Tape Crimp Module and ATP-101 & 301 Press	Compliant	Not Reviewed
0011030016	Extraction Tool	Compliant	Not Reviewed
0877972000	C-Grid Header, Through Hole, Dual Row Dual Body, Vertical, 0.76µm Gold (Au) Plating, 14.00mm Stacking Height, Tray Packaging, 20 Circuits, Lead-Free	Compliant	Not Reviewed
0639007600	FineAdjust Applicator for 2.00mm Crimp Terminal, AWG 22-28	Compliant	Not Reviewed
0934441204	ML-XT Sealed 2 Circuit Receptacle Housing, Pre-Assembled with Large Rear Seal and Cover, Blue	Compliant	Not Reviewed
0934451203	ML-XT Sealed 2 Circuit Plug Housing, Pre-Assembled with Large Rear Seal and Cover, Green	Compliant	Not Reviewed
0934451207	ML-XT Sealed 2 Circuit Plug Housing, Pre-Assembled with Large Rear Seal and Cover, Brown	Compliant	Not Reviewed
0638913000	Mini-Mac Applicator	Compliant	Not Reviewed
0639022000	FineAdjust Applicator for CP Crimp 0.6mm Terminal for CMC connector	Compliant	Not Reviewed
0638953000	Mini-Mac Applicator Mechanical Feed Dual Carrier Metal Strip	Compliant	Not Reviewed
0638026300	Mini-Mac Applicator Rear Feed	Compliant	Not Reviewed
1002132031	Imperium 2 Circuit, Double Ended Male-to-Male Cable Assembly, 2.0m Cable Length	Compliant	Not Reviewed
0430456409		Compliant	Not Relevant
1002121001	Imperium 2 Circuit, Single Ended Male-to-Pigtail Cable Assembly, 0.50m Cable Length	Compliant	Not Reviewed