

Product Compliance Statement

November 11, 2018

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, and PBDE, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU RoHS Phthalates Content.** EU RoHS Phthalates: DEHP, BBP, DBP, and DIBP, are declared if above 0.1% of the homogeneous materials of parts per amendment EU 2015/863 to the EU RoHS Directive (2011/65/EU). Restriction date on the use of these phthalates is July 22nd 2019.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit www.molex.com



Haim Eliyahu
Manager, Global Product Compliance

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0768503020	Impact 100 Ohm 4 Pair Right-Angle Orthogonal Daughtercard, Left Guide, 10 Columns, 120 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free	Compliant	Not Relevant
0621001100	HDM Power Module Removal Tool	Compliant	Not Reviewed
0026202182	KK 396 Wire-to-Board Header, Vertical Round Pin, 18 Circuits, Tin (Sn) Plating, with Mating Pin Length of 16.18mm (.637")	Compliant	Not Reviewed
0621009770	Impel Daughtercard Module Removal Tool	Compliant	Not Reviewed
0395434303	5.00mm Pitch Eurostyle 45° Wire Entry Fixed Mount PCB Terminal Block, 3 Circuits	Compliant	Not Reviewed
0878910504	KK 254 PCB Header, Through Hole, Vertical, 5 Circuit (void at circuit 2), 0.38µm Gold (Au) Selective Plating, Tray Packaging, Lead-Free	Compliant	Not Reviewed
0702871273	2.54mm Pitch C-Grid Header, Breakaway, Dual Row, Vertical, with Retention Pin, 60 Circuits, 8.13mm Mating Pin Length, 0.76µm Gold (Au) Selective Plating	Compliant	Not Relevant
0764501127	Impact 100 Ohm 2 Pair Right-Angle Male Header, Unguided, Dual Endwall, 10 Columns, 60 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	Compliant	Not Relevant
0621009820	Impel DaughterCard Signal Removal Tool	Compliant	Not Reviewed
0622018930	Impel Insertion Tool	Compliant	Not Reviewed
0395383004	5.08mm Pitch Eurostyle Vertical Dual Level PCB Header, Closed Ends, 4 Circuits	Compliant	Not Reviewed
0621009740	Impel Daughter Card Signal Removal Tool	Compliant	Not Reviewed
0930715001	5.00mm Pitch Appli-Mate RAST 2.5 Header, Vertical, 7 Circuits, Reference K00, Glow-Wire Capable	Compliant	Not Reviewed
0797580014	Pre-Crimped Lead PicoBlade Female-to-PicoBlade Female, 304mm, 26 AWG	Compliant	Not Relevant
0877610001	Milli-Grid Header, Dual Row Dual Body, Through Hole, Vertical, 10 Circuits, 0.38µm Gold (Au) Selective Plating, 22.86mm Stacking Height, Pocket Tray Packaging, Lead-Free	Compliant	Not Relevant
0951152884	Round Cable Boot for Shielded Plug, Red	Compliant	Not Reviewed
0638243000	Imperium Extractor Tool for TPA, HVIL Header	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0621009710	Impel Daughter Card Signal Removal Tool	Compliant	Not Reviewed
0622024350	Impact Right-Angle Module Removal Tool (RAM)	Compliant	Not Reviewed
0395061010	3.50mm Pitch Eurostyle Horizontal PCB Header, with Threaded Retention Inserts, 10 Circuits	Compliant	Not Reviewed
0622024400	Sealing Cap Hand Tool	Compliant	Not Reviewed
0395100014	3.81mm Pitch Eurostyle Horizontal Plug, 14 Circuits	Compliant	Not Reviewed
0395072010	3.50mm Pitch Eurostyle Vertical Plug, with Retention Screws, Rear Wire Entry, 10 Circuits	Compliant	Not Reviewed
0622029820	Removal Tool for 2 by 8 Small Form-Factor Pluggable	Compliant	Not Reviewed
0395282006	5.00mm Pitch Eurostyle Vertical PCB Dual Level Header, Open Ends, 6 Circuits	Compliant	Not Reviewed
0622022100	Shield Removal Tool	Compliant	Not Reviewed
0194031300	Self-Contained Power Connector for Solid or Stranded Nonmetallic Sheathed Cable, 10 AWG	Compliant	Not Reviewed
0761551827	Impact 100 Ohm 4 Pair Vertical Backplane Header, Unguided, Dual Endwall, 8 Columns, 96 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	Compliant	Not Relevant
0638243500	Extractor Tool for MX120G Terminals	Compliant	Not Reviewed
0622018916	Impel Backplane Header Removal Tool	Compliant	Not Reviewed
0761559114	Impact 100 Ohm 4 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 120 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Key Orientation A, Lead-Free	Compliant	Not Relevant
0760105122	0.80mm Pitch iPass I/O Connector Shell, Right-Angle, Through Hole 1.96mm, 36 Circuits, Dual Key	Compliant	Not Relevant
0194351012	MX150L 10 Circuit Rear Mount Flange Plug for 18-22 AWG Wire, with Gasket, Black	Compliant	Not Reviewed
0192210417	Compression Style Ring Tongue Terminal for 6 AWG Wire, Stud Size 1/2" (M12), Un-Plated, Extra Wide Pad	Compliant	Not Reviewed
0395282004	5.00mm Pitch Eurostyle Vertical PCB Dual Level Header, Open Ends, 4 Circuits	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0192210395	Compression Style Ring Tongue Terminal for 1 AWG Wire, Stud Size 1/2" (M12), Unplated, Wide Pad	Compliant	Not Reviewed
0764559608	Impact 100 Ohm 2 Pair Vertical Backplane Header, Right Guide, Left Endwall, 16 Columns, 96 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	Compliant	Not Relevant
0395100010	3.81mm Pitch Eurostyle Horizontal Plug, 10 Circuits	Compliant with Exemption 6(c)	Not Relevant
0621009250	DDR3 DIMM Light Pipe Extraction Tool	Compliant	Not Reviewed
0878313219	2.00mm Pitch Milli-Grid Header, Vertical, Through Hole, Shrouded, 32 Circuits, 0.127µm Gold (Au) Plating, without Center Polarization Slot, without Locking Window, without PCB Locator, Tube	Compliant	Not Relevant
0760105035	0.80mm Pitch iPass I/O Connector Shell, Vertical, Retention Fit, 26 Circuits, Universal Key	Compliant	Not Relevant
0621008200	Removal Tool for 6-Pair Vertical Power Header and Receptacle	Compliant	Not Reviewed
0757840210	0.80mm Pitch, iPass I/O Surface Mount Receptacle, Vertical, Internal Assembly with Shell, 50 Circuit, 0.38µm Gold (Au), Surface Mount Option, Tail Length 1.96mm, Left Key	Compliant	Not Relevant
0192210393	Compression Style Ring Tongue Terminal for 1/0 AWG Wire, Stud Size 1/2" (M12), Un-Plated	Compliant	Not Reviewed
0192000025	Avikrimp Seamless Butt Splice for 18-22 AWG Wire, Super Duty	Compliant	Not Reviewed
0621009780	Impel Daughtercard Removal Tool	Compliant	Not Reviewed
0622024600	Impact Daughter Card Module Removal Tool	Compliant	Not Reviewed
0834249020	Commercial Micro-D, CMD Single Ended, 25 Circuits, Female - Pigtail, 0.91m Length	Compliant	Not Reviewed
0152670348	1.00mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 18 Circuits, 0.203m Cable Length, Tin (Sn) Plating	Compliant	Not Reviewed
0621006800	Removal Tool	Compliant	Not Reviewed
0194290015	MX150L 12 Circuit Panel Mount Plug for 14-22 AWG Wire, Rear Mount Flange Assembly, without Gasket, Black	Compliant	Not Reviewed
0622018940	Impel Insertion Tool	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0152670215	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 6 Circuits, 0.203m Cable Length, Tin (Sn) Plating	Compliant	Not Reviewed
0621009750	Impel Daughtercard Module Removal Tool	Compliant	Not Reviewed
0330013006	MX150 Female Terminal Sealed, Gold Plating, Grip Code M3, Preferred Terminal for use in Sealed Application with 0.35-0.50mm ² , Left Reel Payoff	Compliant	Not Relevant
0395434306	5.00mm Pitch Eurostyle 45° Wire Entry Fixed Mount PCB Terminal Block, 6 Circuits	Compliant	Not Reviewed
0349490220	MX150 Backshell, Receptacle Assembly, 2 Circuit without Rib	Compliant	Not Reviewed
0638121300	Insertion Tool for CTX280 Seal Plugs	Compliant	Not Reviewed
0026202102	KK 396 Wire-to-Board Header, Vertical Round Pin, 10 Circuits, Tin (Sn) Plating, with Mating Pin Length of 16.18mm (.637")	Compliant	Not Reviewed
0622022090	Single Pin Repair Tool	Compliant	Not Reviewed
0761455605	Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 288 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	Compliant	Not Relevant
0152661042	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 33 Circuits, 0.178m Cable Length, Tin (Sn) Plating	Compliant	Not Reviewed
0349480210	MX150 Backshell, Blade Sealed Assembly, 2 Circuit with Rib	Compliant	Not Reviewed
0022284150	KK 254 Breakaway Header, Vertical, 15 Circuits, Tin (Sn) Plating, Mating Pin Length 6.09mm	Compliant	Not Relevant
0621005850	Impact Insertion Tool	Compliant	Not Reviewed
0194290041	MX150L 2 Circuit Panel Mount Plug for 14-22 AWG Wire, Through Hole Flange Assembly, with Gasket, Black	Compliant	Not Reviewed
0395434304	5.00mm Pitch Eurostyle 45° Wire Entry Fixed Mount PCB Terminal Block, 4 Circuits	Compliant	Not Reviewed
0760105127	0.80mm Pitch iPass I/O Connector Shell, Vertical, Through Hole 1.96mm, 36 Circuits, Dual Key	Compliant	Not Relevant
0395283006	5.00mm Pitch Eurostyle Vertical PCB Dual Level Header, Closed Ends, 6 Circuits	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0982670401	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 24 Circuits, 0.051m Cable Length, Tin(Sn) Plating	Compliant	Not Reviewed
0015916040	2.54mm Pitch C-Grid Header, Surface Mount, Dual Row, Vertical, 4 Circuits, Tin (Sn) Plating, without PCB Locator Pegs, Tape and Reel	Compliant	Not Relevant
0759001241	MX150 Dual Row Header, Right-Angle, 8 Circuits, 1.25µm Nickel (Ni) Overall, 2.50µm Minimum Select Matte Tin (Sn) Plating on Tail, 0.05µm Minimum Select Gold (Au) Contact Area, 3.05mm PC Tail Length, Mating Pin Length 12.15mm	Compliant	Not Relevant
0395434302	5.00mm Pitch Eurostyle 45° Wire Entry Fixed Mount PCB Terminal Block, 2 Circuits	Compliant	Not Reviewed
0834249062	Commercial Micro-D Cable Assembly, 25 CMD-to-25 Pin D-Subminiature (Female-to-Male), 1.83m Length	Compliant	Not Reviewed
0848549019	Micro-Change Closure Cap External Threads, meets NMEA 2000®	Compliant	Not Reviewed
0757840034	0.80mm Pitch, iPass I/O Surface Mount Receptacle, Vertical, Internal Assembly with Shell, 26 Circuit, 0.76µm Gold (Au), Through Hole Option, Tail Length 1.96mm, Right Key	Compliant	Not Relevant
0901201085	2.54mm Pitch C-Grid III Header, Single Row, Vertical, 5 Circuits, Flash Gold (Au) Stripe on 2 Sides	Compliant	Not Relevant
0761503116	Impact 100 Ohm 6 Pair Right-Angle Daughtercard Receptacle, Left Guided, 16 Columns, 288 Circuits, Plated Through Hole Dimension 0.46mm, Polarizing Key Position A, Lead-Free	Compliant	Not Relevant
0622024800	I-PASS zHD Vertical Housing Assembly Removal Tool	Compliant	Not Reviewed
0442624636	9.14mm Pitch Crimp Terminal, Power Contact, Tin (Sn), All Over Nickel (Ni) with Select Gold, 10-12 AWG	Compliant	Not Relevant
0395382006	5.08mm Pitch Eurostyle Vertical Dual Level PCB Header, Open Ends, 6 Circuits	Compliant	Not Reviewed
0192210425	Compression Style Ring Tongue Terminal for 6 AWG Wire, Stud Size 10 (M5), Un-Plated	Compliant	Not Reviewed
0395283004	5.00mm Pitch Eurostyle Vertical PCB Dual Level Header, Closed Ends, 4 Circuits	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0039306101	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 10 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Relevant
0152670232	1.00mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 8 Circuits, 0.127m Cable Length, Tin (Sn) Plating	Compliant	Not Reviewed
0621008080	Impact Daughtercard Removal Tool	Compliant	Not Reviewed
0152660059	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 6 Circuits, 0.127m Cable Length, Tin (Sn) Plating	Compliant	Not Relevant
0347929080	Mini50 Unsealed Vertical Header, Single Row, 8 Circuit, Polarization Option A, Black, Tube	Compliant	Not Relevant
0395061004	3.50mm Pitch Eurostyle Horizontal PCB Header, with Threaded Retention Inserts, 4 Circuits	Compliant	Not Reviewed
0638242800	Extractor Tool for Milli-Grid 2.0 Housings	Compliant	Not Reviewed
0621001950	MiniDIMM Memory Card Insertion Tool	Compliant	Not Reviewed
0022289240	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 24 Circuits, Tin (Sn) Plating, Mating Pin Length 6.20mm, with Kinked PC Tails	Compliant	Not Relevant
0395382004	5.08mm Pitch Eurostyle Vertical Dual Level PCB Header, Open Ends, 4 Circuits	Compliant	Not Reviewed
0621009150	DDR3 DIMM Actuator Extraction Tool	Compliant	Not Reviewed
0367831208	MX120G Sealed Header Connector Assembly, 12 Circuit, Color Mark Identification White	Compliant	Not Reviewed
0022172027	KK 254 PC Board Connector, Bottom Entry, 0.80µm Gold (Au), 2 Circuits	Compliant	Not Relevant
0638243100	Extractor Tool for Imperium TPA, HVIL Receptacle	Compliant	Not Reviewed
0621009810	Impel DaughterCard Signal Removal Tool	Compliant	Not Reviewed
0026202092	KK 396 Wire-to-Board Header, Vertical Round Pin, 9 Circuits, Tin (Sn) Plating, with Mating Pin Length of 16.18mm (.637")	Compliant	Not Reviewed
0015916400	2.54mm Pitch C-Grid Header, Surface Mount, Dual Row, Vertical, 40 Circuits, Tin (Sn) Plating, without PCB Locator Pegs, Tape and Reel	Compliant	Not Relevant

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0395350015	5.08mm Pitch Eurostyle Vertical PCB Header, with Threaded Retention Inserts, 15 Circuits	Compliant	Not Reviewed
0194351011	MX150L 10 Circuit Rear Mount Flange Plug for 14-16 AWG Wire, with Gasket, Black	Compliant	Not Reviewed
0395281006	5.00mm Pitch Eurostyle Horizontal PCB Dual Level Header, Closed Ends, 6 Circuits	Compliant	Not Reviewed
0687850001	Mini DisplayPort (Plug)-to-DisplayPort (Plug) Cable Assembly, 1.0m, Lead-Free	Compliant	Not Reviewed
0761451717	Impact 100 Ohm 6 Pair Vertical Backplane Header, Unguided, Left Endwall, 14 Columns, 252 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	Compliant	Not Relevant
0982680343	1.25mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 28 Circuits, 0.03m Cable Length, Tin(Sn) Plating	Compliant	Not Reviewed
0638243600	Imperium Extractor Tool for Receptacle Terminal-Power Contact, HVIL Housing	Compliant	Not Reviewed
0757840234	0.80mm Pitch, iPass I/O Surface Mount Receptacle, Vertical, Internal Assembly with Shell, 50 Circuit, 0.76µm Gold (Au), Through Hole Option, Tail Length 1.96mm, Right Key	Compliant	Not Relevant
0190120029		Compliant	Not Reviewed
0741620426	2.54mm Pitch C-Grid Receptacle, Right-Angle, Through Hole, Dual Row, Shrouded, Version A, High-Temperature, 26 Circuits, 0.80µm Gold (Au)	Compliant	Not Relevant
0622029815	2-by-8 Stacked Multi-Port Insertion Tool	Compliant	Not Reviewed
0395430022	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 22 Circuits	Compliant	Not Reviewed
0395443011	5.08mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, 11 Circuits	Compliant	Not Reviewed
1061210300	LC Adapter, Eight Port, Blue Body, Ceramic Alignment Sleeve, Snap Mount Style, LC Footprint, with External Shutter	Compliant	Not Relevant
0395033007	3.50mm Pitch Eurostyle Vertical Plug, Front Wire Entry, 7 Circuits	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0757840124	0.80mm Pitch, iPass I/O Surface Mount Receptacle, Vertical, Internal Assembly with Shell, 36 Circuit, 0.76µm Gold (Au), Surface Mount Option, Tail Length 1.96mm, Dual Key	Compliant	Not Relevant
0761703420	Impact 100 Ohm 3 Pair Right-Angle Daughtercard Receptacle, Left Guided, 10 Columns, 90 Circuits, Plated Through Hole Dimension 0.39mm, Polarizing Key Position D, Lead-Free	Compliant	Not Relevant
0395350006	5.08mm Pitch Eurostyle Vertical PCB Header, with Threaded Retention Inserts, 6 Circuits	Compliant	Not Reviewed
0622002700	Insertion Tool for Micro-Fit BMI CPI Header Assemblies	Compliant	Not Reviewed
0622025220	zQSFP+ Multi-Port Extraction Tool	Compliant	Not Reviewed
0194351213	MX150L 12 Circuit Rear Mount Flange Plug for 14-16 AWG Wire, without Gasket, Black	Compliant	Not Reviewed
0395073013	3.50mm Pitch Eurostyle Vertical Plug, with Retention Screws, Front Wire Entry, 13 Circuits	Compliant	Not Reviewed
0011404582	Insulation Punch	Compliant	Not Reviewed
0621001900	MiniDIMM Memory Card Extraction Tool	Compliant	Not Reviewed
0622018904	Backplane Header Removal Tool	Compliant	Not Reviewed
0622008400	Compliant Pin Insertion Flat Rock Tool	Compliant	Not Reviewed
0930701005	Appli-Mate RAST 2.5 Header, Vertical, 5 Circuits, Tin (Sn) Plating, Glow-Wire Capable, Positioning Keys A, D, E & F	Compliant	Not Reviewed
0930702503	Appli-Mate RAST 2.5 Header, Vertical, 8 Circuits, Tin (Sn) Plating, Glow-Wire Capable, Positioning Keys B, C, D, H & L with Voided Circuits 4 & 7	Compliant	Not Reviewed
0366380013	2.50mm, 3.50mm CMC Header GOLD PLATED, Right-Angle, 48 Position, 36 loaded, 1 Port, Black, Peg, Lead-Free	Compliant	Not Reviewed
0930700502	Appli-Mate RAST 2.5 Header, Vertical, 4 Circuits, Tin (Sn) Plating, Glow-Wire Capable, Positioning Keys B & C	Compliant	Not Reviewed
0930700509	Appli-Mate RAST 2.5 Header, Vertical, 4 Circuits, Tin (Sn) Plating, Glow-Wire Capable, Positioning Keys A, B & D	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0930701003	Appli-Mate RAST 2.5 Header, Vertical, 5 Circuits, Tin (Sn) Plating, Glow-Wire Capable, Positioning Keys A, D & F	Compliant	Not Reviewed
0877610001	Milli-Grid Header, Dual Row Dual Body, Through Hole, Vertical, 10 Circuits, 0.38µm Gold (Au) Selective Plating, 22.86mm Stacking Height, Pocket Tray Packaging, Lead-Free	Compliant	Not Relevant
0930701505	Appli-Mate RAST 2.5 Header, Vertical, 6 Circuits, Tin (Sn) Plating, Glow-Wire Capable, Positioning Keys D & F	Compliant	Not Reviewed
0930700508	Appli-Mate RAST 2.5 Header, Vertical, 4 Circuits, Tin (Sn) Plating, Glow-Wire Capable, Positioning Key D	Compliant	Not Reviewed
0699010203	Retaining Ring	Compliant	Not Reviewed
0930704501	Appli-Mate RAST 2.5 Header, Vertical, 12 Circuits, Tin (Sn) Plating, Glow-Wire Capable, Positioning Keys None	Compliant	Not Reviewed
0930703001	Appli-Mate RAST 2.5 Header, Vertical, 9 Circuits, Tin (Sn) Plating, Glow-Wire Capable, Positioning Keys None	Compliant	Not Reviewed
0930701503	Appli-Mate RAST 2.5 Header, Vertical, 6 Circuits, Tin (Sn) Plating, Glow-Wire Capable, Positioning Keys C & E	Compliant	Not Reviewed
0930700506	Appli-Mate RAST 2.5 Header, Vertical, 4 Circuits, Tin (Sn) Plating, Glow-Wire Capable, Positioning Key B	Compliant	Not Reviewed
0930705001	Appli-Mate RAST 2.5 Header, Vertical, 13 Circuits, Tin (Sn) Plating, Glow-Wire Capable, Positioning Keys None	Compliant	Not Reviewed
0901512130	C-Grid III PC Board Connector, Dual Row, Vertical, 30 Circuits, Tin (Sn) Plating	Compliant	Not Relevant
0395433102	5.00mm Pitch Eurostyle Horizontal Fixed Mount PCB Terminal Block, 2 Circuits	Compliant	Not Reviewed
0634451431	Anvil	Compliant	Not Reviewed
0622029780	Insertion Tool for 1-by-4 Small Form-Factor Pluggable	Compliant	Not Reviewed
0622029880	Insertion Tool for 1-by-2 Small Form-Factor Pluggable	Compliant	Not Reviewed
0532610819		Not Relevant	Not Relevant
0015045182		Compliant	Not Relevant

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0015246181	Mini-Fit BMI Header, 4.20mm Pitch, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 18 Circuits, PA Polyamide Nylon 6/6, UL 94V-2, Tin (Sn) Plating, without Drain Holes	Compliant	Not Relevant
0014562054	2.54mm Pitch SL Insulation Displacement Connector Assembly, Female, Single Row, Version G, Positive Lock, Wire Size 26 AWG, 0.38µm Gold (Au), 5 Circuits	Compliant	Not Relevant
0010081041	KK Header, Vertical, Round Pin, 4 Circuits, Tin (Sn) Plating, Pin Length 19.05mm	Compliant	Not Relevant
0436500824	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Single Row, 8 Circuits, with Solder Tab, Tin, Glow-Wire Capable, Black	Compliant	Not Relevant
0745460804	iPass PCIe x8 Cable Assembly, 28 AWG, 4.0m Length	Compliant	Not Reviewed
0877580217		Compliant	Not Relevant
0745461601	iPass PCIe x16 Cable Assembly, 28 AWG, 1.0m Length	Compliant	Not Reviewed
0395430608	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, Low Profile, 8 Circuits	Compliant with Exemption 6(c)	Not Reviewed
0702871109	2.54mm Pitch C-Grid Header, Breakaway, Dual Row, Vertical, with Retention Pin, 26 Circuits, 6.10mm Mating Pin Length, 0.38µm Gold (Au) Selective Plating	Compliant	Not Relevant
0745461607	iPass PCIe x16 Cable Assembly, 24 AWG, 7.0m Length	Compliant	Not Reviewed
0702871275	2.54mm Pitch C-Grid Header, Breakaway, Dual Row, Vertical, with Retention Pin, 64 Circuits, 8.13mm Mating Pin Length, 0.76µm Gold (Au) Selective Plating	Compliant	Not Relevant
0026202052	KK 396 Wire-to-Board Header, Vertical Round Pin, 5 Circuits, Tin (Sn) Plating, with Mating Pin Length of 16.18mm (.637")	Compliant	Not Reviewed
0745460403	iPass PCIe x4 Cable Assembly, 28 AWG, 3.0m Length	Compliant	Not Relevant
0847281004	Sealed Industrial USB Type B Plug-to-Shielded Pigtail, 5.0m Length	Compliant	Not Reviewed
0745461606	iPass PCIe x16 Cable Assembly, 24 AWG, 6.0m Length	Compliant	Not Reviewed
0395430606	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, Low Profile, 6 Circuits	Compliant with Exemption 6(c)	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0879113607	2.54mm Pitch C-Grid Header, Right-Angle, Through Hole, 36 Circuits, 0.38µm Gold (Au) Selective Plating, Tube Packaging, Lead-Free	Compliant	Not Reviewed
0908143724	Picoflex PF-50 Header without PCB Pegs, Vertical, Low Profile, Surface Mount, PdNi with Gold Flash Plating, 24 Circuits, Tape and Reel, Natural	Compliant	Not Relevant
0879111207	2.54mm Pitch C-Grid Header, Right-Angle, Through Hole, 12 Circuits, 0.38µm Gold (Au) Selective Plating, Tube Packaging, Lead-Free	Compliant	Not Reviewed
0747521701		Compliant	Not Relevant
0745461605	iPass PCIe x16 Cable Assembly, 26 AWG, 5.0m Length	Compliant	Not Reviewed
0395430605	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, Low Profile, 5 Circuits	Compliant with Exemption 6(c)	Not Reviewed
0745461604	iPass PCIe x16 Cable Assembly, 28 AWG, 4.0m Length	Compliant	Not Reviewed
0395430604	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, Low Profile, 4 Circuits	Compliant with Exemption 6(c)	Not Reviewed
0702871272	2.54mm Pitch C-Grid Header, Breakaway, Dual Row, Vertical, with Retention Pin, 58 Circuits, 8.13mm Mating Pin Length, 0.76µm Gold (Au) Selective Plating	Compliant	Not Relevant
0847271004	Sealed Industrial USB Type A Plug-to-Shielded Pigtail, 5.0m Length	Compliant	Not Reviewed
0745460806	iPass PCIe x8 Cable Assembly, 24 AWG, 6.0m Length	Compliant	Not Reviewed
0395430603	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, Low Profile, 3 Circuits	Compliant	Not Reviewed
0847271003	Sealed Industrial USB Type A Plug-to-Shielded Pigtail, 3.0m Length	Compliant	Not Reviewed
0745461602	iPass PCIe x16 Cable Assembly, 28 AWG, 2.0m Length	Compliant	Not Reviewed
0395430609	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, Low Profile, 9 Circuits	Compliant with Exemption 6(c)	Not Reviewed
0702871277	2.54mm Pitch C-Grid Header, Breakaway, Dual Row, Vertical, with Retention Pin, 68 Circuits, 8.13mm Mating Pin Length, 0.76µm Gold (Au) Selective Plating	Compliant	Not Relevant
0877970602	C-Grid Header, Through Hole, Dual Row Dual Body, Vertical, 6 Circuits, 0.76µm Gold (Au) Plating, 25.60mm Stacking Height, Tray Packaging, Lead-Free	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0847290007	Sealed Industrial USB 2.0 Type A Plug-to-USB 2.0 Type A Receptacle, 28 AWG, 3.0M Length	Compliant	Not Reviewed
0923150818	Picoflex PF-50 IDT-to-IDT, 8 Circuits, 0.18m Length	Compliant	Not Relevant
0022289054	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 5 Circuits, 0.76µm Gold (Au) Selective Plating, Mating Pin Length 6.20mm, with Kinked PC Tails	Compliant	Not Relevant
0022142064	KK 254 PC Board Connector, Bottom Entry, 2.54µm Tin (Sn), 6 Circuits	Compliant	Not Relevant
0015916400	2.54mm Pitch C-Grid Header, Surface Mount, Dual Row, Vertical, 40 Circuits, Tin (Sn) Plating, without PCB Locator Pegs, Tape and Reel	Compliant	Not Relevant
0015916040	2.54mm Pitch C-Grid Header, Surface Mount, Dual Row, Vertical, 4 Circuits, Tin (Sn) Plating, without PCB Locator Pegs, Tape and Reel	Compliant	Not Relevant
0026603030	KK 396 Header, Right-Angle, without Peg, 3 Circuits, Tin (Sn) Plating	Compliant	Not Relevant
0705450002	2.54mm Pitch SL Header, Single Row 3.05mm Pocket Vertical, Shrouded, with Press-fit Plastic Peg, 3 Circuits, Tin (Sn) Plating	Compliant	Not Relevant
0834249020	Commercial Micro-D, CMD Single Ended, 25 Circuits, Female - Pigtail, 0.91m Length	Compliant	Not Reviewed
0877584017	2.00mm Pitch Milli-Grid Header, Through Hole, Vertical, 40 Circuits, 0.76µm Gold (Au) Selective Plating, Pocket Tray Packaging, Lead-Free	Compliant	Not Relevant
0873813864	2.00mm Pitch Milli-Grid Receptacle, Surface Mount, Top Entry, 0.38µm Gold (Au) Plating, with Cover, without Locating Pegs, 38 Circuits, Lead-Free	Compliant	Not Relevant
0026202101	KK 396 Wire-to-Board Header, Vertical Round Pin, 10 Circuits, Tin (Sn) Plating, with Mating Pin Length of 11.43mm (.450")	Compliant	Not Reviewed
0791077053	2.00mm Pitch Milli-Grid Receptacle, Vertical, Through Hole, Dual Row, 3.00mm Tail Length, 0.76µm Gold (Au) Selective Plating, 8 Circuits, Lead-Free	Compliant	Not Relevant
0901310159		Compliant	Not Relevant
0532540770	2.00mm Pitch Micro-Latch Wire-to-Board Header, Right-Angle, Square Pin, Three-sided Shroud, 7 Circuits	Compliant	Not Relevant

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0398900316	5.00mm Pitch Beau Eurostyle Low Profile, Single Level Modular Terminal Block, 16 Circuits	Compliant with Exemption 6(c)	Not Relevant
0736443001	HDM Board-to-Board Backplane Header, Vertical, SMC, Press-Fit, Guide Post Location A, Polarizing Key Position A, 144 Circuits, Mating Length 5.00mm	Compliant	Not Relevant
0026202151	KK 396 Wire-to-Board Header, Vertical Round Pin, 15 Circuits, Tin (Sn) Plating, with Mating Pin Length of 11.43mm (.450")	Compliant	Not Reviewed
0877601816	2.00mm Pitch Milli-Grid Header, Right-Angle, Through Hole, 18 Circuits, 0.38µm Gold (Au) Selective Plating, Tray, Lead-Free	Compliant	Not Relevant