

Product Compliance Statement

November 11, 2018

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, and PBDE, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU RoHS Phthalates Content.** EU RoHS Phthalates: DEHP, BBP, DBP, and DIBP, are declared if above 0.1% of the homogeneous materials of parts per amendment EU 2015/863 to the EU RoHS Directive (2011/65/EU). Restriction date on the use of these phthalates is July 22nd 2019.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit www.molex.com



Haim Eliyahu
Manager, Global Product Compliance

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0395233004	5.00mm Pitch Eurostyle Vertical Plug, Rear Wire Entry, 4 Circuits	Compliant	Not Reviewed
0387007317	8.26mm Pitch Beau PCB Terminal Strip, with Mounting Ends, 17 Circuits, with Screw Clamp Washer	Compliant	Not Relevant
0444321802	Micro-Fit BMI Header, Surface Mount Compatible, Dual Row, Vertical, with PCB Polarizing Peg, 18 Circuits, 0.38µm Gold (Au) Selective Plating, Kinked Tails	Compliant	Not Relevant
0452180001		Compliant	Not Reviewed
0719790209	2.54mm Pitch C-Grid Receptacle, Surface Mount, Dual Row, Right-Angle, 18 Circuits	Compliant	Not Relevant
0901430110	2.54mm Pitch C-Grid III Modular Crimp Housing, Dual Row, 4 Polarizing Buttons, 10 Circuits, Black	Compliant	Not Relevant
0878314431	2.00mm Pitch Milli-Grid Header, Vertical, Through Hole, Shrouded, 44 Circuits, 0.38µm Gold (Au) Plating, with Center Polarization Slot, with Locking Window, without PCB Locator, with Open End Wall, Tube	Compliant	Not Relevant
0950432893	Modular Plug, Cat5e, Short Body, Shielded, 8/8, Green Boot	Compliant	Not Reviewed
0038006865	KK Header, Vertical, Round Pin, 4 Circuits, Tin (Sn) Plating, Pin Length 39.68mm, Circuit 2 Voided	Compliant	Not Relevant
0010897281	2.54mm Pitch C-Grid Breakaway Header, Dual Row, Vertical, High Temperature, 28 Circuits, Tin (Sn) Plating, 2.72mm PC Tail Length	Compliant	Not Relevant
0950435893	Modular Plug, Cat5e, Short Body, Shielded, 8/8, Green Boot, for 6.00mm Cable Outside Diameter	Compliant	Not Reviewed
0444990041	MiniFit BMI RA DR Hdr SelLoad 14Ckt	Compliant	Not Relevant
0482270501	1.00mm Pitch Wire-to-Board PCB Header, Surface Mount, Right-Angle, Overall Gold (Au) Flash, White Housing, 5 Circuits, Lead-Free	Compliant	Not Reviewed
0901471303	C-Grid PC Board Connector, Single Row, Vertical, 3 Circuits, Gold (Au) Plating	Compliant	Not Relevant
0395233006	5.00mm Pitch Eurostyle Vertical Plug, Rear Wire Entry, 6 Circuits	Compliant	Not Reviewed
0950432894	Modular Plug, Cat5e, Short Body, Shielded, 8/8, Red Boot	Compliant	Not Reviewed
0950435894	Modular Plug, Cat5e, Short Body, Shielded, 8/8, Red Boot, for 6.00mm Cable Outside Diameter	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0050579023	SL Crimp Housing, Single Row, Version A, Non-polarized, 23 Circuits, Black	Compliant	Not Relevant
0950432895	Modular Plug, Cat5e, Short Body, Shielded, 8/8, Yellow Boot	Compliant	Not Reviewed
0022142064	KK 254 PC Board Connector, Bottom Entry, 2.54µm Tin (Sn), 6 Circuits	Compliant	Not Relevant
0950435895	Modular Plug, Cat5e, Short Body, Shielded, 8/8, Yellow Boot, for 6.00mm Cable Outside Diameter	Compliant	Not Reviewed
0050578504	SL Crp Hsg SR 4 Ckt Opt G Green	Compliant	Not Reviewed
0731000069	75 Ohms, BNC Right-Angle PCB Bulkhead Jack Receptacle, Panel Isolated, White PBT Housing, Housing Height 13.20mm, Nut and Lockwasher included	Compliant with Exemption 6(c)	Not Relevant
0482270302		Compliant	Not Reviewed
0022284086	KK 254 Breakaway Header, Vertical, 8 Circuits, 0.76µm Gold (Au) Selective Plating, Mating Pin Length 6.09mm	Compliant	Not Relevant
0398800809	5.08mm Pitch Beau Eurostyle Low Profile, Three Level Terminal Block, Modular, 9 Circuits	Compliant	Not Reviewed
0010897202	2.54mm Pitch C-Grid Breakaway Header, Dual Row, Vertical, High Temperature, 20 Circuits, 0.38µm Gold (Au) Selective Plating, Tin (Sn) PC Tail Plating, 2.72mm PC Tail	Compliant	Not Relevant
0878314021	2.00mm Pitch Milli-Grid Header, Vertical, Through Hole, Shrouded, 40 Circuits, 0.76µm Gold (Au) Plating, with Center Polarization Slot, with Locking Window, without PCB Locator, Tube	Compliant	Not Relevant
0878312220	2.00mm Pitch Milli-Grid Header, Vertical, Through Hole, Shrouded, 22 Circuits, 0.38µm Gold (Au) Plating, with Center Polarization Slot, with Locking Window, without PCB Locator, Tube	Compliant	Not Relevant
0528060510	1.00mm Pitch Easy-On FFC/FPC Connector, Vertical, Surface Mount Compatible, Non-ZIF, Kinked PC Tails, 5 Circuits	Compliant	Not Relevant
0050841015	2.13mm Diameter MLX Power Crimp Housing Plug, Nylon 6/6, 94V-0, 1 Circuit, Natural	Compliant	Not Relevant
0452190001		Compliant	Not Reviewed
0901361104	C-Grid III Header, Single Row, Vertical, Shrouded, 4 Circuits, 4µm Tin/Lead (Sn) over Nickel (Ni)	Compliant	Not Relevant

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0026482195	KK 156 Hdr Assy FrLk Bkwy 19 ckt 20 Au	Compliant	Not Relevant
0878343041	2.54mm Pitch C-Grid Header, Dual Row, Low Profile, Vertical, Shrouded, without PCB Locator, without End Window, 0.13µm Gold (Au) Flash Plating, Nylon Housing, 30 Circuits, Lead-Free	Compliant	Not Relevant
0482270901		Compliant	Not Reviewed
0022284150	KK 254 Breakaway Header, Vertical, 15 Circuits, Tin (Sn) Plating, Mating Pin Length 6.09mm	Compliant	Not Relevant
0736441216	HDM Board-to-Board Backplane Header, Vertical, SMC, Press-Fit, Guide Post Location B, Polarizing Key Position N/A, 144 Circuits, Mating Length 6.00mm	Compliant	Not Relevant
0448120051	KK 254 PC Board Connector, Low Profile, 0.76µm Gold (Au), 13 Circuits	Compliant	Not Relevant
0395233003	5.00mm Pitch Eurostyle Vertical Plug, Rear Wire Entry, 3 Circuits	Compliant	Not Reviewed
0010897301	2.54mm Pitch C-Grid Breakaway Header, Dual Row, Vertical, High Temperature, 30 Circuits, Tin (Sn) Plating, 2.72mm PC Tail Length	Compliant	Not Relevant
0448120040	KK 254 PC Board Connector, Low Profile, 0.76µm Gold (Au), 2 Circuits	Compliant	Not Relevant
0878331019	Milli-Grid Header, Right-Angle, Fully Shrouded, Lead-Free, 10 Circuits, Gold (Au) Flash Plating, without PCB Locator, without Locking Window, Center Polarization Slot, Tube	Compliant	Not Relevant
0877830201	0.60mm Pitch miniDIMM DDR2 Socket, Surface Mount, 22.5° Angle, 0.76µm Gold (Au) Plating, Off-White Latches, with Pick-and-Place Cap, 200 Circuits, 1.8V Voltage Key, Lead-Free	Compliant	Not Relevant
0875238000		Compliant	Not Reviewed
0395321008	5.08mm Pitch Eurostyle Horizontal PCB Header, 8 Circuits	Compliant	Not Reviewed
1061100000	ST Adapter, Black Polymer Body, Ceramic Alignment Sleeve, D-Hole Mount Style	Compliant	Not Reviewed
0395300006	5.08mm Pitch Eurostyle Horizontal Plug, 6 Circuits	Compliant with Exemption 6(c)	Not Reviewed
0011185257	Combination Anvil	Compliant	Not Reviewed
0011184447	Cut-off Punch	Compliant	Not Reviewed
0011184120	Conductor Punch	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0395430015	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 15 Circuits	Compliant	Not Reviewed
0395430020	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 20 Circuits	Compliant	Not Reviewed
0395360020	5.08mm Pitch Eurostyle Horizontal PCB Header, with Threaded Retention Inserts, 20 Circuits	Compliant	Not Reviewed
0010081041	KK Header, Vertical, Round Pin, 4 Circuits, Tin (Sn) Plating, Pin Length 19.05mm	Compliant	Not Relevant
0011184817	Cut-off Punch	Compliant	Not Reviewed
0011185244	Conductor Punch	Compliant	Not Reviewed
0395320007	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 7 Circuits	Compliant	Not Reviewed
0387007317	8.26mm Pitch Beau PCB Terminal Strip, with Mounting Ends, 17 Circuits, with Screw Clamp Washer	Compliant	Not Relevant
0395320012	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 12 Circuits	Compliant	Not Reviewed
0459848482	1.27mm, 12.00mm Pitch, EXTreme LPHPower Receptacle Header, Right-Angle, 8 Power Contacts, 40 Signal Contacts, Select Gold (Au) Plating, for 2.36mm Thick PC Board, with Guide Posts, with Press-fit Plastic Pegs	Compliant	Not Relevant
0395320019	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 19 Circuits	Compliant	Not Reviewed
0011185420	Anvil Mount	Compliant	Not Reviewed
0011185073	Conductor Punch	Compliant	Not Reviewed
0011184687	Insulation Anvil	Compliant	Not Reviewed
0194350614	MX150L 6 Circuit Rear Mount Flange Plug for 18-22 AWG Wire, without Gasket, Black	Compliant	Not Reviewed
0011184076	Conductor Punch	Compliant	Not Reviewed
0010897202	2.54mm Pitch C-Grid Breakaway Header, Dual Row, Vertical, High Temperature, 20 Circuits, 0.38µm Gold (Au) Selective Plating, Tin (Sn) PC Tail Plating, 2.72mm PC Tail	Compliant	Not Relevant
0395430014	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 14 Circuits	Compliant	Not Reviewed
0011241017	Cut-off Punch	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0015246181	Mini-Fit BMI Header, 4.20mm Pitch, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 18 Circuits, PA Polyamide Nylon 6/6, UL 94V-2, Tin (Sn) Plating, without Drain Holes	Compliant	Not Relevant
0395320011	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 11 Circuits	Compliant	Not Reviewed
0395320018	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 18 Circuits	Compliant	Not Reviewed
0395320023	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 23 Circuits	Compliant	Not Reviewed
0480252090		Compliant	Not Reviewed
0398900316	5.00mm Pitch Beau Eurostyle Low Profile, Single Level Modular Terminal Block, 16 Circuits	Compliant with Exemption 6(c)	Not Relevant
0011185409	Insulation Punch	Compliant	Not Reviewed
0634540022	Insulation Punch	Compliant	Not Reviewed
0011184977	Cut-off Punch	Compliant	Not Reviewed
0011184989	Insulation Anvil	Compliant	Not Reviewed
0011184686	Insulation Punch	Compliant	Not Reviewed
0366380012	2.50mm, 3.50mm CMC Header, Right-Angle, 96 Position, 96 loaded, 2 Port, Black and Brown, Peg, Lead-Free	Compliant	Not Reviewed
0011184051	Insulation Punch	Compliant	Not Reviewed
0395430607	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, Low Profile, 7 Circuits	Compliant with Exemption 6(c)	Not Reviewed
0366380012	2.50mm, 3.50mm CMC Header, Right-Angle, 96 Position, 96 loaded, 2 Port, Black and Brown, Peg, Lead-Free	Compliant	Not Reviewed
0026603030	KK 396 Header, Right-Angle, without Peg, 3 Circuits, Tin (Sn) Plating	Compliant	Not Relevant
0011184873	Insulation Punch	Compliant	Not Reviewed
0395320005	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 5 Circuits	Compliant	Not Reviewed
0395320010	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 10 Circuits	Compliant	Not Relevant
0395320017	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 17 Circuits	Compliant	Not Reviewed
0050841015	2.13mm Diameter MLX Power Crimp Housing Plug, Nylon 6/6, 94V-0, 1 Circuit, Natural	Compliant	Not Relevant
0634452672	Conductor Anvil	Compliant	Not Reviewed
0011185408	Insulation Anvil	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0011185413	Conductor Punch	Compliant	Not Reviewed
0634452068	Conductor Anvil	Compliant	Not Reviewed
0011184685	Conductor Anvil	Compliant	Not Reviewed
0011404002	Conductor Punch	Compliant	Not Reviewed
0194350612	MX150L 6 Circuit Rear Mount Flange Plug for 18-22 AWG Wire, with Gasket, Black	Compliant	Not Reviewed
0011184050	Conductor Punch	Compliant	Not Reviewed
0011184788	Barrel Form Anvil	Compliant	Not Reviewed
0366380006	2.50mm, 3.50mm CMC Header, Right-Angle, 48 Position, 36 loaded, 1 Port, Black, Peg, Lead-Free	Compliant	Not Relevant
0395430007	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 7 Circuits	Compliant	Not Reviewed
0395430012	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 12 Circuits	Compliant	Not Reviewed
0395430019	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 19 Circuits	Compliant	Not Reviewed
0395360007	5.08mm Pitch Eurostyle Horizontal PCB Header, with Threaded Retention Inserts, 7 Circuits	Compliant	Not Reviewed
0011241020	Combination Anvil	Compliant	Not Reviewed
0191600039	Twist Lock Splice for 14-22 AWG Wire, Grey	Compliant	Not Reviewed
0011184872	Conductor Anvil	Compliant	Not Reviewed
0395320016	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 16 Circuits	Compliant	Not Reviewed
0395320021	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 21 Circuits	Compliant	Not Reviewed
0022284086	KK 254 Breakaway Header, Vertical, 8 Circuits, 0.76µm Gold (Au) Selective Plating, Mating Pin Length 6.09mm	Compliant	Not Relevant
0050579023	SL Crimp Housing, Single Row, Version A, Non-polarized, 23 Circuits, Black	Compliant	Not Relevant
0011184220	Conductor Punch	Compliant	Not Reviewed
0011185419	Insulation Punch	Compliant	Not Reviewed
0011184987	Conductor Anvil	Compliant	Not Reviewed
0011184684	Conductor Punch	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0194350611	MX150L 4 Circuit Female Receptacle for 8 AWG Wire, Black	Compliant	Not Reviewed
0011184787	Conductor Punch	Compliant	Not Reviewed
0395430018	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 18 Circuits	Compliant	Not Reviewed
0395430023	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 23 Circuits	Compliant	Not Reviewed
0395360006	5.08mm Pitch Eurostyle Horizontal PCB Header, with Threaded Retention Inserts, 6 Circuits	Compliant	Not Reviewed
0014562054	2.54mm Pitch SL Insulation Displacement Connector Assembly, Female, Single Row, Version G, Positive Lock, Wire Size 26 AWG, 0.38µm Gold (Au), 5 Circuits	Compliant	Not Relevant
0395320015	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 15 Circuits	Compliant	Not Reviewed
0395320020	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 20 Circuits	Compliant	Not Reviewed
0398900308	5.00mm Pitch Beau Eurostyle Low Profile, Single Level Modular Terminal Block, 8 Circuits	Compliant with Exemption 6(c)	Not Relevant
0634452162	Conductor Anvil	Compliant	Not Reviewed
0011184122	Anvil	Compliant	Not Reviewed
0634454037	Insulation Anvil	Compliant	Not Reviewed
0395430010	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 10 Circuits	Compliant	Not Reviewed
0395430017	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 17 Circuits	Compliant	Not Reviewed
0011185331	Insulation Anvil	Compliant	Not Reviewed
0011185246	Insulation Punch	Compliant	Not Reviewed
0395320002	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 2 Circuits	Compliant	Not Reviewed
0010897301	2.54mm Pitch C-Grid Breakaway Header, Dual Row, Vertical, High Temperature, 30 Circuits, Tin (Sn) Plating, 2.72mm PC Tail Length	Compliant	Not Relevant
0395320009	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 9 Circuits	Compliant	Not Reviewed
0395320014	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 14 Circuits	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0011184295	Combination Anvil	Compliant	Not Reviewed
0191600039	Twist Lock Splice for 14-22 AWG Wire, Grey	Compliant	Not Reviewed
0011184997	Conductor Anvil	Compliant	Not Reviewed
0011184049	Anvil	Compliant	Not Reviewed
0011184078	Anvil	Compliant	Not Reviewed
0011184465	Combination Anvil	Compliant	Not Reviewed
0011184121	Insulation Punch	Compliant	Not Reviewed
0395430016	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 16 Circuits	Compliant	Not Reviewed
0395430021	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 21 Circuits	Compliant	Not Reviewed
0395360004	5.08mm Pitch Eurostyle Horizontal PCB Header, with Threaded Retention Inserts, 4 Circuits	Compliant	Not Reviewed
0395320008	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 8 Circuits	Compliant	Not Reviewed
0395320013	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 13 Circuits	Compliant	Not Reviewed
0011184212	Insulation Anvil	Compliant	Not Reviewed
0011172140	Punch Spacer	Compliant	Not Reviewed
0011185074	Conductor Anvil	Compliant	Not Reviewed
0634454814	Anvil	Compliant	Not Reviewed
0634620003	Insulation Anvil	Compliant	Not Reviewed
0638910080	Anvil	Compliant	Not Reviewed
0634454838	Insulation Anvil	Compliant	Not Reviewed
0634550039	Conductor Anvil	Compliant	Not Reviewed
0755615000	EXTreme PowerMass 0.13mm Pitch, 80A per module, Right-Angle Plug, Tail Length 3.07mm, without Pegs	Compliant	Not Relevant
0634441207	Conductor Punch	Compliant	Not Reviewed
0634450906	Anvil	Compliant	Not Reviewed
0634453440	Insulation Anvil	Compliant	Not Reviewed
0634451414	Anvil	Compliant	Not Reviewed
0634454048	Anvil	Compliant	Not Reviewed
0634453631	Conductor Anvil	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0714392864	1.00mm Mezz (IEEE 1386) Receptacle, Surface Mount, Dual Row, Vertical Stacking, Embossed Tape on Reel, 0.76µm Gold (Au), 64 Circuits Pick and Place Cap	Compliant	Not Relevant
0634560041	Insulation Anvil	Compliant	Not Reviewed
0634460805	Punch	Compliant	Not Reviewed
0732980010		Compliant with Exemption 6(c)	Not Reviewed
0634450806	Anvil	Compliant	Not Reviewed
0734040001	50 Ohms, SMB Jack, Receptacle, Recessed Bulkhead Mount	Compliant with Exemption 6(c)	Not Relevant
0634451906	Anvil	Compliant	Not Reviewed
0634540031	Insulation Punch	Compliant	Not Reviewed
0714253001	0.80mm Pitch Ultra+ VHDCI Plug Kit, IDT	Compliant	Not Reviewed
0634640004	Conductor Anvil	Compliant	Not Reviewed
0634454058	Anvil	Compliant	Not Reviewed
0634690004	Cut-off Punch	Compliant	Not Reviewed
0634452610	Anvil	Compliant	Not Reviewed
0634640016	Conductor Anvil	Compliant	Not Reviewed
0638210004	Insulation Anvil	Compliant	Not Reviewed
0634451615	Anvil	Compliant	Not Reviewed
0634441007	Conductor Punch	Compliant	Not Reviewed
0634451128	Anvil	Compliant	Not Reviewed
0634660912	Anvil Mount	Compliant	Not Reviewed
0634560046	Insulation Anvil	Compliant	Not Reviewed
0638304001	Conductor Punch	Compliant	Not Reviewed
0634450718	Combination Anvil	Compliant	Not Reviewed
0634451324	Conductor Anvil	Compliant	Not Reviewed
0634452343	Anvil	Compliant	Not Reviewed
0634454502	Anvil	Compliant	Not Reviewed
0634451405	Insulation Anvil	Compliant	Not Reviewed
0634440805	Punch	Compliant	Not Reviewed
0634650008	Conductor Punch	Compliant	Not Reviewed
0634451446	Anvil	Compliant	Not Reviewed
0638210002	Conductor Anvil	Compliant	Not Reviewed
0634451613	Anvil	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0731750000	75 Ohms, Triax Jack, Bulkhead 3 Lug with Solder Pot, Gold	Compliant with Exemption 6(c)	Not Reviewed
0634462810	Punch	Compliant	Not Reviewed
0634462817	Punch	Compliant	Not Reviewed
0634560039	Insulation Anvil	Compliant	Not Reviewed
0634453216	Anvil	Compliant	Not Reviewed
0634560044	Insulation Anvil	Compliant	Not Reviewed