

Product Compliance Statement

November 11, 2018

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, and PBDE, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU RoHS Phthalates Content.** EU RoHS Phthalates: DEHP, BBP, DBP, and DIBP, are declared if above 0.1% of the homogeneous materials of parts per amendment EU 2015/863 to the EU RoHS Directive (2011/65/EU). Restriction date on the use of these phthalates is July 22nd 2019.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit www.molex.com



Haim Eliyahu
Manager, Global Product Compliance

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0015830516	SEMCONN Shld Plg Assy Kit N/ KeyVer 16Ckt	Compliant	Not Reviewed
0877972003	C-Grid Header, Through Hole, Dual Row Dual Body, Vertical, 2.50µm Tin (Sn) Plating, 26.60mm Stacking Height, Tray Packaging, 20 Circuits, Lead-Free	Compliant	Not Reviewed
0934441208	ML-XT Sealed 2 Circuit Receptacle Housing, Pre-Assembled with Large Rear Seal and Cover, Orange	Compliant	Not Reviewed
0638912000	Mini-Mac Applicator	Compliant	Not Reviewed
0638830300	Mini-Mac Applicator	Compliant	Not Reviewed
0638025100	Mini-Mac Applicator Rear Feed	Compliant	Not Reviewed
0639023300	FineAdjust Applicator for Mega-Fit Female Terminals	Compliant	Not Reviewed
0621000400	IDT Manual Handtool	Compliant	Not Reviewed
0639019600	FineAdjust Applicator for 2.00mm Pitch Female Crimp Terminal	Compliant	Not Reviewed
0934451205	ML-XT Sealed 2 Circuit Plug Housing, Pre-Assembled with Large Rear Seal and Cover, Yellow	Compliant	Not Reviewed
0192030389	Krimptite Ring Tongue Terminal for 10 to 12 AWG Wire, Stud Size 10 (M5)	Compliant	Not Reviewed
0622035250	EMI Cage T-Connector Insertion Tool	Compliant	Not Reviewed
0622031200	10GB FRU Coplanar Extraction Tool	Compliant	Not Reviewed
0622030710	zCD Connector Assembly Installation Extractor Tool	Compliant	Not Reviewed
0622030623	Strip Slug Pulling Tool for 1/0 AWG Cable	Compliant	Not Reviewed
0622030495	Impact Backplane Press-In Tool	Compliant	Not Reviewed
0622030302	Press-In Tool for ESP50, 20 Circuit	Compliant	Not Reviewed
0622029884	SFP, SFP+, and zSFP+ Multi-Part Connector Insertion Tool	Compliant	Not Reviewed
0622025350	zQSFP Multi-Port Connector Removal Tooling	Compliant	Not Reviewed
0622025340	zQSFP Multi-Port Connector Tooling	Compliant	Not Reviewed
0622025310	2-by-2 zQSFP+ Insertion Tool	Compliant	Not Reviewed
0622018961	Impel Daughtercard Module Installation Press-In Tool	Compliant	Not Reviewed
0622018885	Ten60Power Right-Angle Press-In Tool	Compliant	Not Reviewed
0622018840	Impact Daughtercard Press-In Tool	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0621009790	Impel Daughtercard Removal Tool	Compliant	Not Reviewed
0621009760	Impel Daughtercard Module Removal Tool	Compliant	Not Reviewed
0621002180	Removal Tool for Impact Mezzanine 85 Ohm Vertical Wafer	Compliant	Not Reviewed
0395387506	5.08mm Pitch Eurostyle Vertical Dual Level PCB Header, Open Ends, Green Housing, Gold (Au) Plated, 6 Circuits	Compliant	Not Reviewed
1064152107	iPASS+ HD-to-iPASS+ HD AOC Assembly, Multimode, 50/125µm, 3.00mm CableDiameter, 7.0m Cable Length	Compliant with Exemption 7(c)-I	Not Reviewed
1300060052	Mini-Change A-Size Single-Ended Cordset, 5 Poles, Female (Straight) to Pigtail, 16 AWG, TPE Cable, 10.0m (32.81') Length	Compliant with Exemption 6(c)	Not Reviewed
0545482433	0.50mm Pitch Easy-On FFC/FPC Connector, 1.20mm Height, Right-Angle, Surface Mount, ZIF, Bottom Contact Style, 24 Circuits	Compliant	Not Relevant
0988532961	SQUIB Right-Angle AK-2 Cable Assembly, Code 1, 1.0m Length	Compliant	Not Reviewed
0701075038	SL Wire-to-Wire Panel Mount Crimp Housing, Single Row, Panel Mount Plug with TPA Feature, 4 Circuits, Black	Compliant	Not Relevant
0701075039	SL Wire-to-Wire Panel Mount Crimp Housing, Single Row, Panel Mount Plug with TPA Feature, 5 Circuits, Black	Compliant	Not Relevant
1300540024		Compliant with Exemption 6(c)	Not Reviewed
0015830516	SEMCONN Shld Plg Assy Kit N/ KeyVer 16Ckt	Compliant	Not Reviewed
0430450283	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 2 Circuits, with PCB Polarizing Peg, Matte Tin, Glow-Wire Capable, Black	Compliant	Not Relevant
0436500824	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Single Row, 8 Circuits, with Solder Tab, Tin, Glow-Wire Capable, Black	Compliant	Not Relevant
0639004500	FineAdjust Applicator for Insulation OD 1.30-1.85mm, 20-24 AWG Wire	Compliant	Not Reviewed
0191540049	InsulKrimp Butt Splice for 2 AWG Wire	Compliant	Not Reviewed
0192150046	VersaKrimp Butt Splice for 2 AWG Wire	Compliant	Not Reviewed
0466300004		Compliant with Exemption	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0192670123	Thin-Wall multi Purpose Heat Shrink Tubing, 3.18mm Inside Diameter (As Supplied), Black, 304.80m Length	Compliant	Not Reviewed
0395005007	3.50mm Pitch Eurostyle Horizontal Plug, Green Housing, 7 Circuits	Compliant	Not Reviewed
0395005009	3.50mm Pitch Eurostyle Horizontal Plug, Green Housing, 9 Circuits	Compliant	Not Reviewed
0366380006	2.50mm, 3.50mm CMC Header, Right-Angle, 48 Position, 36 loaded, 1 Port, Black, Peg, Lead-Free	Compliant	Not Relevant
0849000001		Compliant	Not Reviewed
1510351023	GuardianII RA Plug w/screw mt .76Au 3ckt	Compliant	Not Relevant
0349851601	MX150 Hybrid Sealed Female Connector Assembly, Dual Row, 16 Circuits, Keying Option A, without Connector Position Assurance, Black	Compliant	Not Relevant
0397000602	5.08mm Pitch, Eurostyle Fixed-Mount Push-Button Terminal Block, 45° Standard, 8A, 22-16 AWG, Green, 2 Circuits	Compliant	Not Relevant
0917160050	3CKT 2.5 APPLI-M OP/EW WO/POL CUSTOM EW	Compliant	Not Relevant
0847290007	Sealed Industrial USB 2.0 Type A Plug-to-USB 2.0 Type A Receptacle, 28 AWG, 3.0M Length	Compliant	Not Reviewed
0309681126		Compliant	Not Reviewed
0395100014	3.81mm Pitch Eurostyle Horizontal Plug, 14 Circuits	Compliant	Not Reviewed
0395100010	3.81mm Pitch Eurostyle Horizontal Plug, 10 Circuits	Compliant with Exemption 6(c)	Not Relevant
0395100213	3.81mm Pitch Eurostyle Horizontal Plug, with Reverse Imprinting, 13 Circuits	Compliant	Not Reviewed
0387590309		Compliant	Not Relevant
1060043595	Bezel Adapter, Simplex, Metalized Body, Push Tab, Shutter, SC Metalized Adapter Loaded, Zirconia (Zn) Alignment Sleeve, Snap Mount Style	Compliant	Not Reviewed
1200071343	MMC-4P-3W-F/MM-ST/ST-0.3M-PVC	Compliant with Exemption 6(c)	Not Reviewed
0545482433	0.50mm Pitch Easy-On FFC/FPC Connector, 1.20mm Height, Right-Angle, Surface Mount, ZIF, Bottom Contact Style, 24 Circuits	Compliant	Not Relevant

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
1060043584	Bezel Adapter, Simplex, Metalized Body, Push Tab, Logo, Shutter, SC Metalized Adapter Loaded, Phosphor Bronze (CuSn) Alignment Sleeve, Snap Mount Style	Compliant	Not Reviewed
1060043594	Bezel Adapter, Simplex, Metalized Body, Push Tab, Shutter, SC Metalized Adapter Loaded, Phosphor Bronze (CuSn) Alignment Sleeve, Snap Mount Style	Compliant	Not Reviewed
1200650814	MIC 4P FP DC 5M 90D #22 GRAY	Compliant with Exemption 6(c)	Not Reviewed
0190010009	Avikrimp Quick Disconnect, Male, for 14-16 (2.00-1.30mm ²), Mylar Tape, Tab 4.75 x 0.51mm	Compliant	Not Reviewed
0190010008	Avikrimp Quick Disconnect, Male, for 14-16 (2.00-1.30mm ²), Box, Tab 4.75 x 0.51mm	Compliant	Not Reviewed
1300480015	M12 TO RJ45 ENET 10M CORDSET	Compliant with Exemption 6(c)	Not Reviewed
1300480205	M12 TO RJ45 ENET 1M CORDSET	Compliant with Exemption 6(c)	Not Reviewed
1300280271		Compliant with Exemption 6(c),7(c)-1,7(a)	Not Reviewed
0849000005		Compliant	Not Reviewed
0834249057	Commercial Micro-D, CMD-to-CMD, 25 Circuits, Female - Female, 0.46m Length	Compliant	Not Reviewed
1725642002		Compliant	Not Reviewed
0847000005		Compliant	Not Reviewed
0395320022	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 22 Circuits	Compliant	Not Reviewed
0395320016	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 16 Circuits	Compliant	Not Reviewed
0150200553	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 50 Circuits, 0.254m Cable Length, Gold (Au) Plating	Compliant	Not Reviewed
0194350812	MX150L 8 Circuit Rear Mount Flange Plug for 18-22 AWG Wire, with Gasket, Black	Compliant	Not Reviewed
0194270103	5.84mm Pitch MX150L Right-Angle PCB Header, Dual Row, without PCB Flange, Gold (Au) Plated, 12 Circuits	Compliant	Not Reviewed
0982661041	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 33 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0982660112	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 10 Circuits, 0.229m Cable Length, Tin(Sn) Plating	Compliant	Not Relevant
0745460403	iPass PCIe x4 Cable Assembly, 28 AWG, 3.0m Length	Compliant	Not Relevant
0834249059	Commercial Micro-D, CMD-to-CMD, 25 Circuits, Female - Female, 1.83m Length	Compliant	Not Reviewed
0395056516	3.50mm Pitch Eurostyle Vertical PCB Header, with Threaded Retention Inserts, Green Housing, Gold (Au) Plated, 16 Circuits	Compliant	Not Reviewed
0150200318	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 30 Circuits, 0.051m Cable Length, Gold (Au) Plating	Compliant	Not Reviewed
0982661011	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 31 Circuits, 0.051m Cable Length, Tin(Sn) Plating	Compliant	Not Reviewed
0151670708	1.00mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 4 Circuits, 0.127m Cable Length, Tin (Sn) Plating	Compliant	Not Relevant
0150200321	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 30 Circuits, 0.102m Cable Length, Gold (Au) Plating	Compliant	Not Reviewed
0395321010	5.08mm Pitch Eurostyle Horizontal PCB Header, 10 Circuits	Compliant	Not Reviewed
0395320010	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 10 Circuits	Compliant	Not Relevant
0194270102	5.84mm Pitch MX150L Right-Angle PCB Header, Dual Row, without PCB Flange, Gold (Au) Plated, 16 Circuits	Compliant	Not Reviewed
0982661033	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 33 Circuits, 0.051m Cable Length, Tin(Sn) Plating	Compliant	Not Reviewed
0395320009	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 9 Circuits	Compliant	Not Reviewed
0395320005	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 5 Circuits	Compliant	Not Reviewed
0395320021	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 21 Circuits	Compliant	Not Reviewed
0395310004	5.08mm Pitch Eurostyle Vertical PCB Header, Open Ends, 4 Circuits	Compliant	Not Reviewed
0194190011	MX150L 6 Circuit Plug for 14-16 AWG Wire	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0395320019	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 19 Circuits	Compliant	Not Reviewed
0395320018	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 18 Circuits	Compliant	Not Reviewed
0194270109	5.84mm Pitch MX150L Right-Angle PCB Header, Single Row, without PCB Flange, Gold (Au) Plated, 2 Circuits	Compliant	Not Reviewed
0151660205	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 20 Circuits, 0.03m Cable Length, Tin (Sn) Plating	Compliant	Not Relevant
0194280028	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Low Profile, Gold (Au) Plated, 6 Circuits	Compliant	Not Reviewed
0395311510	5.08mm Pitch Eurostyle Vertical PCB Header, Gold (Au) Plated, 10 Circuits	Compliant	Not Reviewed
0395320008	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 8 Circuits	Compliant	Not Reviewed
0395310005	5.08mm Pitch Eurostyle Vertical PCB Header, Open Ends, 5 Circuits	Compliant	Not Reviewed
0395320020	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 20 Circuits	Compliant	Not Reviewed
0150200429	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 40 Circuits, 0.076m Cable Length, Gold (Au) Plating	Compliant	Not Reviewed
0150200329	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 30 Circuits, 0.203m Cable Length, Gold (Au) Plating	Compliant	Not Reviewed
0982661049	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 33 Circuits, 0.254m Cable Length, Tin(Sn) Plating	Compliant	Not Reviewed
0982660181	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 16 Circuits, 0.305m Cable Length, Tin(Sn) Plating	Compliant	Not Reviewed
0395340006	5.08mm Pitch Eurostyle Horizontal Plug, with Retention Screws, 6 Circuits	Compliant	Not Reviewed
0395320017	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 17 Circuits	Compliant	Not Reviewed
0982661034	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 33 Circuits, 0.076m Cable Length, Tin(Sn) Plating	Compliant	Not Reviewed
0194280025	5.84mm Pitch MX150L Vertical PCB Header, Single Row, Low Profile, Gold (Au) Plated, 2 Circuits	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0395320015	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 15 Circuits	Compliant	Not Reviewed
0395320011	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 11 Circuits	Compliant	Not Reviewed
0395320024	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 24 Circuits	Compliant	Not Reviewed
0194290030	MX150L 10 Circuit Panel Mount Plug for 14-22 AWG Wire, Through Hole Flange Assembly, without Gasket, Black	Compliant	Not Reviewed
0395320014	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 14 Circuits	Compliant	Not Reviewed
0395320023	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 23 Circuits	Compliant	Not Reviewed
0395320002	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 2 Circuits	Compliant	Not Reviewed
0395320013	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 13 Circuits	Compliant	Not Reviewed
0194290029	MX150L 8 Circuit Panel Mount Plug for 14-22 AWG Wire, Through Hole Flange Assembly, without Gasket, Black	Compliant	Not Reviewed
0194270040	5.84mm Pitch MX150L Right-Angle PCB Header, Single Row, without PCB Flange, 2 Circuits	Compliant	Not Reviewed
0395320007	5.08mm Pitch Eurostyle Horizontal PCB Header, Open Ends, 7 Circuits	Compliant	Not Reviewed
0395433102	5.00mm Pitch Eurostyle Horizontal Fixed Mount PCB Terminal Block, 2 Circuits	Compliant	Not Reviewed
0737720003		Compliant	Not Reviewed
0395430022	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 22 Circuits	Compliant	Not Reviewed
0395430018	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 18 Circuits	Compliant	Not Reviewed
0395430014	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 14 Circuits	Compliant	Not Reviewed
0395430016	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 16 Circuits	Compliant	Not Reviewed
0395072010	3.50mm Pitch Eurostyle Vertical Plug, with Retention Screws, Rear Wire Entry, 10 Circuits	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0395430021	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 21 Circuits	Compliant	Not Reviewed
0395033007	3.50mm Pitch Eurostyle Vertical Plug, Front Wire Entry, 7 Circuits	Compliant	Not Reviewed
0395430017	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 17 Circuits	Compliant	Not Reviewed
0395430023	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 23 Circuits	Compliant	Not Reviewed
0395430019	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 19 Circuits	Compliant	Not Reviewed
0395430010	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 10 Circuits	Compliant	Not Reviewed
0395430007	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 7 Circuits	Compliant	Not Reviewed
0395430012	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 12 Circuits	Compliant	Not Reviewed
0395430015	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 15 Circuits	Compliant	Not Reviewed
0395430020	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, with Screw Pressure Clamp, 20 Circuits	Compliant	Not Reviewed
0395116002	3.81mm Pitch Eurostyle Vertical PCB Header, Green Housing, 2 Circuits	Compliant	Not Reviewed
0395061010	3.50mm Pitch Eurostyle Horizontal PCB Header, with Threaded Retention Inserts, 10 Circuits	Compliant	Not Reviewed
1300470018	Micro-Change (M12) Threaded, Single Keyway, 4 Pole Male Ethernet Field-Attachable Connector	Compliant	Not Reviewed
0395430604	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, Low Profile, 4 Circuits	Compliant with Exemption 6(c)	Not Reviewed
0395430605	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, Low Profile, 5 Circuits	Compliant with Exemption 6(c)	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0395430608	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, Low Profile, 8 Circuits	Compliant with Exemption 6(c)	Not Reviewed
0395430603	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, Low Profile, 3 Circuits	Compliant	Not Reviewed
0395430606	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, Low Profile, 6 Circuits	Compliant with Exemption 6(c)	Not Reviewed
0395430609	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, Low Profile, 9 Circuits	Compliant with Exemption 6(c)	Not Reviewed
0395430607	5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, Low Profile, 7 Circuits	Compliant with Exemption 6(c)	Not Reviewed
1062835003	Quad Small Form-factor Pluggable Plus (QSFP+) Optical Breakout Cable Assembly, 4 TX, 4 RX; 8 Fiber MTP - 8 LC Multimode 50/125µm 3mm Round Cable Plenum, Standard Bandwidth(OM2), 5.0m (16.40') Length	Compliant	Not Relevant
1200860421	Nano-Change (M8) Single-Ended Cordset, 3 Poles, Female (90°) to Pigtail, with PNP LED Sensors, 24 AWG, PVC Cable, 2.0m (6.56') Length	Compliant with Exemption 7(c)-1,7(a),6(c)	Not Reviewed
1300390300	DeviceNet Trunk Receptacle, 5 Poles, 1/2" - 14 NPT, Male (Straight) to Leads, 2.0m (6.56') Length	Compliant with Exemption 6(c)*	Not Reviewed
0395105005	3.81mm Pitch Eurostyle Horizontal Plug, Green Housing, 5 Circuits	Compliant	Not Reviewed
1301440036	Safeway Plug, 2 Pole/3 Wire, NEMA 5-15, 125V	Compliant	Not Reviewed
0398711405		Compliant	Not Reviewed
1301440014	Safeway Individually Fused Plug, 2 Pole/3 Wire, NEMA 5-15, 125V, Yellow	Compliant	Not Reviewed
1212030009	mPm DIN Valve Connector, Form B, External Thread, 2 Pole Plus Ground Terminal, 250V AC/DC, Transparent Nitrile Gasket, Bulk Pack, Mounted	Compliant with Exemption 6(c)	Not Relevant
1300390302	DeviceNet Trunk Receptacle, 5 Poles, 1/2" - 14 NPT, Male (Straight) to Leads, 4.0m (13.12') Length	Compliant with Exemption 6(c)*	Not Reviewed
1061130000	ST Adapter, Black Polymer Body, Polymer Alignment Sleeve, D-Hole Mount Style	Compliant	Not Reviewed
1060534500	FC Connector, Singlemode, 125µm Ceramic PC Ferrule, 900mm Buffered Fiber, Metal Coupling Nut, Yellow Boot	Compliant with Exemption 6(c)	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
1200868001	Nano-Change (M8) Single-Ended Cordset, 3 Poles, Female (Straight) to Pigtail, 0.25mm ² PUR/PVC Cable, 2.0m (6.56') Length, PUR Cable Preferred Version in Europe	Compliant with Exemption 6(c)	Not Reviewed
0442624636	9.14mm Pitch Crimp Terminal, Power Contact, Tin (Sn), All Over Nickel (Ni) with Select Gold, 10-12 AWG	Compliant	Not Relevant
0194290041	MX150L 2 Circuit Panel Mount Plug for 14-22 AWG Wire, Through Hole Flange Assembly, with Gasket, Black	Compliant	Not Reviewed
0395434303	5.00mm Pitch Eurostyle 45° Wire Entry Fixed Mount PCB Terminal Block, 3 Circuits	Compliant	Not Reviewed
0395434306	5.00mm Pitch Eurostyle 45° Wire Entry Fixed Mount PCB Terminal Block, 6 Circuits	Compliant	Not Reviewed
0395350006	5.08mm Pitch Eurostyle Vertical PCB Header, with Threaded Retention Inserts, 6 Circuits	Compliant	Not Reviewed
0395434302	5.00mm Pitch Eurostyle 45° Wire Entry Fixed Mount PCB Terminal Block, 2 Circuits	Compliant	Not Reviewed
0395443011	5.08mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, 11 Circuits	Compliant	Not Reviewed
0395434304	5.00mm Pitch Eurostyle 45° Wire Entry Fixed Mount PCB Terminal Block, 4 Circuits	Compliant	Not Reviewed
0395360022	5.08mm Pitch Eurostyle Horizontal PCB Header, with Threaded Retention Inserts, 22 Circuits	Compliant	Not Reviewed
0395350015	5.08mm Pitch Eurostyle Vertical PCB Header, with Threaded Retention Inserts, 15 Circuits	Compliant	Not Reviewed
1210400422	mPm DIN Valve Connector, Form C - Industrial, 2 Pole Plus Ground Position H6/H12, to 1.0m (3.28') PVC Cable Pigtail, Black Nitrile Gasket, 250V	Compliant	Not Reviewed
1301460031	Watertite Plug, 2 Pole/3 Wire, NEMA 5-15, 125V, Cord Grip Body Size F2	Compliant	Not Reviewed
0687850001	Mini DisplayPort (Plug)-to-DisplayPort (Plug) Cable Assembly, 1.0m, Lead-Free	Compliant	Not Reviewed
0834249062	Commercial Micro-D Cable Assembly, 25 CMD-to-25 Pin D-Subminiature (Female-to-Male), 1.83m Length	Compliant	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0761703420	Impact 100 Ohm 3 Pair Right-Angle Daughtercard Receptacle, Left Guided, 10 Columns, 90 Circuits, Plated Through Hole Dimension 0.39mm, Polarizing Key Position D, Lead-Free	Compliant	Not Relevant
0330013006	MX150 Female Terminal Sealed, Gold Plating, Grip Code M3, Preferred Terminal for use in Sealed Application with 0.35-0.50mm ² , Left Reel Payoff	Compliant	Not Relevant
0367831208	MX120G Sealed Header Connector Assembly, 12 Circuit, Color Mark Identification White	Compliant	Not Reviewed
0639119600	T2 Terminator for 2.00mm Pitch Female Crimp Terminal	Compliant	Not Reviewed
0639014200	FineAdjust Applicator for 1.50mm Female Crimp Terminal, 24-30 AWG Wire	Compliant	Not Reviewed
0639005200	FineAdjust Applicator for 2.00mm Pitch Wire-to-Board Crimp Terminals, 24-30 AWG Wire	Compliant	Not Reviewed
1201090003	Ultra-Lock (M12) to RJ-45 Industrial Ethernet Double-Ended Cordset, Female (Straight) to RJ-45 Male (Straight), 24 AWG, PVC Cable, 2.0m (6.56') Length	Compliant with Exemption 6(c)	Not Reviewed
0747200502	Small Form-Factor Pluggable (SFP) Loopback Adapter, 0 db Attenuation	Compliant	Not Reviewed
0347929080	Mini50 Unsealed Vertical Header, Single Row, 8 Circuit, Polarization Option A, Black, Tube	Compliant	Not Relevant
1200868055	Nano-Change (M8) Single-Ended Cordset, 4 Poles, Female (90°) to Pigtail, 0.25mm ² PUR LSOH Cable, 1.0m (3.28') Length	Compliant with Exemption 6(c)	Not Reviewed
1002121011	Imperium 2 Circuit, Single Ended Male-to-Pigtail Cable Assembly, 1.0m Cable Length	Compliant	Not Reviewed
1002121031	Imperium 2 Circuit, Single Ended Male-to-Pigtail Cable Assembly, 2.0m Cable Length	Compliant	Not Reviewed
1002121001	Imperium 2 Circuit, Single Ended Male-to-Pigtail Cable Assembly, 0.50m Cable Length	Compliant	Not Reviewed
0011404007	Insulation Punch	Compliant	Not Reviewed
1714669001	Imperium High Voltage Receptacle Kit 1/0 Cable Size, Key Option A	Compliant	Not Reviewed
0897621585	2.92mm Straight Plug-to-2.92mm Straight Plug, Temp-Flex 047SC-2901 Cable, Length 3048mm, 50 Ohms	Compliant with Exemption 6(c)	Not Relevant

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)
0734036282	50 Ohms, FAKRA SMB Jack, Straight, for RG-316 / RG-174 Cable, Keying Option C, Blue	Compliant with Exemption 6(c)	Not Relevant
0732513151	50 Ohms, SMA Straight Jack, Reverse Polarity Edge Mount for .062 PCB	Compliant with Exemption 6(c)	Not Relevant
0719790209	2.54mm Pitch C-Grid Receptacle, Surface Mount, Dual Row, Right-Angle, 18 Circuits	Compliant	Not Relevant
0857911020	PDJack Gigabit Single Port Magnetic Jack with Integrated POE+, Class 1	Compliant with Exemption 7(a),7(c)-I	Not Reviewed
0897621582	2.92mm Straight Plug-to-2.92mm Straight Plug, Temp-Flex 047SC-2901 Cable, Length 304.80mm, 50 Ohms	Compliant with Exemption 6(c)	Not Relevant
0897621581	2.92mm Straight Plug-to-2.92mm Straight Plug, Temp-Flex 047SC-2901 Cable, Length 228.6mm, 50 Ohms	Compliant with Exemption 6(c)	Not Relevant
0901361104	C-Grid III Header, Single Row, Vertical, Shrouded, 4 Circuits, 4µm Tin/Lead (Sn) over Nickel (Ni)	Compliant	Not Relevant
0857910020	PDJack Gigabit Single Port Magnetic Jack with Integrated POE+, Class 0	Compliant with Exemption 7(a),7(c)-I	Not Reviewed