

Product Compliance Statement

January 03, 2019

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, and PBDE, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU RoHS Phthalates Content.** EU RoHS Phthalates: DEHP, BBP, DBP, and DIBP, are declared if above 0.1% of the homogeneous materials of parts per amendment EU 2015/863 to the EU RoHS Directive (2011/65/EU). Restriction date on the use of these phthalates is July 22nd 2019.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit www.molex.com



Haim Eliyahu
Manager, Global Product Compliance

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0908581249	5.00mm Pitch Appli-Mate RAST 5 Header, Vertical, 3 Circuits, Silver Plating, Reference K01	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0908790003	5.00mm Pitch Appli-Mate RAST 5 Header, Right-Angle, Male, Natural, Unblocked Position Keys: 1a, 5b, Unblocked Coding Keys: 01c & d30, Latch Position 1/2 2/3, 5 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0908790502	5.00mm Pitch Appli-Mate RAST 5 Header, Right-Angle, Male, Natural, Unblocked Position Keys: 1b, 2a, Unblocked Coding Keys: 01c & D20, Latch Position 1/2, 2 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0908791254	5.00mm Pitch Appli-Mate RAST 5 Header, Right-Angle, Male, Natural, Unblocked Position Key: 1B, Unblocked Coding Keys: 01c & D20, Latch Position 1/2, 3 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0912360001	2.54mm Pitch SIM Card Holder with Ejector, 6 Circuits, Vertical Fascia	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0916270001	5.00mm Pitch Appli-Mate RAST Power IDT Housing, Direct/Indirect, Female, 2 Circuits, Glow-Wire Capable, Fully Coded, Open End Walls	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0916270010	5.00mm Pitch Appli-Mate RAST Power IDT Housing, Direct/Indirect, Female, 2 Circuits, Glow-Wire Capable, Removed Coding Keys A and C, End Wall Open	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0916270028	2 CCT RST PWR WLTC 1/2 1ST OPN LST CLSD	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0916271504	5.00mm Pitch Appli-Mate RAST Power IDT Housing, Direct/Indirect, Female, 3 Circuits, Glow-Wire Capable, Removed Coding Keys A, B and C, End Wall Open	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0916271508	3 CCT RAST PWR IDT CONN RIB 1&2 LTC 2&3	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0916273001	5.00mm Pitch Appli-Mate RAST Power IDT Housing, Direct/Indirect, Female, 5 Circuits, Glow-Wire Capable, Fully Coded, Open End Walls	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0918143108	2.54mm Pitch C-Grid III Dual Row Right-Angle Shrouded Header, 8 Circuits, Tin (Sn) over Nickel (Ni)	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0918143110	2.54mm Pitch C-Grid III Dual Row Right-Angle Shrouded Header, 10 Circuits, Tin (Sn) over Nickel (Ni)	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0918143120	2.54mm Pitch C-Grid III Dual Row Right-Angle Shrouded Header, 20 Circuits, Tin (Sn) over Nickel (Ni)	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0919991283	Appli-Mate RAST 5 Header, Vertical, 4 Circuits, Tin (Sn) Plating, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0919991284	Appli-Mate RAST 5 Header, Vertical, 4 Circuits, Tin (Sn) Plating, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0923151407	Picoflex PF-50 IDT-to-IDT, 14 Circuits, 0.07m Length	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0923152001	Picoflex PF-50 IDT-to-IDT, 20 Circuits, 1.0m Length	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0923152007	Picoflex PF-50 IDT-to-IDT, 20 Circuits, 0.07m Length	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0923162010	Picoflex PF-50 IDT-to-Board-in, 20 Circuits, 0.10m Length	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0930700002	Appli-Mate RAST 2.5 Header, Vertical, 3 Circuits, Tin (Sn) Plating, Glow-Wire Capable, Positioning Keys B & D	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0930700004	Appli-Mate RAST 2.5 Header, Vertical, 3 Circuits, Tin (Sn) Plating, Glow-Wire Capable, Positioning Key D	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0930700005	Appli-Mate RAST 2.5 Header, Vertical, 3 Circuits, Tin (Sn) Plating, Glow-Wire Capable, Positioning Key A	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0930700008	Appli-Mate RAST 2.5 Header, Vertical, 3 Circuits, Tin (Sn) Plating, Glow-Wire Capable, Positioning Keys A & D	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0930701006	Appli-Mate RAST 2.5 Header, Vertical, 5 Circuits, Tin (Sn) Plating, Glow-Wire Capable, Positioning Keys B, C, D & E	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0930704001	Appli-Mate RAST 2.5 Header, Vertical, 11 Circuits, Tin (Sn) Plating, Glow-Wire Capable, Positioning Keys None	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0934441106	ML-XT Sealed 2 Circuit Receptacle Housing, Pre-Assembled with Small Rear Seal and Cover, White	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0934441107	ML-XT Sealed 2 Circuit Receptacle Housing, Pre-Assembled with Small Rear Seal and Cover, Brown	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0934441108	ML-XT Sealed 2 Circuit Receptacle Housing, Pre-Assembled with Small Rear Seal and Cover, Orange	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0934441109	ML-XT Sealed 2 Circuit Receptacle Housing, Pre-Assembled with Small Rear Seal and Cover, Red	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0934447511	ML-XT Sealed 18 Circuit Receptacle Housing with Heatshrink, Pre-Assembled with Small Rear Seal and Cover, Keying Option A, Black	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
0934451106	ML-XT Sealed 2 Circuit Plug Housing, Pre-Assembled with Small Rear Seal and Cover, White	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0934451107	ML-XT Sealed 2 Circuit Plug Housing, Pre-Assembled with Small Rear Seal and Cover, Brown	Compliant	Not Contained	Not Contained Per -ED/01/2017 (12 January 2017)	Low-Halogen
0934451108	ML-XT Sealed 2 Circuit Plug Housing, Pre-Assembled with Small Rear Seal and Cover, Orange	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0934451109	ML-XT Sealed 2 Circuit Plug Housing, Pre-Assembled with Small Rear Seal and Cover, Red	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0934457511	ML-XT Sealed 18 Circuit Plug Housing with Heatshrink, Pre-Assembled with Small Rear Seal and Cover, Keying Option A, Black	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
0934628320	MXMag Fast Ethernet 4 Core Single-Port RJ45 Connector, 21.40mm Depth, 3.30mm Phy Pin Length, Right-Angle, Inverted Profile, with Shield Tabs, Non-LED, Industrial Temperature, Tray	Compliant with Exemption 7(c)-I	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0936378617	MXMag Gigabit 12 Core Single-Port RJ45 Connector, 21.40mm Depth, 3.30mm Phy Pin Length, Right-Angle, Inverted Profile, with Shield Tabs, with Green/Orange-Yellow LEDs, Industrial Temperature, with 2kV Shield Connection, Tray	Compliant with Exemption 7(c)-I	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0937320001	SRC Power Blind Cavity Plug, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0937535320	MXMag Fast Ethernet 4 Core Single-Port RJ45 Connector, 21.40mm Depth, 3.30mm Phy Pin Length, Right-Angle, Standard Profile, without Shield Tabs, Non-LED, Industrial Temperature, with Pick-and-Place Option, Tape and Reel	Compliant with Exemption 7(c)-I	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0937922414	SRC Housing, Male, Hybrid 38 Pin Mixed Power and Signal (24 x MX150 + 14 x MX150L), SPS/Nylon, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0937926006	SRC Housing, Male, Hybrid 66 Pin Mixed Power and Signal (60 x MX150 + 6 x MX150L), SPS/Nylon, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0937928400	SRC Housing, Male, 84 Pin Signal (84 x MX150), SPS/Nylon, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0945120201	Quick Disconnect, High Reliability Terminal (HRT), Female for (1.00-2.50mm ²) 10-18 AWG Wire, Accepts 6.30 x 0.81mm Tab	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0945504004	5.00mm Pitch, Rast 5, PA Polyamide (Nylon) 6/6, UL 94V-2, 4 Circuits, Natural, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0945504104	5.00mm Pitch, Rast 5, PA Polyamide (Nylon) 6/6, UL 94V-2, 2 Circuits, Natural, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0945529008	Housing B USCAR, Receptacle for MOX Terminal 0.64 mm, 8 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0950097887	Modular Jack, Right-Angle, Through Hole, 8/8	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0980140300		Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Relevant
0980180001		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0980290001	2.8mm Rcpt Hsg w seal 6Ckt	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0980290011		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0980300018	2.8mm Rcpt Hsg Nat w x-mas tree 6Ckt	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0980310001		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0981920001		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0982660062	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 6 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0982660080	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 8 Circuits, 0.102m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660084	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 8 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660099	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 10 Circuits, 0.076m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0982660103	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 10 Circuits, 0.127m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0982660104	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 10 Circuits, 0.127m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0982660107	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 10 Circuits, 0.178m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660117	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 12 Circuits, 0.03m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660121	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 12 Circuits, 0.076m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660129	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 12 Circuits, 0.178m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660161	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 16 Circuits, 0.03m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660164	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 16 Circuits 0.051m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per - ED/108/2014 (17 Dec 2014)	Not Low-Halogen
0982660165	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 16 Circuits, 0.076m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660167	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 16 Circuits, 0.102m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per - ED/108/2014 (17 Dec 2014)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0982660172	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 16 Circuits, 0.152m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660211	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 20 Circuits, 0.102m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660251	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 24 Circuits 0.051m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Reviewed
0982660254	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 24 Circuits, 0.076m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660255	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 24 Circuits, 0.102m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per - ED/108/2014 (17 Dec 2014)	Not Low-Halogen
0982660271	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 26 Circuits, 0.03m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0982660300	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 28 Circuits, 0.102m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0982660320	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 30 Circuits, 0.076m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982660321	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 30 Circuits, 0.102m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per - ED/108/2014 (17 Dec 2014)	Not Low-Halogen
0982660349	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 32 Circuits, 0.178m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0982660428	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 40 Circuits 0.051m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per - ED/108/2014 (17 Dec 2014)	Not Low-Halogen
0982660437	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 40 Circuits, 0.178m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0982661030	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 33 Circuits, 0.03m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0982661042	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 33 Circuits, 0.178m Cable Length, Tin(Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/39/2015 (15 June 2015)	Not Low-Halogen
0982851000		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0982852000		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0982921000		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0983150001	Sicma Adapter Rcpt Blk 12/15/18Ckt	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0983150010	Sicma Adapter Rcpt Nat 12/15/18Ckt	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0985870014	HDX Crimp Terminal, Female, 0.635mm , AWG 20-24 (0.22-0.60mm ²), Tin (Sn)	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0986271001	HDX Crp Mod Blk 1-15 15Ckt	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0986271002	HDX Crp Mod Nat 16-30 15Ckt	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0986491003	CMC Wire Cap for 32 Circuits CMC Receptacle	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0986581211	MOX Crimp Terminal, Female, 0.635mm, 20-24 AWG (0.22-0.60mm ²), Reel, Tin (Sn)	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
0986581213	MOX Crimp Terminal, Female, 0.635mm, 20-24 AWG (0.22-0.50mm ²), Reel, Tin (Sn)	Compliant	Not Contained	Not Contained Per -ED/01/2017 (12 January 2017)	Low-Halogen
0986581221	MOX Crimp Terminal, Female, 0.635mm, 20-24 AWG (0.22-0.60mm ²), Reel, Selective Gold	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0986840002	MOST Receptacle Housing, for 0.635mm MOX Terminals, 12 Circuits, Key B, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0989971002	CMC Right-Angled Header, 0.64mm/1.50mm/2.80mm, 53 Circuit	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0009501113	3.96mm Pitch SPOX Crimp Housing, Female, with Friction Ramp and Void, 11 Circuits, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0010883041	2.54mm Pitch C-Grid Breakaway Header, High Profile, Dual Row, Right Angle, 4 Circuits, 6.10mm Mating Pin Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0010894266	2.54mm Pitch C-Grid Breakaway Header, High Profile, Dual Row, Right-Angle, 26 Circuits, 6.10mm Mating Pin Length, 0.76µm Gold (Au) Selective Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0014562021	2.54mm Pitch SL Insulation Displacement Connector Assembly, Female, Single Row, Version A, Non-polarized, Wire Size 24 AWG, 0.38µm Gold (Au), 2 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015045061	2.54mm SL Interim Clip, 6 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015045081	2.54mm SL Interim Clip, 8 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015045084	2.54mm SL Interim Clip, 8 Circuits, Polarized	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0015045101	2.54mm SL Interim Clip, 10 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015045121	2.54mm SL Interim Clip, 12 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015045124	2.54mm SL Interim Clip, 12 Circuits, Polarized	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0015045161	2.54mm SL Interim Clip, 16 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015045244	2.54mm SL Interim Clip, 24 Circuits, Polarized	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015045264	2.54mm SL Interim Clip, 26 Circuits, Polarized	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015045324	2.54mm SL Interim Clip, 32 Circuits, Polarized	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015045401	2.54mm SL Interim Clip, 40 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015045404	2.54mm SL Interim Clip, 40 Circuits, Polarized	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0015045421	2.54mm SL Interim Clip, 42 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015045424	2.54mm SL Interim Clip, 42 Circuits, Polarized	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015045504	2.54mm SL Interim Clip, 50 Circuits, Polarized	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015313066	6 CKT HEADER ASSEMBLY (HOLLOW PIN)	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0015453610	2.54mm Pitch C-Grid PCB Connector, Surface Mount, High Profile, Dual Row, Vertical, 10 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0015474067	SL Single Row, Female, Version G Receptacle, 6 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015910068	2.54mm Pitch C-Grid Header, Surface Mount, Dual Row, Vertical, 6 Circuits, 0.38µm Gold (Au) Selective Plating, with 8.13mm Mating Pin Length	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0015911168	CGrid SMT Hdr wSPeg 30 SAu 16Ckt Tube	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0015911502	2.54mm Pitch C-Grid Header, Surface Mount, Dual Row, Vertical, 50 Circuits, 0.38µm Gold (Au) Selective Plating, with 3.30mm PCB Locator Pegs	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0015913087	CGrid SMT Bkwy Hdr Tin 8Ckt TubewVC	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015913147	CGrid SMT Bkwy Hdr Tin 14Ckt TubewVC	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015913207	CGrid SMT Bkwy Hdr Tin 20Ckt TubewVC	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015913240	2.54mm Pitch C-Grid Header, Surface Mount, Dual Row, Vertical, 24 Circuits, 0.76µm Gold (Au) Selective Plating, without PCB Locator Pegs	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0015916207	CGrid SMT Hdr wSPeg 30 SAu 20Ckt TR	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0019092035	093 Pwr Conn Plug V-2 3Ckt	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0019092159	2.36mm Diameter Standard .093" Pin and Socket Plug Housing with Positive Latch, UL 94V-2, without Panel Mount, 15 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0019096069	093 Pwr Conn Pnl Mt Blk V-2 6Ckt	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0022012091	KK 254 Crimp Housing, 9 Circuits, Natural	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0022142064	KK 254 PC Board Connector, Bottom Entry, 2.54µm Tin (Sn), 6 Circuits	Compliant	Not Relevant	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0022153049	KK 100 Hdr FrLk Vert 04 Ckt Gold	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0022232040	KK 100 Hdr FrLk Vert 04 Ckt Tin	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0022236043	KK 100 Hdr FrLk Vert 04 Ckt Tin	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0022262101	KK 100 PCB Assy RtAn 10 Ckt Tin	Not Reviewed	Not Reviewed	Not Contained Per -ED/61/2018 (27 June 2018)	Not Reviewed
0022280190		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022280243	KK 254 Breakaway Header, Vertical, with Friction Lock, 24 Circuits, Tin (Sn) Plating. with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022281152	KK 254 Breakaway Header, Right-Angle with Friction Lock, 15 Circuits, 0.76µm Gold (Au) Selective Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284116		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284136	KK 254 Breakaway Header, Vertical, 13 Circuits, 0.76µm Gold (Au) Selective Plating, Mating Pin Length 6.09mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284152	KK 254 Breakaway Header, Vertical, 15 Circuits, Tin (Sn) Plating, Mating Pin Length 7.49mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284156		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284190		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0022284208		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284218		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284224		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284236		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284242	KK 254 Breakaway Header, Vertical, 24 Circuits, Tin (Sn) Plating, Mating Pin Length 7.49mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284244	KK 254 Breakaway Header, Vertical, 24 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 8.13mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284260		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284264		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284273		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284276		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284283	KK 254 Breakaway Header, Vertical, 28 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.09mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284286		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284293		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284300	KK 254 Breakaway Header, Vertical, 30 Circuits, Tin (Sn) Plating, Mating Pin Length 6.09mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284310		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284333		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0022284340		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284343		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022284353		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022285027	KK 254 Breakaway Header, Vertical, 2 Circuits, 0.76µm Gold (Au) Selective Plating, Mating Pin Length 8.13mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022285031	KK 254 Breakaway Header, Vertical, 3 Circuits, Tin (Sn) Plating, Mating Pin Length 8.13mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022285113	KK 254 Breakaway Header, Vertical, 11 Circuits, 0.38µm Gold (Au) Selective Plating, Mating Pin Length 6.09mm, with Kinked PC Tails	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022286230		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022288064	KK 254 Breakaway Header, Right-Angle Surface Mount Compatible, 6 Circuits, 0.76µm Gold (Au) Selective Plating, Mating Pin Length 6.20mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022568089	CGrid SL Hsg Opt M DR 8Ckt	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022568129	CGrid SL Hsg Opt M DR 12Ckt	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0022568189	CGrid SL Hsg Opt 18Ckt	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0026013158	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 12 Circuits, without Mounting Ears, Black, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0026013197	Mini-Fit Female Crimp Terminal, Matte Tin over Nickel, Phosphor Bronze, 18-24 AWG, Reel	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0026202102	KK 396 Wire-to-Board Header, Vertical Round Pin, 10 Circuits, Tin (Sn) Plating, with Mating Pin Length of 16.18mm (.637")	Compliant	Not Reviewed	Not Contained Per - ED/108/2014 (17 Dec 2014)	Low-Halogen
0026486024	KK 396 Header Assy FrLk Break 02 Ckt Tin	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0026486104	KK 396 Header Assy FrLk Break 10 Ckt Tin	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0026504051	KK 156 Header Assy FrLk Break 05 Ckt Tin	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0027624087	KK 156 Hdr FrLk Peg 08 Ckt Tin	Compliant	Not Relevant	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0039000380	KK 254 Crimp Terminal, 22-28 AWG, 0.35µm Gold (Au), Nickel (Ni) Under-Plate, Phosphor Bronze, Chain	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0039014063	Mini-Fit Jr. Plug Housing, Single Row, 6 Circuits, UL 94V-0, with Panel Mounting Ears, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0039024022	2CKT SPOX 575MM RECEIPT HSG 519902RE	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0039026025	LP2.5 CRIMP REC. HSG W/L YEL 5264-02YE	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0039039062	Mini-Fit Jr. Receptacle Housing, Dual Row, 6 Circuits, UL 94V-0, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0039306208	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 20 Circuits, with Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0039532074	1.25mm Pitch Easy-On FFC/FPC Connector, Through-Hole, Right-Angle, ZIF, Top Contact Style, 7 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0050291557		Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0050361743	2.36mm Diameter, .093" Pin and Socket Plug Housing with Positive Latch, 4 Circuits, without Mounting Ears, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0050361756	MiniFit Jr RA DR/Pegs 30Au V-0 2Ckt,Tray	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0050361867	Mini-Fit Jr. Header, Dual Row, Right-Angle, with Snap-in Plastic Peg PCB Lock, 24 Circuits, Nylon 6/6 94V-2, 2.54µm Matte Tin (Sn) Plating, Natural, Tray	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0050361877	KK 156 Header Assy FrLk Bkwy 16 ckt Tin	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0132990001	Thin-Film Battery, 3.0V Plus, Flexible, Disposable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0133310001	Thin-Film Battery, 1.5V Plus, Flexible, Disposable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0150200117	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 12 Circuits, 0.03m Cable Length, Gold (Au) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0150200213	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 20 Circuits, 0.127m Cable Length, Gold (Au) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0150200255	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 24 Circuits, 0.102m Cable Length, Gold (Au) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0150200318	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 30 Circuits, 0.051m Cable Length, Gold (Au) Plating	Compliant	Not Reviewed	Not Contained Per - ED/108/2014 (17 Dec 2014)	Not Low-Halogen
0150200321	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 30 Circuits, 0.102m Cable Length, Gold (Au) Plating	Compliant	Not Reviewed	Not Contained Per - ED/108/2014 (17 Dec 2014)	Not Low-Halogen
0150200429	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 40 Circuits, 0.076m Cable Length, Gold (Au) Plating	Compliant	Not Reviewed	Not Contained Per - ED/108/2014 (17 Dec 2014)	Not Low-Halogen
0150200553	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 50 Circuits, 0.254m Cable Length, Gold (Au) Plating	Compliant	Not Reviewed	Not Contained Per - ED/108/2014 (17 Dec 2014)	Not Reviewed
0150200840	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 15 Circuits, 0.127m Cable Length, Gold (Au) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen