

Product Compliance Statement

January 09, 2019

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, and PBDE, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU RoHS Phthalates Content.** EU RoHS Phthalates: DEHP, BBP, DBP, and DIBP, are declared if above 0.1% of the homogeneous materials of parts per amendment EU 2015/863 to the EU RoHS Directive (2011/65/EU). Restriction date on the use of these phthalates is July 22nd 2019.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit www.molex.com



Haim Eliyahu
Manager, Global Product Compliance

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1720430406	Super Sabre Right-Angle Header, 4 Circuit, Long Solder Tail with Board Lock, Complies with the UL1977 finger proof standards	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1720430501	Super Sabre Right-Angle Header, 5 Circuit, Short Solder Tail without Board Lock, Complies with the UL1977 finger proof standards	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1720430605	Super Sabre Right-Angle Header, 6 Circuit, Long Solder Tail without Board Lock, Complies with the UL1977 finger proof standards	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1721860009	EXTreme EnergetiC Modular Vertical Receptacle Assembly, 6 Power Circuits, with Press-Fit Tails	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1722582004	Ultra-Fit Receptacle Housing, 3.50mm Pitch, Dual Row, 4 Circuits, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1722641002	Ultra-Fit Terminal Position Assurance (TPA) Wire-to-Board Retainer, 3.50mm Pitch, 2 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1722641003	Ultra-Fit Terminal Position Assurance (TPA) Wire-to-Board Retainer, 3.50mm Pitch, 3 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1722641008	Ultra-Fit Terminal Position Assurance (TPA) Wire-to-Board Retainer, 3.50mm Pitch, 8 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1722642003	Ultra-Fit Terminal Position Assurance (TPA) Wire-to-Board Retainer, 3.50mm Pitch, 3 Circuits, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1722642004	Ultra-Fit Terminal Position Assurance (TPA) Wire-to-Board Retainer, 3.50mm Pitch, 4 Circuits, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1722642005	Ultra-Fit Terminal Position Assurance (TPA) Wire-to-Board Retainer, 3.50mm Pitch, 5 Circuits, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1722642007	Ultra-Fit Terminal Position Assurance (TPA) Wire-to-Board Retainer, 3.50mm Pitch, 7 Circuits, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1722642008	Ultra-Fit Terminal Position Assurance (TPA) Wire-to-Board Retainer, 3.50mm Pitch, 8 Circuits, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1722862203	Ultra-Fit Vertical Header, 3.50mm Pitch, Single Row, 3 Circuits, with Kinked Pins, 0.38µm Gold (Au) Plating, Natural, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1722862208	Ultra-Fit Vertical Header, 3.50mm Pitch, Single Row, 8 Circuits, with Kinked Pins, 0.38µm Gold (Au) Plating, Natural, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1722871104	Ultra-Fit Vertical Header, 3.50mm Pitch, Single Row, 4 Circuits, with Solder Clips, Tin (Sn), Glow-Wire Capable, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1722872202	Ultra-Fit Vertical Header, 3.50mm Pitch, Single Row, 2 Circuits, with Solder Clips, 0.38µm Gold (Au) Plating, Natural, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1722872203	Ultra-Fit Vertical Header, 3.50mm Pitch, Single Row, 3 Circuits, with Solder Clips, 0.38µm Gold (Au) Plating, Natural, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1722872204	Ultra-Fit Vertical Header, 3.50mm Pitch, Single Row, 4 Circuits, with Solder Clips, 0.38µm Gold (Au) Plating, Natural, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1722872205	Ultra-Fit Vertical Header, 3.50mm Pitch, Single Row, 5 Circuits, with Solder Clips, 0.38µm Gold (Au) Plating, Natural, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1722872206	Ultra-Fit Vertical Header, 3.50mm Pitch, Single Row, 6 Circuits, with Solder Clips, 0.38µm Gold (Au) Plating, Natural, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1722872207	Ultra-Fit Vertical Header, 3.50mm Pitch, Single Row, 7 Circuits, with Solder Clips, 0.38µm Gold (Au) Plating, Natural, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1722872208	Ultra-Fit Vertical Header, 3.50mm Pitch, Single Row, 8 Circuits, with Solder Clips, 0.38µm Gold (Au) Plating, Natural, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1722872302	Ultra-Fit Vertical Header, 3.50mm Pitch, Single Row, 2 Circuits, with Solder Clips, 0.76µm Gold (Au) Plating, Natural, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1723101102	Ultra-Fit Right-Angle Header, 3.50mm Pitch, Single Row, 2 Circuits, Tin (Sn) Plating, Black, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1723101103	Ultra-Fit Right-Angle Header, 3.50mm Pitch, Single Row, 3 Circuits, Tin (Sn) Plating, Black, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1723101106	Ultra-Fit Right-Angle Header, 3.50mm Pitch, Single Row, 6 Circuits, Tin (Sn) Plating, Black, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1723101203	Ultra-Fit Right-Angle Header, 3.50mm Pitch, Single Row, 3 Circuits, 0.38µm Gold (Au) Plating, Black, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1723101204	Ultra-Fit Right-Angle Header, 3.50mm Pitch, Single Row, 4 Circuits, 0.38µm Gold (Au) Plating, Black, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1723101206	Ultra-Fit Right-Angle Header, 3.50mm Pitch, Single Row, 6 Circuits, 0.38µm Gold (Au) Plating, Black, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1723101308	Ultra-Fit Right-Angle Header, 3.50mm Pitch, Single Row, 8 Circuits, 0.76µm Gold (Au) Plating, Black, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1723102303	Ultra-Fit Right-Angle Header, 3.50mm Pitch, Single Row, 3 Circuits, 0.76µm Gold (Au) Plating, Natural, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1723161104	Ultra-Fit Right-Angle Header, 3.50mm Pitch, Dual Row, 4 Circuits, Tin (Sn) Plating, Black, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1723161106	Ultra-Fit Right-Angle Header, 3.50mm Pitch, Dual Row, 6 Circuits, Tin (Sn) Plating, Black, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1723161110	Ultra-Fit Right-Angle Header, 3.50mm Pitch, Dual Row, 10 Circuits, Tin (Sn) Plating, Black, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1723161204	Ultra-Fit Right-Angle Header, 3.50mm Pitch, Dual Row, 4 Circuits, 0.38µm Gold (Au) Plating, Black, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1723161206	Ultra-Fit Right-Angle Header, 3.50mm Pitch, Dual Row, 6 Circuits, 0.38µm Gold (Au) Plating, Black, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1723161210	Ultra-Fit Right-Angle Header, 3.50mm Pitch, Dual Row, 10 Circuits, 0.38µm Gold (Au) Plating, Black, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1723161304	Ultra-Fit Right-Angle Header, 3.50mm Pitch, Dual Row, 4 Circuits, 0.76µm Gold (Au) Plating, Black, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1723161306	Ultra-Fit Right-Angle Header, 3.50mm Pitch, Dual Row, 6 Circuits, 0.76µm Gold (Au) Plating, Black, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1724470002	Mini-Fit Jr. Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 2 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1724470004	Mini-Fit Jr. Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 4 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1724470006	Mini-Fit Jr. Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 6 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1724470008	Mini-Fit Jr. Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 8 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1724470202	Mini-Fit Jr. Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 2 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1724470204	Mini-Fit Jr. Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 4 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1724520002	EXTreme Ten60Power Wire-to-Board Right-Angle Plug Assembly, 2 Power Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1724530612	EXTreme Ten60Power Wire-to-Board Right-Angle Plug Assembly, 3 Power Circuit, 12 Signal Circuits, 3 Power Circuit	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1724570005	EXTreme Ten60Power Panel-to-Board Right-Angle Plug Assembly with Guide Pins, 5 Power Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1724580212	EXTreme Ten60Power Panel-to-Board Right-Angle Plug Assembly with Guide Pins, 1 Power Circuit, 12 Signal Circuits, 1 Power Circuit	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1725014002	zSFP+ Stkd 2x4 Assy w/Improved Airflow	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1725016002	zSFP+ Stkd 2x6 Assy w/Improved Airflow	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1725090224	EXTreme Ten60Power Wire-to-Board Receptacle Housing, 4 Power Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1725110005	EXtreme Ten60Power Panel-to-Board Receptacle Housing, 5 Power Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1726470103	Mini-Fit Jr. Header, Single Row, Vertical, 3 Circuits, PA Polyamide Nylon 6/6, 94V-2, Bright Tin (Sn) over Nickel (Ni) Plating, Glow-Wire Capable	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1726610001	Dust Cover for 2-Circuit Imperium High Voltage Header Assembly	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1727080014	Mini-Fit TPA2 Receptacle Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 14 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727080016	Mini-Fit TPA2 Receptacle Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 16 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727080018	Mini-Fit TPA2 Receptacle Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 18 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727080020	Mini-Fit TPA2 Receptacle Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 20 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727080022	Mini-Fit TPA2 Receptacle Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 22 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727080024	Mini-Fit TPA2 Receptacle Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 24 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727080114	Mini-Fit TPA2 Receptacle Housing, 4.20mm Pitch, Dual Row, UL 94V-2 Glow-Wire Capable, 14 Circuit	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1727080116	Mini-Fit TPA2 Receptacle Housing, 4.20mm Pitch, Dual Row, UL 94V-2 Glow-Wire Capable, 16 Circuit	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1727080118	Mini-Fit TPA2 Receptacle Housing, 4.20mm Pitch, Dual Row, UL 94V-2 Glow-Wire Capable, 18 Circuit	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1727080120	Mini-Fit TPA2 Receptacle Housing, 4.20mm Pitch, Dual Row, UL 94V-2 Glow-Wire Capable, 20 Circuit	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1727080122	Mini-Fit TPA2 Receptacle Housing, 4.20mm Pitch, Dual Row, UL 94V-2 Glow-Wire Capable, 22 Circuit	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1727080124	Mini-Fit TPA2 Receptacle Housing, 4.20mm Pitch, Dual Row, UL 94V-2 Glow-Wire Capable, 24 Circuit	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1727090007	Mini-Fit TPA2, Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Low-Halogen, 7 Circuits, White	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1727090008	Mini-Fit TPA2, Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Low-Halogen, 8 Circuits, White	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727090010	Mini-Fit TPA2, Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Low-Halogen, 10 Circuits, White	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727090011	Mini-Fit TPA2, Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Low-Halogen, 11 Circuits, White	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727090012	Mini-Fit TPA2, Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Low-Halogen, 12 Circuits, White	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727090107	Mini-Fit TPA2, Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-2 Glow-Wire Capable, 7 Circuits, White	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1727090108	Mini-Fit TPA2, Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-2 Glow-Wire Capable, 8 Circuits, White	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1727090110	Mini-Fit TPA2, Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-2 Glow-Wire Capable, 10 Circuits, White	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1727090111	Mini-Fit TPA2, Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-2 Glow-Wire Capable, 11 Circuits, White	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1727183111	Mini-Fit TPA2 Female Crimp Terminal, Phosphor Bronze, Pre-Plated Tin (Sn), 18-20 AWG, 1.42-2.10mm Insulation Diameter, Reel	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727183112	Mini-Fit TPA2 Female Crimp Terminal, Phosphor Bronze, Pre-Plated Tin (Sn), 18-20 AWG, 1.42-2.10mm Insulation Diameter, Bag	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727183121	Mini-Fit TPA2 Female Crimp Terminal, Brass, Pre-Plated Tin (Sn), 18-20 AWG, 1.42-2.10mm Insulation Diameter, Reel	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727184121	Mini-Fit TPA2 Female Crimp Terminal, Brass, Pre-Plated Tin (Sn), 18-20 AWG, 2.10-2.85mm Insulation Diameter, Reel	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727301138	Impel Plus 92 Ohm 3 Pair Right-Angle Daughtercard, 1.90mm Pitch, Unguided, 8 Columns, 48 Circuits, Plated Through Hole Dimension 0.31mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1727620004	Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 4 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727620008	Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 8 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727620012	Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 12 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727670014	Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 14 Circuits, Panel Mount	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727670016	Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 16 Circuits, Panel Mount	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727670018	Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 18 Circuits, Panel Mount	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727670020	Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 20 Circuits, Panel Mount	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727670022	Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 22 Circuits, Panel Mount	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1727670024	Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 24 Circuits, Panel Mount	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1727670114	Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2 Glow-Wire Capable, 14 Circuits, Panel Mount	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1727670116	Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2 Glow-Wire Capable, 16 Circuits, Panel Mount	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1727670118	Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2 Glow-Wire Capable, 18 Circuits, Panel Mount	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1727670120	Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2 Glow-Wire Capable, 20 Circuits, Panel Mount	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1727670122	Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2 Glow-Wire Capable, 22 Circuits, Panel Mount	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1727670124	Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2 Glow-Wire Capable, 24 Circuits, Panel Mount	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1728700810	MPC Plug, Positive Latch, 8 Circuits, IP50	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1729521601	Micro-Fit TPA Receptacle Housing, Dual Row, 16 Circuits, UL 94V-0, Low-Halogen, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1729521801	Micro-Fit TPA Receptacle Housing, Dual Row, 18 Circuits, UL 94V-0, Low-Halogen, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1729522001	Micro-Fit TPA Receptacle Housing, Dual Row, 20 Circuits, UL 94V-0, Low-Halogen, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1729522201	Micro-Fit TPA Receptacle Housing, Dual Row, 22 Circuits, UL 94V-0, Low-Halogen, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1729522401	Micro-Fit TPA Receptacle Housing, Dual Row, 24 Circuits, UL 94V-0, Low-Halogen, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1729530401	Micro-Fit Terminal Position Assurance (TPA) Retainer, 4 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1729530601	Micro-Fit Terminal Position Assurance (TPA) Retainer, 6 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1729530801	Micro-Fit Terminal Position Assurance (TPA) Retainer, 8 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1729531001	Micro-Fit Terminal Position Assurance (TPA) Retainer, 10 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1729531201	Micro-Fit Terminal Position Assurance (TPA) Retainer, 12 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1729531601	Micro-Fit Terminal Position Assurance (TPA) Retainer, 16 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1729531801	Micro-Fit Terminal Position Assurance (TPA) Retainer, 18 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1729532001	Micro-Fit Terminal Position Assurance (TPA) Retainer, 20 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1729532201	Micro-Fit Terminal Position Assurance (TPA) Retainer, 22 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1729532401	Micro-Fit Terminal Position Assurance (TPA) Retainer, 24 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1730830005	KK 508 Header, Vertical, with Polarizing Backwall, Tin (Sn) Plating, Glow-Wire Capable, 5 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1731620131	Nano-Pitch I/O Receptacle, Right-Angle, Surface Mount, 80 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1731620334	Nano-Pitch I/O Receptacle, Straight, Through Hole, with Cap, 80 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1733050107	SpeedEdge Vertical Plug, 0.80mm Pitch, 1.40mm Height, 22 Circuits, UL94V-0, Black	Compliant	Not Relevant	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1733050115	SpeedEdge Vertical Plug, 0.80mm Pitch, 1.40mm Height, 60 Circuits, UL94V-0, Black	Compliant	Not Relevant	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1734601617	Impel Plus 92 Ohm, 3-Pair Orthogonal Direct Right-Angle Male, 2.35mm Pitch, Unguided, 6 Columns, 36 Circuits, Plated Through Hole Dimension 0.31mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1737080001	PowerPlane Low-Profile Bus Bar Receptacle Assembly, Right-Angle, Press Fit, 3.28mm Tail Length, Screw Mount, 3.00mm Bus Bar Thickness	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1737080004	PowerPlane Low-Profile Bus Bar Receptacle Assembly, Right-Angle, Through Hole, 2.84mm Tail Length, Screw Mount, 3.00mm Bus Bar Thickness	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1737080005	PowerPlane Low-Profile Bus Bar Receptacle Assembly, Right-Angle, Through Hole, 2.84mm Tail Length, Screw Mount, 3.18mm Bus Bar Thickness	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1737080006	PowerPlane Low-Profile Bus Bar Receptacle Assembly, Right-Angle, Through Hole, 2.84mm Tail Length, Screw Mount, 6.10mm Bus Bar Thickness	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1737080007	PowerPlane Low-Profile Bus Bar Receptacle Assembly, Right-Angle, Through Hole, 3.63mm Tail Length, Screw Mount, 3.00mm Bus Bar Thickness	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1737080008	PowerPlane Low-Profile Bus Bar Receptacle Assembly, Right-Angle, Through Hole, 3.63mm Tail Length, Screw Mount, 3.18mm Bus Bar Thickness	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1737080009	PowerPlane Low-Profile Bus Bar Receptacle Assembly, Right-Angle, Through Hole, 3.63mm Tail Length, Screw Mount, 6.10mm Bus Bar Thickness	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1805551041	SlimRay LED Array Holder for 20.00 by 24.00mm COB, Pre-Wired, 600.00mm Wire Length	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1805800001	LED Array Holder for 16.00 by 19.00mm COB, Rectangular Version, Gold (Au) Plating, Nylon, One-Piece Design, Natural	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1807200002	LED Array Holder for 23.85 by 23.85mm COB, Rectangular Version with integrated pre-hold tab, Gold (Au) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190010001	Avikrimp Quick Disconnect, Male, for 18-22 (0.80-0.35mm ²), Box, Tab 6.35 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190010002	Avikrimp Quick Disconnect, Male, for 18-22 (0.80-0.35mm ²), Mylar Tape, Tab 6.35 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
0190010006	Avikrimp Quick Disconnect, Male, for 14-16 (2.00-1.30mm ²), Box, Tab 6.35 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0190010007	Avikrimp Quick Disconnect, Male, for 14-16 (2.00-1.30mm ²), Mylar Tape, Tab 6.35 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
0190010010	Avikrimp Quick Disconnect, Male, for 10-12 (5.00-3.30mm ²), Box, Tab 6.35 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190010011	Avikrimp Quick Disconnect, Male, for 10-12 (5.00-3.30mm ²), Mylar Tape, Tab 6.35 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0190030010	InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²), Mylar Tape, Tab 6.35 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0190030011	InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²), Box, Tab 4.75 x 0.51mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190030021	InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²), Box, Tab 4.75 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190030058	InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²), Mylar Tape, Tab 4.75 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
0190030059	InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²), Box, Tab 4.75 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0190030075	InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²), Mylar Tape, Tab 5.21 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190030078	InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²), Mylar Tape, Tab 5.21 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190030133	InsulKrimp Quick Disconnect, Female, Mylar Tape, Tab 4.75 x 0.51mm	Compliant	Not Contained	Not Reviewed	Not Reviewed
0190050005	InsulKrimp Fully Insulated Coupler, Female, for 14-16 AWG Wire, Box	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190050009	InsulKrimp Fully Insulated Coupler, Female, for 14-16 AWG Wire, Mylar Tape	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190060001	Avikrimp Quick Disconnect, for 18-22 AWG Wire, Female Flag, Tab 6.35 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190060020	Avikrimp Quick Disconnect, for 10-12 AWG Wire, Female Flag, Tab 6.35 x 0.81mm, Tape	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190070004	Flag InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Mylar Tape, Tab 6.35 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0190070015	Flag InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 4.75 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190070036	Flag InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Mylar Tape, Tab 4.75 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190070073	InsulKrimp Female Fully Insulated Quick Disconnect Flag for 14-16 AWG Wire, Tab 6.35 x 0.81mm, 94 V-0 Material	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Not Low-Halogen
0190100032		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190100033	InsulKrimp Piggyback Quick Disconnect, Tab 6.35 x 0.81mm, 10-12 AWG, Yellow Insulator, Tape	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
0190110036	InsulKrimp Piggyback Quick Disconnect, Tab 6.35 x 0.81mm, 18-22 AWG, Red Insulator, Reel	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190120033		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190120034	Avikrimp Fully Insulated Piggyback Quick Disconnect, Tab 6.35 x 0.81mm, 10-12 AWG, Yellow Insulator, Tape	Compliant	Not Contained	Not Reviewed	Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0190160001	Krimptite Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 2.79 x 0.51mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190160069	Krimptite Quick Disconnect, Female, for 10-12 (5.00-3.30mm ²) Wire, Box, Tab 6.35 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/30/2017 (7 July 2017)	Low-Halogen
0190170003	InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Mylar Tape, Tab 5.21 x 0.51mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190170004	InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Mylar Tape, Tab 2.79 x 0.51mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190170005	InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 2.79 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190170006	InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Mylar Tape, Tab 2.79 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190170007	InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 4.75 x 0.51mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190170009	InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Mylar Tape, Tab 4.75 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190170012	InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Mylar Tape, Tab 4.75 x 0.51mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190170014	InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 6.35 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190170017	InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Mylar Tape, Tab 6.35 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190170018	InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 5.21 x 0.51mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190170023	InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 2.79 x 0.51mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190170026	InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Mylar Tape, Tab 2.79 x 0.51mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190170028	InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 2.79 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0190170029	InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Mylar Tape, Tab 2.79 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190170031	InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 4.75 x 0.51mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190170035	InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Mylar Tape, Tab 4.75 x 0.51mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190170037	InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 6.35 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190170041	InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Mylar Tape, Tab 6.35 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0190170043	InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 5.21 x 0.51mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190170046	InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Mylar Tape, Tab 5.21 x 0.51mm	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0190170050	InsulKrimp Quick Disconnect, Female, for 10-12 (5.00-3.30mm ²) Wire, Mylar Tape, Tab 6.35 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190170070		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190170072	InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Metal Strip, Tab 4.75 x 0.51mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190170074	InsulKrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Metal Strip, Tab 6.35 x 0.81mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190340002	InsulKrimp Snap Plug, for 18-22 AWG Wire, 24.13mm Length	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190340005	InsulKrimp Snap Plug, for 18-22 AWG Wire, 22.61mm Length	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0190340007	InsulKrimp Snap Plug, for 14-16 AWG Wire, 24.13mm Length	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0190340009	InsulKrimp Snap Plug, for 14-16 AWG Wire, 22.61mm Length	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0190340010		Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0190370002	Krimptite Snap Plug Receptacle, for 18-22 AWG Wire, Box, 16.26mm Length	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190370004	Krimptite Snap Plug Receptacle, for 14-16 AWG Wire, Box, 16.26mm Length	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190370006	Krimptite Snap Plug Receptacle, for 14-16 AWG Wire, Box, 17.80mm Length	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190370010		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190370011		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
0190430001	Double Male / Single Female Quick Disconnect Adapter, 6.35 x 0.81mm Tab Size, Non-Plated	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190430010	Three Way Connector, Dual Male, Single Female Quick Disconnect Adapter, 6.35 x 0.81mm Tab Size, Non-Plated	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190430020	Double Male / Single Female Quick Disconnect Adapter, 6.35 x 0.81mm Tab Size	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190440164	Krimptite Ring Tongue Terminal for 14-16 Heavy Duty AWG Wire	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190540071		Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Low-Halogen
0190570026	RING AVIKRIMP (A-532-04)	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190670003	NylaKrimp Funnel Entry Ring Tongue Terminal for 8 AWG Wire, Stud Size 8 (M4)	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0190670007	NylaKrimp Funnel Entry Ring Tongue Terminal for 8 AWG Wire, Stud Size 10 (M5)	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen