

Product Compliance Statement

January 09, 2019

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, and PBDE, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU RoHS Phthalates Content.** EU RoHS Phthalates: DEHP, BBP, DBP, and DIBP, are declared if above 0.1% of the homogeneous materials of parts per amendment EU 2015/863 to the EU RoHS Directive (2011/65/EU). Restriction date on the use of these phthalates is July 22nd 2019.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit www.molex.com



Haim Eliyahu
Manager, Global Product Compliance

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0015045244	2.54mm SL Interim Clip, 24 Circuits, Polarized	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015045264	2.54mm SL Interim Clip, 26 Circuits, Polarized	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015045324	2.54mm SL Interim Clip, 32 Circuits, Polarized	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015045401	2.54mm SL Interim Clip, 40 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015045404	2.54mm SL Interim Clip, 40 Circuits, Polarized	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015045421	2.54mm SL Interim Clip, 42 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015045424	2.54mm SL Interim Clip, 42 Circuits, Polarized	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015045504	2.54mm SL Interim Clip, 50 Circuits, Polarized	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1510020005	1.27mm Signal Pitch, 0.80mm Signal Pitch, 1.27mm Power Pitch SAS 12G Receptacle, Right-Angle, Surface Mount, with Forklock, 4.15mm Height, 3.50mm Peg Length, 1.60mm PCB Thickness, 29 Circuits, with Cap, Embossed Tape and Reel, Lead-Free	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1510132018	2.00mm Pitch Milli-Grid BMI Header, Vertical, Through Hole, Shrouded, 18 Circuits, 0.76µm Gold (Au) Plating, 2.60mm Tail Length, Tube Packaging, Lead-Free	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1510132020	2.00mm Pitch Milli-Grid BMI Header, Vertical, Through Hole, Shrouded, 20 Circuits, 0.76µm Gold (Au) Plating, 2.60mm Tail Length, Tube Packaging, Lead-Free	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1510132106	2.00mm Pitch Milli-Grid BMI Header, Vertical, Through Hole, Shrouded, 6 Circuits, 0.76µm Gold (Au) Plating, 4.00mm Tail Length, Tube Packaging, Lead-Free	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1510132506	2.00mm Pitch Milli-Grid BMI Header, Vertical, Through Hole, Shrouded, 6 Circuits, 0.76µm Gold (Au) Plating, 2.10mm Tail Length, Tube Packaging, Lead-Free	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1510133012	2.00mm Pitch Milli-Grid BMI Header, Vertical, Through Hole, Shrouded, 12 Circuits, 0.38µm Gold (Au) Plating, 2.60mm Tail Length, Tube Packaging, Lead-Free	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1510134406	2.00mm Pitch Milli-Grid BMI Header, Vertical, Through Hole, Shrouded, 6 Circuits, 0.05µm Gold (Au) Plating, 4.50mm Tail Length, Tube Packaging, Lead-Free	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1510760012	11.00mm Pitch EXTreme Guardian Receptacle TPA Clip, 2 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1510760013	11.00mm Pitch EXTreme Guardian Receptacle TPA Clip, 3 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1511200116	2.00mm Pitch Milli-Grid Header, Surface Mount, Dual Row, Right-Angle, 0.05µm Gold (Au) Plating, without Peg, without Pick and Place Tape, 16 Circuits, Low-Halogen, Tape and Reel	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Low-Halogen
1511920044	2.00mm Pitch Milli-Grid Receptacle Housing, Dual Row, 44 Circuits, Black, Low-Halogen	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0151310200	Pico-Lock-to-Pico-Lock Off-the-Shelf (OTS) Cable Assembly, 1.00mm Pitch, Single Row, 50.00mm Length, 2 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151310201	Pico-Lock-to-Pico-Lock Off-the-Shelf (OTS) Cable Assembly, 1.00mm Pitch, Single Row, 100.00mm Length, 2 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151310202	Pico-Lock-to-Pico-Lock Off-the-Shelf (OTS) Cable Assembly, 1.00mm Pitch, Single Row, 150.00mm Length, 2 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151310203	Pico-Lock-to-Pico-Lock Off-the-Shelf (OTS) Cable Assembly, 1.00mm Pitch, Single Row, 300.00mm Length, 2 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151310205	Pico-Lock-to-Pico-Lock Off-the-Shelf (OTS) Cable Assembly, 1.00mm Pitch, Single Row, 450.00mm Length, 2 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151310206	Pico-Lock-to-Pico-Lock Off-the-Shelf (OTS) Cable Assembly, 1.00mm Pitch, Single Row, 600.00mm Length, 2 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151320400	Pico-Lock-to-Pico-Lock Off-the-Shelf (OTS) Cable Assembly, 1.50mm Pitch, Single Row, 50.00mm Length, 4 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0151320401	Pico-Lock-to-Pico-Lock Off-the-Shelf (OTS) Cable Assembly, 1.50mm Pitch, Single Row, 100.00mm Length, 4 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151320402	Pico-Lock-to-Pico-Lock Off-the-Shelf (OTS) Cable Assembly, 1.50mm Pitch, Single Row, 150.00mm Length, 4 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151320403	Pico-Lock-to-Pico-Lock Off-the-Shelf (OTS) Cable Assembly, 1.50mm Pitch, Single Row, 300.00mm Length, 4 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151320405	Pico-Lock-to-Pico-Lock Off-the-Shelf (OTS) Cable Assembly, 1.50mm Pitch, Single Row, 450.00mm Length, 4 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151320406	Pico-Lock-to-Pico-Lock Off-the-Shelf (OTS) Cable Assembly, 1.50mm Pitch, Single Row, 600.00mm Length, 4 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151320800	Pico-Lock-to-Pico-Lock Off-the-Shelf (OTS) Cable Assembly, 1.50mm Pitch, Single Row, 50.00mm Length, 8 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151320801	Pico-Lock-to-Pico-Lock Off-the-Shelf (OTS) Cable Assembly, 1.50mm Pitch, Single Row, 100.00mm Length, 8 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151320802	Pico-Lock-to-Pico-Lock Off-the-Shelf (OTS) Cable Assembly, 1.50mm Pitch, Single Row, 150.00mm Length, 8 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151320803	Pico-Lock-to-Pico-Lock Off-the-Shelf (OTS) Cable Assembly, 1.50mm Pitch, Single Row, 300.00mm Length, 8 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151321200	Pico-Lock-to-Pico-Lock Off-the-Shelf (OTS) Cable Assembly, 1.50mm Pitch, Single Row, 50.00mm Length, 12 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151321202	Pico-Lock-to-Pico-Lock Off-the-Shelf (OTS) Cable Assembly, 1.50mm Pitch, Single Row, 150.00mm Length, 12 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151321203	Pico-Lock-to-Pico-Lock Off-the-Shelf (OTS) Cable Assembly, 1.50mm Pitch, Single Row, 300.00mm Length, 12 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151321205	Pico-Lock-to-Pico-Lock Off-the-Shelf (OTS) Cable Assembly, 1.50mm Pitch, Single Row, 450.00mm Length, 12 Circuits, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0151350800	CLIK-Mate-to-CLIK-Mate Off-the-Shelf (OTS) Cable Assembly, Single Row, 50.00mm Length, 8 Circuits, Beige	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151350801	CLIK-Mate-to-CLIK-Mate Off-the-Shelf (OTS) Cable Assembly, Single Row, 100.00mm Length, 8 Circuits, Beige	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151350802	CLIK-Mate-to-CLIK-Mate Off-the-Shelf (OTS) Cable Assembly, Single Row, 150.00mm Length, 8 Circuits, Beige	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151350803	CLIK-Mate-to-CLIK-Mate Off-the-Shelf (OTS) Cable Assembly, Single Row, 300.00mm Length, 8 Circuits, Beige	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151350806	CLIK-Mate-to-CLIK-Mate Off-the-Shelf (OTS) Cable Assembly, Single Row, 600.00mm Length, 8 Circuits, Beige	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660058	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 6 Circuits, 0.102m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660063	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 6 Circuits, 0.178m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660068	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 6 Circuits, 0.229m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660073	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 8 Circuits, 0.03m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660086	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 8 Circuits, 0.178m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660093	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 8 Circuits, 0.305m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660094	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 8 Circuits, 0.305m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660102	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 10 Circuits, 0.102m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0151660106	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 10 Circuits, 0.152m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660110	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 10 Circuits, 0.203m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660122	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 12 Circuits, 0.076m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660129	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 12 Circuits, 0.178m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660131	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 12 Circuits, 0.203m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660134	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 12 Circuits, 0.229m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660138	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 12 Circuits, 0.305m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660140	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 14 Circuits, 0.03m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660148	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 14 Circuits, 0.127m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660155	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 14 Circuits, 0.229m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660158	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 14 Circuits, 0.254m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660161	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 16 Circuits, 0.03m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660184	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 18 Circuits, 0.03m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0151660190	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 18 Circuits, 0.102m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660199	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 18 Circuits, 0.229m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660210	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 20 Circuits, 0.076m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660214	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 20 Circuits, 0.127m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660222	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 20 Circuits, 0.229m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660225	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 20 Circuits, 0.305m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660227	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 22 Circuits, 0.03m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660230	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 22 Circuits, 0.05m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660238	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 22 Circuits, 0.152m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660254	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 24 Circuits, 0.076m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660258	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 24 Circuits, 0.127m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660259	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 24 Circuits, 0.152m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660272	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 26 Circuits, 0.03m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0151660273	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 26 Circuits, 0.05m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660283	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 26 Circuits, 0.178m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660286	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 26 Circuits, 0.203m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660310	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 28 Circuits, 0.229m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660314	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 28 Circuits, 0.305m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660342	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 32 Circuits, 0.076m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660347	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 32 Circuits, 0.152m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660351	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 32 Circuits, 0.203m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660352	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 32 Circuits, 0.203m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660362	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 34 Circuits, 0.05m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660382	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 36 Circuits, 0.03m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660411	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 38 Circuits, 0.127m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660423	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 38 Circuits, 0.305m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0151660434	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 40 Circuits, 0.127m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660444	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 40 Circuits, 0.254m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660445	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 40 Circuits, 0.305m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660471	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 44 Circuits, 0.05m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660474	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 44 Circuits, 0.076m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660479	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 44 Circuits, 0.152m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660486	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 44 Circuits, 0.229m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660489	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 44 Circuits, 0.305m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660513	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 48 Circuits, 0.03m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660517	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 48 Circuits, 0.076m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660526	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 48 Circuits, 0.178m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151660538	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 50 Circuits, 0.05m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670202	1.00mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 6 Circuits, 0.03m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0151670205	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 6 Circuits, 0.076m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670223	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 8 Circuits, 0.03m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670244	1.00mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 8 Circuits, 0.305m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670246	1.00mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 10 Circuits, 0.03m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670251	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 10 Circuits, 0.102m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670259	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 10 Circuits, 0.203m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670265	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 10 Circuits, 0.305m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670279	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 12 Circuits, 0.178m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670284	1.00mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 12 Circuits, 0.229m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670289	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 14 Circuits, 0.03m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670290	1.00mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 14 Circuits, 0.03m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670291	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 14 Circuits, 0.05m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670324	1.00mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 16 Circuits, 0.178m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0151670336	1.00mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 18 Circuits, 0.05m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670337	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 18 Circuits, 0.076m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670338	1.00mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 18 Circuits, 0.076m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670342	1.00mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 18 Circuits, 0.127m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670355	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 20 Circuits, 0.03m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670369	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 20 Circuits, 0.203m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670373	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 20 Circuits, 0.254m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670385	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 22 Circuits, 0.127m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670421	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 26 Circuits, 0.03m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670437	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 26 Circuits, 0.229m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670439	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 26 Circuits, 0.254m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670455	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 28 Circuits, 0.178m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670480	1.00mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 30 Circuits, 0.203m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0151670482	1.00mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 30 Circuits, 0.229m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670485	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 30 Circuits, 0.305m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670513	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 34 Circuits, 0.076m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670547	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 36 Circuits, 0.229m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670575	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 40 Circuits, 0.03m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670585	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 40 Circuits, 0.152m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670588	1.00mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 40 Circuits, 0.178m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670593	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 40 Circuits, 0.254m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670595	1.00mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 40 Circuits, 0.305m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670788	1.00mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 11 Circuits, 0.03m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151670870	1.00mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type A), D Circuits, 0.229m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151680368	1.25mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 30 Circuits, 0.05m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151680370	1.25mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 30 Circuits, 0.076m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0151680379	1.25mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 30 Circuits, 0.203m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0151680407	1.25mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 32 Circuits, 0.305m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0152660433	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 40 Circuits, 0.127m Cable Length, Tin (Sn) Plating	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015313066	6 CKT HEADER ASSEMBLY (HOLLOW PIN)	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0015453610	2.54mm Pitch C-Grid PCB Connector, Surface Mount, High Profile, Dual Row, Vertical, 10 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0015474067	SL Single Row, Female, Version G Receptacle, 6 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1554316012	Flamar Ethernet 5e Network Cable, PUR Jacket, Braided Shielding Overall, 8 Circuits, 4x(2x0.25mm ²) / 4x(2x24 AWG), 7.80mm (.307") Diameter, 1000.0m (3280.83') Length, Teal	Compliant	Not Reviewed	Not Reviewed	Not Reviewed
0015910068	2.54mm Pitch C-Grid Header, Surface Mount, Dual Row, Vertical, 6 Circuits, 0.38µm Gold (Au) Selective Plating, with 8.13mm Mating Pin Length	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0015911168	CGrid SMT Hdr wSPeg 30 SAu 16Ckt Tube	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0015911502	2.54mm Pitch C-Grid Header, Surface Mount, Dual Row, Vertical, 50 Circuits, 0.38µm Gold (Au) Selective Plating, with 3.30mm PCB Locator Pegs	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0015913087	CGrid SMT Bkwy Hdr Tin 8Ckt TubewVC	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015913147	CGrid SMT Bkwy Hdr Tin 14Ckt TubewVC	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015913207	CGrid SMT Bkwy Hdr Tin 20Ckt TubewVC	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
0015913240	2.54mm Pitch C-Grid Header, Surface Mount, Dual Row, Vertical, 24 Circuits, 0.76µm Gold (Au) Selective Plating, without PCB Locator Pegs	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
0015913620	2.54mm Pitch C-Grid Header, Surface Mount, Dual Row, Vertical, 62 Circuits, 0.76µm Gold (Au) Selective Plating, without PCB Locator Pegs	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0015916207	CGrid SMT Hdr wSPeg 30 SAu 20Ckt TR	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1600260001	stAK50h Hybrid Receptacle, 12 Circuits, Key 1, Black, Bag	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Relevant
1600260004	stAK50h Hybrid Receptacle, 12 Circuits, Key 4, Gray, Bag	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
1600270002	stAK50h Hybrid Receptacle, 25 Circuits, Key 2, Gray, Bag	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
1600270003	stAK50h Hybrid Receptacle, 25 Circuits, Key 3, Black, Bag	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Relevant
1600270005	AK50 HYBRID RCPT 25 CKT DKPUR KEY 5	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
1600270008	AK50 HYBRID RCPT 25 CKT LTGRY KEY 8	Compliant	Not Contained	Not Contained Per -ED/01/2018 (15 January 2018)	Not Relevant
1600280002	stAK50h Hybrid Receptacle, 32 Circuits, Key 2, Blue, Bag	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1600290001	stAK50h Hybrid Receptacle, 27 Circuits, Key 1, Black, Bag	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
1600290002	stAK50h Hybrid Receptacle, 27 Circuits, Key 2, Green, Bag	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
1600631103	HSAutoLink II Unsealed Header, Right-Angle, 6 Circuits, Key A, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1600641103	HSAutoLink II Unsealed Header, Vertical, 6 Circuits, Key A, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1600733111	MX150 Cable Sealed Female Connector, Single Row, 3 Circuits, Single Key Option C, without Connector Position Assurance, Dark Gray	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant
1600733112	MX150 Cable Sealed Female Connector, Single Row, 3 Circuits, Single Key Option D, without Connector Position Assurance, Stone Gray	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Relevant

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1700820216	EdgeLine CoPlanar+ Connector, 15 Gbps, 0.80mm Pitch, 2.36mm PCB Thickness, 216 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1703520002	EXTreme Guardian 2 Circuit TPA	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1703901026	Impact 85 Ohm Plus 4 Pair Mezzanine Receptacle, Stack Height 25.00mm, Unguided, 16 Columns, 192 Circuits, Lead Free	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1703901028	Impact 85 Ohm Plus 4 Pair Mezzanine Receptacle, Stack Height 25.00mm, Unguided, 8 Columns, 96 Circuits, Lead Free	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1703901032	Impact 85 Ohm Plus 4 Pair Mezzanine Receptacle, Stack Height 37.00mm, Unguided, 12 Columns, 144 Circuits, Lead Free	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1703903009		Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1705251637	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Right Endwall, 16 Columns, 144 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1714669001	Imperium High Voltage Receptacle Kit 1/0 Cable Size, Key Option A	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1714950227	Impel 92 Ohm, 6 Pair Vertical Backplane Header, 1.85/2.35mm Pitch, Unguided Type A, Dual Endwalls, 12 Columns, 144 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.36mm	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1715731618	Impact 100 Ohm 3 Pair Right-Angle Orthogonal Direct Header, Unguided, Dual Endwall, with Outrigger, 6 Column, 90#Mate Position, Pin Length 5.50mm, Plated Through-Hole Dimension 0.39mm, Lead-Free	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1715757107	Impact 100 Ohm 5 Pair Right-Angle Orthogonal Direct Header, Top Guide, Bottom Endwall, with Outrigger, 10 Column, 90#Mate Position, Pin Length 4.90mm, Plated Through-Hole Dimension 0.39mm, Lead-Free	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Not Low-Halogen
1718500200	Micro-Fit TPA Receptacle Housing, Single Row, 2 Circuits, UL 94V-0, Low-Halogen, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1718500300	Micro-Fit TPA Receptacle Housing, Single Row, 3 Circuits, UL 94V-0, Low-Halogen, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1718500400	Micro-Fit TPA Receptacle Housing, Single Row, 4 Circuits, UL 94V-0, Low-Halogen, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1718500500	Micro-Fit TPA Receptacle Housing, Single Row, 5 Circuits, UL 94V-0, Low-Halogen, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1718500600	Micro-Fit TPA Receptacle Housing, Single Row, 6 Circuits, UL 94V-0, Low-Halogen, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1718500700	Micro-Fit TPA Receptacle Housing, Single Row, 7 Circuits, UL 94V-0, Low-Halogen, Black	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1718570008	2.54mm Pitch, KK 254 RPC Wire-to-Board Right-Angle Header with Friction Lock, Tin (Sn) Plating, Bag, 8 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1718570010	2.54mm Pitch, KK 254 RPC Wire-to-Board Right-Angle Header with Friction Lock, Tin (Sn) Plating, Bag, 10 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1718571002	2.54mm Pitch, KK 254 RPC Wire-to-Board Right-Angle Header with Friction Lock, 15µm Gold (Au) Plating, Bag, 2 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1718573009	2.54mm Pitch, KK 254 RPC Wire-to-Board Right-Angle Header with Friction Lock, Tin (Sn) Plating, Tape and Reel, 9 Circuits	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1720430201	Super Sabre Right-Angle Header, 2 Circuit, Short Solder Tail without Board Lock, Complies with the UL1977 finger proof standards	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1720430205	Super Sabre Right-Angle Header, 2 Circuit, Long Solder Tail without Board Lock, Complies with the UL1977 finger proof standards	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1720430206	Super Sabre Right-Angle Header, 2 Circuit, Long Solder Tail with Board Lock, Complies with the UL1977 finger proof standards	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1720430301	Super Sabre Right-Angle Header, 3 Circuit, Short Solder Tail without Board Lock, Complies with the UL1977 finger proof standards	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1720430302	Super Sabre Right-Angle Header, 3 Circuit, Short Solder Tail with Board Lock, Complies with the UL1977 finger proof standards	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
1720430305	Super Sabre Right-Angle Header, 3 Circuit, Long Solder Tail without Board Lock, Complies with the UL1977 finger proof standards	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	RoHS Phthalates (EU 2015/863)	REACH SVHC	Low-Halogen Status
1720430306	Super Sabre Right-Angle Header, 3 Circuit, Long Solder Tail with Board Lock, Complies with the UL1977 finger proof standards	Compliant	Not Contained	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen