

Product Compliance Statement

April 13, 2019

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

• EU RoHS Compliance Status. EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments, including the Directive EU 2015/863 which additionally prohibited four phthalates. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, PBDE, DBP, BBP, DIBP, DEHP, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

• EU REACH SVHC Content. Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <u>https://echa.europa.eu/candidate-list-table</u>.

• Low-Halogen Status. Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit <u>www.molex.com</u>

Haim Eliyahu Manager, Global Product Compliance

Та	ble	e A
----	-----	-----

Molex P/N	Port Description	RoHS	REACH	Low-
WOIEX F/IN	Part Description	Compliance	SVHC	Halogen
		Status		Status
0002061103	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039039022	Mini Fit Crimp Rec Hsg 2Ckt Black V-0	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0002062103	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0002062132	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0008700058	SPOX Crimp Terminal 5103, 22-28 AWG, Reel, Phosphor Bronze (CuSn), Chain Type	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0002066102	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76µm Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag Packaged	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0002066135	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0002081201	Disk Drive Power Connection System, Female Crimp Terminal, Reel, Phosphor Bronze, AWG 14-20	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0008550124	KK High Pressure Crimp Terminal 7879, 22-30 AWG, Reel Selective Gold (Au)	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0002092103	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0003061023	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0008500189	KK Trifurcon Crimp Terminal 6838, 18-20 AWG, Bag, Brass Tin (Sn)	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0008550104	KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass, 0.38µm Selective Gold (Au)	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status	
0008560108	KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Brass, 0.51µm Select Gold (Au) over Gold Flash	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
0008580189	KK Trifurcon Crimp Terminal 6438, 18-20 AWG, Bag, Phosphor Bronze Gold(Au)	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
0008650119	3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au), Bifurcated	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
0039000047	Mini-Fit Female Crimp Terminal, Tin (Sn) over Copper (Cu) Plated Brass, 22-28 AWG, Bag	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
0039000065	Mini-Fit Female Crimp Terminal, Tin (Sn) over Phosphor Bronze, 22-28 AWG, Reel	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
0039000083	Mini-Fit Male Crimp Terminal, Tin (Sn) over Phosphor Bronze, 16 AWG, Reel	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
0500588100	1.25mm Pitch PicoBlade Crimp Terminal, Female, 28-32 AWG, Bag	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
0501478000	2.50mm Pitch Mizu-P25 Crimp Terminal, 50147, Reel	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
0010061045		Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
0010112063	KK 254 Crimp Housing, High Pressure, 6 Circuits, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
0501478100	2.50mm Pitch Mizu-P25 Crimp Terminal, 50147, Bag	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
0501488000	2.50mm Pitch Mizu-P25 Crimp Terminal, 50148, Reel	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
0501488100	2.50mm Pitch Mizu-P25 Crimp Terminal, 50148, Bag	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
0010112093	KK 254 Crimp Housing, High Pressure, 9 Circuits, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	

Table A

Table	Α
-------	---

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0643201301	CMC Wire Cap for 48 Circuits and 28 Circuits, CMC Receptacle Mat Sealed	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0010112153	KK 254 Crimp Housing, High Pressure, 15 Circuits, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0643251010	CMC Blind Plug for cavity 0.635mm	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0010897101	2.54mm Pitch C-Grid Breakaway Header, Dual Row, Vertical, High Temperature, 10 Circuits, Tin (Sn) Plating, 2.72mm PC Tail Length	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0015040211	Mini-Fit Jr. Polarizing Key for Receptacles	Compliant	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0643251023	CMC Blind Plug cavity 1.50mm	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0015040219	3.96mm Pitch KK Polarizing Key without Boss	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0901192120	C-Grid III Crimp Terminal, 26-28 AWG, Bag, Tin (Sn)	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0015244048	5.08mm Pitch Disk Drive Power Connection System, Female Crimp Housing	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0015249064	Mini-Fit BMI Header, Dual Row, Right-Angle, with Snap-in Plastic Peg PCB Lock, 6 Circuits, PA Polyamide Nylon 6/6, UL 94V-0, with Tin (Sn) Plating	Compliant	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0016020098	SL Crimp Terminal, Series 70058, Female, 24-30 AWG, with 0.76µm Selective Gold (Au) Plated Contact, Bag	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0019091039	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing with Positive Latch, 94V-2, 3 Circuits	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
5016471000	2.00mm Pitch iGrid Wire-to-Board Crimp Terminal, Female, Tin (Sn) Plating, 22-26 AWG, Reel	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0019091069	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing with Positive Latch, UL 94V-2, 6 Circuits	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen

Table	Α
-------	---

	Tab			
Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0019092028	2.36mm Diameter Standard .093" Pin and Socket Plug Housing with Positive Latch, UL 94V-2, with Panel Mount, 2 Circuits	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0019092038	2.36mm Diameter Standard .093" Pin and Socket Plug Housing with Positive Latch, UL 94V-2, with Panel Mount, 3 Circuits	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0019092068	2.36mm Diameter Standard .093" Pin and Socket Plug Housing with Positive Latch, UL 94V-2, with Panel Mount, 6 Circuits	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
5016471100	2.00mm Pitch iGrid Wire-to-Board Crimp Terminal, Female, Tin (Sn) Plating, 22-26 AWG, Bag	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0022012107	KK 254 Crimp Housing, Friction Ramp, 10 Circuits, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0510210600	1.25mm Pitch PicoBlade Wire-to- Wire and Wire-to-Board Housing, Female, 6 Circuits, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen
0022051032	Mini-Latch / KK Wire-to-Board Header, Right-Angle, with Friction Ramp, 3 Circuits, Tin (Sn) Plating, Natural	Compliant	Contained Per - ED/88/2018 (15 January 2019)	Not Low- Halogen
0022051042	Mini-Latch / KK Wire-to-Board Header, Right-Angle, with Friction Ramp, 4 Circuits, Tin (Sn) Plating, Natural	Compliant	Contained Per - ED/88/2018 (15 January 2019)	Not Low- Halogen
0022057028	KK 254 Wire-to-Board Header, Right-Angle, with Friction Lock, 2 Circuits	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0022057048	KK 254 Wire-to-Board Header, Right-Angle, with Friction Lock, 4 Circuits	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0022057108	KK 254 Wire-to-Board Header, Right-Angle, with Friction Lock, 10 Circuits	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0022122024	KK 254 Solid Header, Right-Angle, with Friction Lock, 2 Circuits, 0.51µm Gold (Au) Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0022124022	KK 254 Wire-to-Board Header, Right-Angle, with Friction Lock, 2 Circuits	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0022172207	KK 254 PC Board Connector, Bottom Entry, 0.80µm Gold (Au), 20 Circuits	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen

Т	ak	ble	Α
---	----	-----	---

	Tab			
Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0022272051	KK 254 Wire-to-Board Header, Vertical, with Friction Lock, 5 Circuits, Tin (Sn) Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0022272061	KK 254 Wire-to-Board Header, Vertical, with Friction Lock, 6 Circuits, Tin (Sn) Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0022272091	KK 254 Wire-to-Board Header, Vertical, with Friction Lock, 9 Circuits, Tin (Sn) Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0022272101	KK 254 Wire-to-Board Header, Vertical, with Friction Lock, 10 Circuits, Tin (Sn) Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0022292021	KK 254 Wire-to-Board Header, Vertical, with Friction Lock, 2 Circuits, Gold (Au) Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0026013114	Mini-Fit Jr. Header, Dual Row, Right- Angle, with Snap-in Plastic Peg PCB Lock, 2 Circuits, PA Polyamide Nylon 6/6 94V-2, 0.38µm Select Gold (Au) Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0026034020	KK 3.96mm Crimp Terminal Housing, Use With Trifurcon Terminals, Friction Ramp, 2 Circuits, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0026034041	KK 3.96mm Crimp Terminal Housing, Use With Trifurcon Terminals, Friction Ramp, 4 Circuits, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0510211000	1.25mm Pitch PicoBlade Wire-to- Wire and Wire-to-Board Housing, Female, 10 Circuits, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen
0026034061	KK 3.96mm Crimp Terminal Housing, Use With Trifurcon Terminals, Friction Ramp, 6 Circuits, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0026034081	KK 3.96mm Crimp Terminal Housing, Use With Trifurcon Terminals, Friction Ramp, 8 Circuits, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0026034121	KK 3.96mm Crimp Terminal Housing, Use With Trifurcon Terminals, Friction Ramp, 12 Circuits, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0026614040	KK 396 Header, Vertical, Friction Lock, 4 Circuits, Gold (Au) Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen

Т	ak	ble	Α
---	----	-----	---

	Tab			
Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0026654060	KK 396 Header, Vertical, Friction Lock with Press-fit Plastic Peg PCB, 6 Circuits, Gold (Au) Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen
0510211200	1.25mm Pitch PicoBlade Wire-to- Wire and Wire-to-Board Housing, Female, 12 Circuits, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen
0510211500	1.25mm Pitch PicoBlade Wire-to- Wire and Wire-to-Board Housing, Female, 15 Circuits, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen
0510040500	2.00mm Pitch MicroBlade Wire- to-Board Housing, Friction Lock, 5.80mm Height, 5 Circuits	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen
0039000090	Mini-Fit Female Crimp Terminal, Gold (Au) over Brass, 16 AWG, Bag	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039000095	Mini-Fit Male Crimp Terminal, Selective Gold (Au) and Selective Tin (Sn) over Nickel (Ni), 16 AWG, Reel	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039000429	Mini-Fit Female Crimp Terminal, Selective Gold (Au) and Selective Tin (Sn) over Nickel (Ni), 18-24 AWG, Bag	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0511272005	1.25mm Pitch Pico-Gold Wire- to-Board Housing, Dual Row, 20 Circuits	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen
0510040700	2.00mm Pitch MicroBlade Wire- to-Board Housing, Friction Lock, 5.80mm Height, 7 Circuits	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen
0039012040	Mini-Fit Jr. Receptacle Housing, Dual Row, 4 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039012086	Mini-Fit Jr. Plug Housing, Dual Row, 8 Circuits, UL 94V-0, with Panel Mounting Ears, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039012120	Mini-Fit Jr. Receptacle Housing, Dual Row, 12 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039012140	Mini-Fit Jr. Receptacle Housing, Dual Row, 14 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0510040800	2.00mm Pitch MicroBlade Wire- to-Board Housing, Friction Lock, 5.80mm Height, 8 Circuits	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen

Table	Α
-------	---

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0039012160	Mini-Fit Jr. Receptacle Housing, Dual Row, 16 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039012240	Mini-Fit Jr. Receptacle Housing, Dual Row, 24 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039013043	Mini-Fit Jr. Plug Housing, Dual Row, 4 Circuits, UL 94V-2, without Panel Mounting Ears, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039013049	Mini-Fit Jr. Plug Housing, Dual Row, 4 Circuits, UL 94V-0, without Panel Mounting Ears, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039013063	Mini-Fit Jr. Plug Housing, Dual Row, 6 Circuits, UL 94V-2, without Panel Mounting Ears, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039013103	Mini-Fit Jr. Plug Housing, Dual Row, 10 Circuits, UL 94V-2, without Panel Mounting Ears, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0901230105	2.54mm Pitch C-Grid III Modular Crimp Housing Single Row, 2 Polarizing Buttons, 5 Circuits, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039013123	Mini-Fit Jr. Plug Housing, Dual Row, 12 Circuits, UL 94V-2, without Panel Mounting Ears, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039014036	Mini-Fit Jr. Plug Housing, Single Row, 3 Circuits, UL 94V-2, without Panel Mounting Ears, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039014040	Mini-Fit Jr. Receptacle Housing, Single Row, 4 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039039042	Mini-Fit Jr. Receptacle Housing, Dual Row, 4 Circuits, UL 94V-0, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039039062	Mini-Fit Jr. Receptacle Housing, Dual Row, 6 Circuits, UL 94V-0, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0901560144	2.54mm Pitch C-Grid III Crimp Housing Single Row, 4 Circuits, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039039082	Mini Fit Crimp Rec Hsg 8Ckt Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen

Table	Α
-------	---

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0039281123	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 12 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039281163	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 16 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039288040	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 4 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039291067	Mini-Fit Jr. Header, Dual Row, Right- Angle, with PCB Mounting Flange, 6 Circuits, PA Polyamide Nylon 6/6 94V-0, Tin (Sn) Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039291068	Mini-Fit Jr. Header, Dual Row, Right- Angle, with PCB Mounting Flange, 6 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039296128	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 12 Circuits, without Snap-in Plastic Peg PCB Lock, Gold, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039299043	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 4 Circuits, with Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039299067	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 6 Circuits, with Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039299206	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 20 Circuits, with Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039301040	Mini-Fit Jr. Header, Dual Row, Right- Angle, with Snap-in Plastic Peg PCB Lock, 4 Circuits, Nylon 6/6 94V-2, 2.54µm Matte Tin (Sn) Plating, Natural, Bag	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039301102	Mini-Fit Jr. Header, Dual Row, Right- Angle, with Snap-in Plastic Peg PCB Lock, 10 Circuits, PA Polyamide Nylon 6/6 94V-0, 0.76µm Select Gold (Au) Plating	Compliant	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen
0039301160	Mini-Fit Jr. Header, Dual Row, Right- Angle, with Snap-in Plastic Peg PCB Lock, 16 Circuits, Nylon 6/6 94V-2, 2.54µm Matte Tin (Sn) Plating, Natural, Bag	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0039301202	Mini-Fit Jr. Header, Dual Row, Right- Angle, with Snap-in Plastic Peg PCB Lock, 20 Circuits, PA Polyamide Nylon 6/6 94V-0, 0.76µm Select Gold (Au) Plating	Compliant	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status	
0679260040		Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen	
0050375083	2.50mm Pitch Mini-SPOX Wire-to- Board Crimp Housing, Friction Lock, 8 Circuits, Natural	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
5016461200	2.00mm Pitch iGrid Wire-to-Board Housing, Dual Row, Positive Lock, 12 Circuits	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
0151660223	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 20 Circuits, 0.254m Cable Length, Tin (Sn) Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen	
0191640026	Perma-Seal Ring Tongue Terminal for 14-16 AWG Wire, Stud Size 1/4" (M6)	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
0191640056	Perma-Seal Butt Splice for 10-12 AWG Wire	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
0191640066	Perma-Seal Ring Tongue Terminal for 10-12 AWG Wire, Stud Size 1/4" (M6)	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
0191640076	Perma-Seal Female Quick Disconnect Receptacle for 10-12 AWG Wire, Tab Size 6.35 x 0.81mm	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
0193230006	VersaKrimp Metric Ring Terminal for M3 Stud Size (#5), Un-insulated	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
0304902002	Mini-Fit Jr. Crimp Grounding Terminal, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 18-24 AWG, Reel	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	
0387700108	CB BTS STD 8 ASY	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen	
0417920528	KK 396 Header, Right-Angle with Friction Lock, 2 Circuits, 0.76μm Gold (Au) Selective Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen	
0417920530	KK 396 Header, Right-Angle with Friction Lock, 4 Circuits, 0.76μm Gold (Au) Selective Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen	
0428150011	Mini-Fit Sr. Crimp Terminal, Female, 10-12 AWG, Tin (Sn)	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen	

Т	ab	le	Α
---	----	----	---

		5.110		
Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0428150012	Mini-Fit Sr. Crimp Terminal, Female, 10-12 AWG, Gold (Au)	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0428150041	Mini-Fit Sr. Crimp Terminal, Female, 14-16 AWG, Tin (Sn)	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0428150042	Mini-Fit Sr. Crimp Terminal, Female, 14-16 AWG, Gold (Au)	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0428160212	10.00mm Pitch Mini-Fit Sr. Receptacle Housing, Single Row, 2 Circuit, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen
0428160412	10.00mm Pitch Mini-Fit Sr. Receptacle Housing, Single Row, 4 Circuit, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen
0428192213	10.00mm Pitch Mini-Fit Sr. Header, Single Row, Vertical, 1.57mm PCB Thickness, 0.76µm Gold (Au) Selective Plating, 2 Circuits	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen
0428202212	10.00mm Pitch Mini-Fit Sr. Header, Single Row, Right-Angle, 1.57mm PCB Thickness, Tin (Sn) Plating, 2 Circuits	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen
0428202213	10.00mm Pitch Mini-Fit Sr. Header, Single Row, Right-Angle, 1.57mm PCB Thickness, 0.76µm Gold (Au) Selective Plating, 2 Circuits	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen
0428204213	10.00mm Pitch Mini-Fit Sr. Header, Single Row, Right-Angle, 1.57mm PCB Thickness, 0.76µm Gold (Au) Selective Plating, 4 Circuits	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen
0430200401	Micro-Fit 3.0 Plug Housing, Dual Row, 4 Circuits, UL 94V-0, Low- Halogen, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0901560145	2.54mm Pitch C-Grid III Crimp Housing Single Row, 5 Circuits, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430200801	Micro-Fit 3.0 Plug Housing, Dual Row, 8 Circuits, UL 94V-0, Low- Halogen, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen
0901230108	2.54mm Pitch C-Grid III Modular Crimp Housing Single Row, 2 Polarizing Buttons, 8 Circuits, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430201600	Micro-Fit 3.0 Plug Housing, Dual Row, 16 Circuits, UL 94V-0, Panel Mount Ears, Low-Halogen, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen

Т	ak	ble	Α
---	----	-----	---

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0430201800	Micro-Fit 3.0 Plug Housing, Dual Row, 18 Circuits, UL 94V-0, Panel Mount Ears, Low-Halogen, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen
0430202000	Micro-Fit 3.0 Plug Housing, Dual Row, 20 Circuits, UL 94V-0, Panel Mount Ears, Low-Halogen, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen
0430202400	Micro-Fit 3.0 Plug Housing, Dual Row, 24 Circuits, UL 94V-0, Panel Mount Ears, Low-Halogen, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430252200	Micro-Fit 3.0 Receptacle Housing, Dual Row, 22 Circuits, UL 94V-0, Low-Halogen, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen
0430450211	Micro-Fit 3.0 Right-Angle Header, 3.00mm Pitch, Dual Row, 2 Circuits, with Solder Tab, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430450214	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 2 Circuits, with PCB Polarizing Peg, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430450215	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 2 Circuits, with PCB Press-fit Metal Retention Clip, Tin, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430450218	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 2 Circuits, with Solder Tab, Tin, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430450606	Micro-Fit 3.0 Right-Angle Header, 3.00mm Pitch, Dual Row, 6 Circuits, with PCB Press-fit Metal Retention Clip, Tin, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430450615	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 6 Circuits, with PCB Press-fit Metal Retention Clip, Tin, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430450620	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 6 Circuits, with Solder Tab, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430450629	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 6 Circuits, with PCB Polarizing Peg, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430450802	Micro-Fit 3.0 Right-Angle Header, 3.00mm Pitch, Dual Row, 8 Circuits, with Snap-in Plastic Peg PCB Lock, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430450814	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 8 Circuits, with PCB Polarizing Peg, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen

Та	ble	e A
----	-----	-----

	Tab			
Molex P/N	Part Description	RoHS Compliance	REACH SVHC	Low- Halogen
		Status	01110	Status
0430450815	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 8 Circuits, with PCB Press-fit Metal Retention Clip, Tin, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430450820	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 8 Circuits, with Solder Tab, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430451020	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 10 Circuits, with Solder Tab, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430451214	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 12 Circuits, with PCB Polarizing Peg, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430451411	Micro-Fit 3.0 Right-Angle Header, 3.00mm Pitch, Dual Row, 14 Circuits, with Solder Tab, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430451414	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 14 Circuits, with PCB Polarizing Peg, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430451614	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 16 Circuits, with PCB Polarizing Peg, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430451618	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 16 Circuits, with Solder Tab, Tin, Glow- Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430451620	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 16 Circuits, with Solder Tab, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430451814	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 18 Circuits, with PCB Polarizing Peg, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430452002	Micro-Fit 3.0 Right-Angle Header, 3.00mm Pitch, Dual Row, 20 Circuits, with Snap-in Plastic Peg PCB Lock, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430452014	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 20 Circuits, with PCB Polarizing Peg, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen
0430452202	Micro-Fit 3.0 Right-Angle Header, 3.00mm Pitch, Dual Row, 22 Circuits, with Snap-in Plastic Peg PCB Lock, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen

Table	Α
-------	---

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status			
0430452214	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 22 Circuits, with PCB Polarizing Peg, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen			
0431607302	7.50mm Pitch Sabre Header, Right-Angle, 2 Circuits, Glow-Wire Capable, PCB Thickness 3.20mm, with Board Lock	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen			
0436400400	Micro-Fit 3.0 Plug Housing, Single Row, 4 Circuits, UL 94V-0, Panel Mount Ears, Low-Halogen, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen			
0436400500	Micro-Fit 3.0 Plug Housing, Single Row, 5 Circuits, UL 94V-0, Panel Mount Ears, Low-Halogen, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen			
0436500217	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Single Row, 2 Circuits, with PCB Polarizing Peg, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen			
0436500317	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Single Row, 3 Circuits, with PCB Polarizing Peg, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen			
0436500321	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Single Row, 3 Circuits, with PCB Press-fit Metal Retention Clip, Tin, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen			
0436500417	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Single Row, 4 Circuits, with PCB Polarizing Peg, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen			
0436500517	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Single Row, 5 Circuits, with PCB Polarizing Peg, Gold, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen			
0436500800	Micro-Fit 3.0 Right-Angle Header, 3.00mm Pitch, Single Row, 8 Circuits, with Snap-in Plastic Peg PCB Lock, Tin, Glow-Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen			
0442060001	Mini-Fit Jr. Header, Dual Row, Vertical, with 11.90mm Locking Ramp, 24 Circuits, with Both Snap-in Plastic Pegs	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen			
0444412002	7.50mm Pitch Sabre Receptacle Crimp Housing, UL 94V-0, 2 Circuits, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen			
0444412003	7.50mm Pitch Sabre Receptacle Crimp Housing, UL 94V-0, 3 Circuits, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen			

Table	Α
-------	---

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status		
0901430012	2.54mm Pitch C-Grid III Modular Crimp Housing, Dual Row, 12 Circuits, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen		
0444413002	7.50mm Pitch Sabre Receptacle Housing, UL 94V-2, 2 Circuits, Glow- Wire Capable, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen		
0444990061	MF BMI RA HDR V-0 Tin 6ckt FMLB	Compliant	Not Contained Per -ED/61/2018 (27 June 2018)	Low-Halogen		
0446610021	Modular Jack, Right-Angle, Low Profile, Shielded, 8/8	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen		
0449150021	Modular Plug, Category 6, Long Body, Shielded, 8/8, with Strain Relief	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen		
0455590002	Mini-Fit Jr. Receptacle Housing, Dual Row, Custom for PCI Express* High-end Graphics Add-In Card Applications Only	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen		
0901420010	2.54mm Pitch C-Grid III Crimp Housing Dual Row, 10 Circuits, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen		
0467650001	0.40mm Pitch Micro HDMI Connector, Right-Angle Receptacle, Surface Mount, with Pick-and-Place Polyimide Tape, 19 Circuits, Lead- Free	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen		
0470182002		Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen		
0473461001	Micro-USB B Receptacle without Flange, Bottom Mount, Surface Mount, Lead-Free	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen		
0482040001	Universal Serial Bus (USB) Shielded I/O Receptacle, Type A Upright Right-Angle, Reverse Mount, Solder Tail Length 2.90mm, 3.70mm Beveled Metal Pins, PCB Thickness 1.60mm, 0.76µm Gold (Au) Plating, Lead-Free	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen		
0901420012	2.54mm Pitch C-Grid III Crimp Housing Dual Row, 12 Circuits, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen		
0505168041	1.25mm Pitch Pico-Gold Crimp Terminal, Reel	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen		

Т	ab	le	Α
---	----	----	---

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status			
0901230120	2.54mm Pitch C-Grid III Modular Crimp Housing Single Row, 2 Polarizing Buttons, 20 Circuits, Black	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen			
0512810694	0.50mm Pitch Easy-On FFC/FPC Connector, Surface Mount, Right- Angle, Non-ZIF, Dual Contact Style, 1.20mm Mated Height, 6 Circuits, Gold (Au) Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen			
0512810894	0.50mm Pitch Easy-On FFC/FPC Connector, Surface Mount, Right- Angle, Non-ZIF, Dual Contact Style, 1.20mm Mated Height, 8 Circuits, Gold (Au) Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen			
0512811094	0.50mm Pitch Easy-On FFC/FPC Connector, Surface Mount, Right- Angle, Non-ZIF, Dual Contact Style, 1.20mm Mated Height, 10 Circuits, Gold (Au) Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen			
0512811294	0.50mm Pitch Easy-On FFC/FPC Connector, Surface Mount, Right- Angle, Non-ZIF, Dual Contact Style, 1.20mm Mated Height, 12 Circuits, Gold (Au) Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen			
0512811494	0.50mm Pitch Easy-On FFC/FPC Connector, Surface Mount, Right- Angle, Non-ZIF, Dual Contact Style, 1.20mm Mated Height, 14 Circuits, Gold (Au) Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen			
0512812094	0.50mm Pitch Easy-On FFC/FPC Connector, Surface Mount, Right- Angle, Non-ZIF, Dual Contact Style, 1.20mm Mated Height, 20 Circuits, Gold (Au) Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen			
0512812494	0.50mm Pitch Easy-On FFC/FPC Connector, Surface Mount, Right- Angle, Non-ZIF, Dual Contact Style, 1.20mm Mated Height, 24 Circuits, Gold (Au) Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen			
0512812694	0.50mm Pitch Easy-On FFC/FPC Connector, Surface Mount, Right- Angle, Non-ZIF, Dual Contact Style, 1.20mm Mated Height, 26 Circuits, Gold (Au) Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Low-Halogen			
0522070533	Easy-On FFC/FPC Connector, 1.00mm Pitch, Slider Series, Right- Angle, Top Contact, 2.70mm Height, 5 Circuits, Tin-Silver-Bismuth Plating	Compliant	Not Contained Per -ED/88/2018 (15 January 2019)	Not Low- Halogen			