

Product Compliance Declaration

Please see www.molex.com for the most up-to-date information.

Contact Information

Name Molex Product Compliance E-Mail Product.Compliance@molex.com

Part Information

Part Number 0022112062 Part Weight 0,680088G

Part Name KK 100 Hdr FrLk Vert 06 Ckt Gold

Product Composition

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
KK 100 Hdr FrLk Vert 06 Ckt Gold	Assembly		100	0,680088
.560 x .0261 Sq Brass Bando Pin 20SAu	Assembly		45,0071	0,306088
.560 x .0261 Sq Brass Bando Pin Unplated	Component		43,2297	0,294
Cartridge Brass 70% Unplated	Material		43,2297	0,294
Copper	Substance	7440-50-8	30,2608	0,2058
Zinc (metal)	Substance	7440-66-6	12,9689	0,0882
Tin Plating	Material		0,4393	0,002987
Tin	Substance	7440-31-5	0,4393	0,002987
Nickel Plating	Material		1,1469	0,0078
Nickel	Substance	7440-02-0	1,1468	0,007799
Further Additives	Substance	system	0,0001	8E-7
Gold Plating	Material		0,1912	0,0013
Cobalt	Substance	7440-48-4	0,0005	0,000003

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
Nickel	Substance	7440-02-0	0,0005	0,000003
Gold	Substance	7440-57-5	0,1902	0,001294
KK 100 Header FrLk 06 ckt	Component		54,9929	0,374
PA66 UF WHITE	Material		54,9929	0,374
PA66	Substance		46,744	0,3179
Further Additives	Substance	system	2,7496	0,0187
Flame Retardant, ISO 1043-4 FR(30)	Substance		5,4993	0,0374

ROHS Declaration Information

Regulatory Revision EU 2015/863

Compliance Status Compliant

Contained Substances Exceeding Threshold

None

Exemptions

None

REACH-SVHC Declaration Information

Regulatory Revision ED/71/2019 (16 July 2019)

Contained Substances Exceeding Threshold

None

GADSL Declaration Information

Regulatory Revision GADSL imported from IMDS

Contained Substances Exceeding Threshold

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
-----------------	--------------------	-----------------	---------------------	------------------------

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
Lead	Cartridge Brass 70% (CA260)	*Note	350	Yes
Lead	e-plate Sn (electrodeposited Tin Coatings, bright and matt)	*Note	150	Yes
Nickel	e-plate Au (Hardgold) (electrodeposited Hardgold	*Note	2,500	Yes
Nickel	Ep-Ni	*Note	997,500	Yes
Cobalt	e-plate Au (Hardgold) (electrodeposited Hardgold	*Note	2,500	Yes
Copper	Cartridge Brass 70% (CA260)	*Note	700,000	Yes

^{*}Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

Exemptions

Part Name	Exemption
Cartridge Brass 70% (CA260)	44 Concentration within acceptable GADSL limits
e-plate Sn (electrodeposited Tin Coatings, bright and matt)	44 Concentration within acceptable GADSL limits
e-plate Au (Hardgold) (electrodeposited Hardgold Coatings)	33 Other application (Surface not routinely touched or nickel release rate < 0.5µg/cm2/week)
Ep-Ni	33 Other application (Surface not routinely touched or nickel release rate < 0.5µg/cm2/week)

HFLH Declaration Information

Regulatory Revision IEC 61249-2-21

Contained Substances Exceeding Threshold

None

China ROHS Declaration Information

Part Number 0022112062							
Part Name KK 100 Hdr FrLk Vert 06 Ckt Gold	(e)						
Part Information			Ha	zardous S	Substance	s	
Components		Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
KK 100 Hdr FrLk Vert 06 Ckt Gold		0	0	0	0	0	0
.560 x .0261 Sq Brass Bando Pin 20SAu		0	0	0	0	0	0

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Components	Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
.560 x .0261 Sq Brass Bando Pin Unplated	0	0	0	0	0	0
KK 100 Header FrLk 06 ckt	0	0	0	0	0	0

Process Information

Component Plating / Surface Finish	MSn-Ni
Termination Base Alloy	Brass
Solder Alloy	N/A
Process Capability	WAVE
Maximum Exposure Time (seconds)	005
Maximum Process Temperature (C)	235
Maximum Cycles at Reflow Temperature	001
J-STD-020 Moisture Sensitivity Level	N/A

Oct 25, 2019