

Product Compliance Declaration

Please see www.molex.com for the most up-to-date information.

Contact Information

Name Molex Product Compliance **E-Mail** Product.Compliance@molex.com

Part Information

Part Number 0022284050 **Part Weight** 0.307812G

Part Name KK 100 Hdr Assy Bkwy 05 Ckt Tin

Product Composition

Name	Type	CAS Number	Proportion (% Total)	Mass (Grams)
KK 100 Hdr Assy Bkwy 05 Ckt Tin	Assembly		100	0.307812
.100 CTR BREAKAWAY- FLAT COMPONENT	Component		31.7765	0.097812
PA46 GF BLACK	Material		31.7765	0.097812
PA46	Substance		13.791	0.04245
Antimonytrioxide	Substance	1309-64-4	1.7477	0.00538
Flame Retardant, ISO 1043-4 FR(17)	Substance		6.1964	0.019073
Carbon black	Substance	1333-86-4	0.1589	0.000489
Further Additives, not to declare	Substance	system	0.3495	0.001076
GF-Fibre	Substance		9.533	0.029344
.455 x .0255 Sq Bandolier Pin Tin	Assembly		68.2235	0.21
.455 x .0255 Sq Bandolier Pin Unplated	Component		66.5991	0.205
Cartridge Brass 70% Unplated	Material		66.5991	0.205
Copper	Substance	7440-50-8	46.6194	0.1435

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Name	Type	CAS Number	Proportion (% Total)	Mass (Grams)
Zinc (metal)	Substance	7440-66-6	19.9797	0.0615
Nickel Plating	Material		0.6184	0.001903
Nickel	Substance	7440-02-0	0.6183	0.001903
Further Additives, not to declare	Substance	system	6E-05	2E-07
Tin Plating	Material		1.006	0.003096
Tin	Substance	7440-31-5	1.006	0.003096

ROHS Declaration Information

Regulatory Revision EU 2015/863

Compliance Status Compliant

Contained Substances Exceeding Threshold

None

Exemptions

None

REACH-SVHC Declaration Information

Regulatory Revision D(2020)4578-DC (25 June 2020)

Contained Substances Exceeding Threshold

None

GADSL Declaration Information

Regulatory Revision GADSL imported from IMDS

Contained Substances Exceeding Threshold

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
Lead	Cartridge Brass 70% (CA260)	*Note	350	Yes

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
Lead	e-plate Sn (electrodeposited Tin Coatings, bright and matt)	*Note	500	Yes
Antimonytrioxide	PA46 GF BLACK	*Note	55,000	Yes
Nickel	Ep-Ni	*Note	997,500	Yes
Copper	Cartridge Brass 70% (CA260)	*Note	700,000	Yes
Glass fibres	PA46 GF BLACK	*Note	300,000	Yes

*Note: For GADSL substance declarable/prohibited threshold values, please reference <http://www.gadsl.org/>

Exemptions

Part Name	Exemption
Cartridge Brass 70% (CA260)	44 Concentration within acceptable GADSL limits
e-plate Sn (electrodeposited Tin Coatings, bright and matt)	44 Concentration within acceptable GADSL limits
Ep-Ni	33 Other application (Surface not routinely touched or nickel release rate < 0.5µg/cm2/week)


HFLH Declaration Information

Regulatory Revision IEC 61249-2-21

Contained Substances Exceeding Threshold

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
Bromine and its compounds	PA46 GF BLACK	900	195,000	Yes
Bromine and Chlorine combined	PA46 GF BLACK	1,500	195,000	Yes

China ROHS Declaration Information

Part Number 0022284050		Hazardous Substances					
Part Name KK 100 Hdr Assy Bkwy 05 Ckt Tin							
Part Information							
Components	Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE	
KK 100 Hdr Assy Bkwy 05 Ckt Tin	○	○	○	○	○	○	

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Components	Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
.100 CTR BREAKAWAY- FLAT COMPONENT	O	O	O	O	O	O
.455 x .0255 Sq Bandolier Pin Tin	O	O	O	O	O	O
.455 x .0255 Sq Bandolier Pin Unplated	O	O	O	O	O	O

Process Information

Component Plating / Surface Finish	BSn-Ni
Termination Base Alloy	P-Bronze
Solder Alloy	N/A
Process Capability	WAVE
Maximum Exposure Time (seconds)	005
Maximum Process Temperature (C)	235
Maximum Cycles at Reflow Temperature	001
J-STD-020 Moisture Sensitivity Level	N/A

Aug 29, 2020

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.