

# **Product Compliance Declaration**

Please see <a href="https://www.molex.com">www.molex.com</a> for the most up-to-date information.

### **Contact Information**

Name Molex Product Compliance E-Mail Product.Compliance@molex.com

### **Part Information**

Part Number 1722561106 Part Weight 2G

Part Name ULTRA-FIT RCPT HSG SGL V0 BLK TPA 06 CKT

## **Product Composition**

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
ULTRA-FIT RCPT HSG SGL V0 BLK TPA 06 CKT	Component		100	2
PA4T GF BLACK	Material		100	2
PA4T	Substance		54.15	1.083
GF-Fibre	Substance		31	0.62
Flame Retardant, ISO 1043-4 FR(40)	Substance		12.5	0.25
Carbon black	Substance	1333-86-4	1.3	0.026
Further Additives, not to declare	Substance	system	1.05	0.021

## **ROHS Declaration Information**

Regulatory Revision EU 2015/863

Compliance Status Compliant

**Contained Substances Exceeding Threshold** 

None

**Exemptions** 

None

## **REACH-SVHC Declaration Information**

Regulatory Revision D(2020)9139-DC (19 Jan 2021)

**Contained Substances Exceeding Threshold** 

None

## **GADSL Declaration Information**

Regulatory Revision GADSL imported from IMDS

# **Contained Substances Exceeding Threshold**

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
glass, oxide, chemicals	PA4T GF BLACK	*Note	360,000	Yes

<sup>\*</sup>Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

# **Exemptions**

None

Form Rev - F

## **HFLH Declaration Information**

Regulatory Revision IEC 61249-2-21

## **Contained Substances Exceeding Threshold**

None

## **China ROHS Declaration Information**

Part Number	1722561106							
Part Name	ULTRA-FIT RCPT HSG SGL V0 BLK TPA 06 CKT	<b>(e)</b>						
Part Information	on		Hazardous Substances					
Components			Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
ULTRA-FIT RCPT HSG SGL V0 BLK TPA 06 CKT		0	0	0	0	0	0	

### **Process Information**

Component Plating / Surface Finish	N/A
Termination Base Alloy	N/A
Solder Alloy	N/A
Process Capability	N/A
Maximum Exposure Time (seconds)	N/A
Maximum Process Temperature (C)	N/A
Maximum Cycles at Reflow Temperature	N/A
J-STD-020 Moisture Sensitivity Level	N/A

Mar 25, 2021