

Product Compliance Declaration

Please see www.molex.com for the most up-to-date information.

Contact Information

Name Molex Product Compliance E-Mail Product.Compliance@molex.com

Part Information

Part Number 1722581104 Part Weight 1.3G

Part Name ULTRA-FIT RCPT HSG DUAL V0 BLK TPA 04 CK

Product Composition

Name	Туре	CAS Number Proportion (% Total)		Mass (Grams)	
ULTRA-FIT RCPT HSG DUAL V0 BLK TPA 04 CK	Component		100	1.3	
PA4T GF BLACK	Material		100	1.3	
PA4T	Substance		54.15	0.70395	
GF-Fibre	Substance		31	0.403	
Flame Retardant, ISO 1043-4 FR(40)	Substance		12.5	0.1625	
Carbon black	Substance	1333-86-4	1.3	0.0169	
Further Additives, not to declare	Substance	system	1.05	0.01365	

ROHS Declaration Information

Regulatory Revision EU 2015/863

Compliance Status Compliant

Contained Substances Exceeding Threshold

None

Exemptions

None

REACH-SVHC Declaration Information

Regulatory Revision D(2020)9139-DC (19 Jan 2021)

Contained Substances Exceeding Threshold

None

GADSL Declaration Information

Regulatory Revision GADSL imported from IMDS

Contained Substances Exceeding Threshold

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
glass, oxide, chemicals	PA4T GF BLACK	*Note	360,000	Yes

^{*}Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

Exemptions

None

Form Rev - F

HFLH Declaration Information

Regulatory Revision IEC 61249-2-21

Contained Substances Exceeding Threshold

None

China ROHS Declaration Information

Part Number	1722581104							
Part Name	ULTRA-FIT RCPT HSG DUAL V0 BLK TPA 04 CK	(e)						
Part Information	on		Hazardous Substances					
Components		Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE	
ULTRA-FIT RCPT HSG DUAL V0 BLK TPA 04 CK		0	0	0	0	0	0	

Process Information

Component Plating / Surface Finish	N/A
Termination Base Alloy	N/A
Solder Alloy	N/A
Process Capability	N/A
Maximum Exposure Time (seconds)	N/A
Maximum Process Temperature (C)	N/A
Maximum Cycles at Reflow Temperature	N/A
J-STD-020 Moisture Sensitivity Level	N/A

Mar 25, 2021