

Product Compliance Declaration

Please see www.molex.com for the most up-to-date information.

Contact Information

Name Molex Product Compliance E-Mail Product.Compliance@molex.com

Part Information

Part Name SL RA Hdr Asy SMT 03 Ckt Tin TR Cap

Product Composition

Туре	CAS Number	Proportion (% Total)	Mass (Grams)	
Assembly		100	0.878997	
Assembly		100	0.878997	
Component		74.403	0.654	
Material		74.403	0.654	
Substance		32.4397		
Substance		23.0649	0.20274	
Substance		10.4164	0.09156	
Substance	15432-85-6	2.6041	0.02289	
Substance	1333-86-4	0.2232	0.001962	
Substance	system	5.6546	0.049704	
Assembly		25.597	0.224997	
Component		24.9148	0.219	
Material		24.9148	0.219	
	Assembly Assembly Component Material Substance Substance Substance Substance Substance Substance Assembly Component	Assembly Assembly Component Material Substance Substance Substance Substance 15432-85-6 Substance 1333-86-4 Substance system Assembly Component	Assembly 100 Assembly 100 Component 74.403 Material 74.403 Substance 32.4397 Substance 23.0649 Substance 15432-85-6 2.6041 Substance 1333-86-4 0.2232 Substance system 5.6546 Assembly 25.597 Component 24.9148	

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
Copper	Substance	7440-50-8	23.6317	0.207722
Tin	Substance	7440-31-5	1.2457	0.01095
Phosphorus	Substance	7723-14-0	0.0374	0.000328
Nickel Plating	Material		0.2044	0.001797
Nickel	Substance	7440-02-0	0.2044	0.001797
Further Additives, not to declare	Substance	system	2E-05	2E-07
Tin Plating	Material		0.4778	0.0042
Tin	Substance	7440-31-5	0.4778	0.0042

ROHS Declaration Information

Regulatory Revision EU 2015/863

Compliance Status Compliant

Contained Substances Exceeding Threshold

None

Exemptions

None

REACH-SVHC Declaration Information

Regulatory Revision D(2020)9139-DC (19 Jan 2021)

Contained Substances Exceeding Threshold

None

GADSL Declaration Information

Regulatory Revision GADSL imported from IMDS

Contained Substances Exceeding Threshold

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
lead	Phosphor Bronze 5% A (CA510)	*Note	250	Yes
lead	e-plate Sn (electrodeposited Tin Coatings, bright and matt)	*Note	500	Yes
nickel powder [particle diameter < 1 mm]	Ep-Ni	*Note	997,500	Yes
copper	Phosphor Bronze 5% A (CA510)	*Note	943,350	Yes

^{*}Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

Exemptions

Part Name	Exemption
Phosphor Bronze 5% A (CA510)	44 Concentration within acceptable GADSL limits
e-plate Sn (electrodeposited Tin Coatings, bright and matt)	44 Concentration within acceptable GADSL limits
Ep-Ni	33 Other application (Surface not routinely touched or nickel release rate < 0.5µg/cm2/week)

HFLH Declaration Information

Regulatory Revision IEC 61249-2-21

Contained Substances Exceeding Threshold

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
Bromine and its compounds	PCT GF BLACK	900	140,000	Yes
Bromine and Chlorine combined	PCT GF BLACK	1,500	140,000	Yes

China ROHS Declaration Information

Part Number	0015916039							
Part Name	SL RA Hdr Asy SMT 03 Ckt Tin TR Cap	(e)						
Part Information	on			Ha	zardous \$	Substance	es	
Components			Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
SL RA Hdr A	sy SMT 03 Ckt Tin TR Cap		0	0	0	0	0	0
SL RA Hdr A	sy TH Peg 03 Ckt Tin Tube		0	0	0	0	0	0

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Components	Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
CGrid SL Hdr Opt E 3Ckt	0	0	0	0	0	0
164PLT 025 SQ PIN	0	0	0	0	0	0
.025 Square Pin W/Star .100 Ctr Unplated	0	0	0	0	0	0

Process Information

Component Plating / Surface Finish	N/A
Termination Base Alloy	N/A
Solder Alloy	N/A
Process Capability	REFLOW
Maximum Exposure Time (seconds)	N/A
Maximum Process Temperature (C)	260
Maximum Cycles at Reflow Temperature	N/A
J-STD-020 Moisture Sensitivity Level	N/A

Mar 24, 2021