

# **Product Compliance Declaration**

Please see <a href="https://www.molex.com">www.molex.com</a> for the most up-to-date information.

## **Contact Information**

Name Molex Product Compliance E-Mail Product.Compliance@molex.com

**Part Information** 

Part Number 0015388030 Part Weight 0.53G

Part Name SL FFC/FPC Opt G Female Tin 3Ckt

# **Product Composition**

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
SL FFC/FPC Opt G Female Tin 3Ckt	Assembly		100	0.53
SL FFC Housing 3 Ckt Opt G	Component		62.0755	0.329
PBT+PC GF BLACK	Material		62.0755	0.329
PC+PBT	Substance		32.3332	0.171366
GF-Fibre	Substance		20.5119	0.108713
Flame Retardant, ISO 1043-4 FR(17)	Substance		5.7217	0.030325
Antimonytrioxide	Substance	1309-64-4	1.9972	0.010585
Pigment portion, not to declare	Substance	system	0.7557	0.004005
Further Additives, not to declare	Substance	system	0.7557	0.004005
FORMED FFC TERMINAL 403911211	Assembly		37.9245	0.201
.100 SL FFC Tin Plated	Assembly		37.9245	0.201
.100 SL FFC Term Unplated	Component		35.0943	0.186
Phosphor Bronze 5% Unplated	Material		35.0943	0.186

#### Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)	
Copper	Substance	7440-50-8	33.287	0.176421	
Tin	Substance	7440-31-5	1.7547	0.0093	
Phosphorus	Substance	7723-14-0	0.0526	0.000279	
Nickel Plating	Material		1.0755	0.0057	
Nickel	Substance	7440-02-0	1.0754	0.005699	
Further Additives, not to declare	Substance	system	0.0001	6E-07	
Tin Plating	Material		1.7547	0.0093	
Tin	Substance	7440-31-5	1.7547	0.0093	

## **ROHS Declaration Information**

**Regulatory Revision** EU 2015/863

Compliance Status Compliant

**Contained Substances Exceeding Threshold** 

None

**Exemptions** 

None

## **REACH-SVHC Declaration Information**

Regulatory Revision D(2020)9139-DC (19 Jan 2021)

**Contained Substances Exceeding Threshold** 

None

## **GADSL Declaration Information**

Regulatory Revision GADSL imported from IMDS

## **Contained Substances Exceeding Threshold**

#### Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
lead		*Note	500	Yes
lead	Phosphor Bronze 5% A (CA510)	*Note	250	Yes
Antimonytrioxide	PBT+PC GF BLACK	*Note	40,000	Yes
nickel powder [particle diameter < 1 mm]	Ep-Ni	*Note	997,500	Yes
copper	Phosphor Bronze 5% A (CA510)	*Note	943,350	Yes
glass, oxide, chemicals	PBT+PC GF BLACK	*Note	350,000	Yes

<sup>\*</sup>Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

# **Exemptions**

Part Name	Exemption
	44 Concentration within acceptable GADSL limits
Phosphor Bronze 5% A (CA510)	44 Concentration within acceptable GADSL limits
Ep-Ni	33 Other application (Surface not routinely touched or nickel release rate < 0.5µg/cm2/week)

## **HFLH Declaration Information**

Regulatory Revision IEC 61249-2-21

# **Contained Substances Exceeding Threshold**

Substance Group	Substance Location	Threshold Concentratio (PPM) (PPM)		Intentionally Added	
Bromine and its compounds	PBT+PC GF BLACK	900	100,000	Yes	
Bromine and Chlorine combined	PBT+PC GF BLACK	1,500	100,000	Yes	

## **China ROHS Declaration Information**

Part Number	0015388030							
Part Name	SL FFC/FPC Opt G Female Tin 3Ckt	<b>(e)</b>						
Part Information	on			Haz	zardous S	Substance	es	
Components			Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE

#### Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Components	Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
SL FFC/FPC Opt G Female Tin 3Ckt	0	0	0	0	0	0
SL FFC Housing 3 Ckt Opt G	0	0	0	0	0	0
FORMED FFC TERMINAL 403911211	0	0	0	0	0	0
.100 SL FFC Tin Plated	0	0	0	0	0	0
.100 SL FFC Term Unplated	0	0	0	0	0	0

## **Process Information**

Component Plating / Surface Finish	N/A
Termination Base Alloy	N/A
Solder Alloy	N/A
Process Capability	N/A
Maximum Exposure Time (seconds)	N/A
Maximum Process Temperature (C)	N/A
Maximum Cycles at Reflow Temperature	N/A
J-STD-020 Moisture Sensitivity Level	N/A

Mar 1, 2021