

# **Product Compliance Declaration**

Please see <a href="https://www.molex.com">www.molex.com</a> for the most up-to-date information.

## **Contact Information**

Name Molex Product Compliance E-Mail Product.Compliance@molex.com

**Part Information** 

Part Number 0010897242 Part Weight 1.455133G

Part Name CGrid VT Bkwy Hdr 15 SAu 24Ckt 240110

# **Product Composition**

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
CGrid VT Bkwy Hdr 15 SAu 24Ckt 240110	Assembly		100	1.455133
COMPONENT CGrid Bkwy Hsg 100Ckt	Component		33.966	0.49425
LCP GF30 BLACK	Material		33.966	0.49425
LCP	Substance		23.3346	0.33955
Carbon black	Substance	1333-86-4	0.3397	0.004942
GF-Fibre	Substance		10.1898	0.148275
Further Additives, not to declare	Substance	system	0.1019	0.001483
.440 X .0255 Sq Pin 15GOLD Plate	Assembly		66.034	0.960883
.440 x .0255 Sq Bandolier Pin Unplated	Component		62.6747	0.912
Cartridge Brass 70% Unplated	Material		62.6747	0.912
Copper	Substance	7440-50-8	43.8723	0.6384
Zinc (metal)	Substance	7440-66-6	18.8024	0.2736
Gold Plating	Material		0.5016	0.007298

#### Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
Cobalt	Substance	7440-48-4	0.0013	0.000018
Nickel	Substance	7440-02-0	0.0013	0.000018
Gold	Substance	7440-57-5	0.4991	0.007262
Nickel Plating	Material		2.1441	0.0312
Nickel	Substance	7440-02-0	2.1439	0.031197
Further Additives, not to declare	Substance	system	0.0002	0.000003
Tin Plating	Material		0.7137	0.010385
Tin	Substance	7440-31-5	0.7137	0.010385

## **ROHS Declaration Information**

**Regulatory Revision** EU 2015/863

Compliance Status Compliant

**Contained Substances Exceeding Threshold** 

None

**Exemptions** 

None

### **REACH-SVHC Declaration Information**

Regulatory Revision D(2020)9139-DC (19 Jan 2021)

**Contained Substances Exceeding Threshold** 

None

## **GADSL Declaration Information**

Regulatory Revision GADSL imported from IMDS

### **Contained Substances Exceeding Threshold**

#### Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
lead	Cartridge Brass 70% (CA260)	*Note	350	Yes
lead		*Note	500	Yes
nickel powder [particle diameter < 1 mm]	e-plate Au (Hardgold) (electrodeposited Hardgold	*Note	2,500	Yes
nickel powder [particle diameter < 1 mm]	Ep-Ni	*Note	997,500	Yes
Cobalt	e-plate Au (Hardgold) (electrodeposited Hardgold	*Note	2,500	Yes
copper	Cartridge Brass 70% (CA260)	*Note	700,000	Yes
glass, oxide, chemicals	LCP GF30 BLACK	*Note	300,000	Yes

<sup>\*</sup>Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

# **Exemptions**

Part Name	Exemption
Cartridge Brass 70% (CA260)	44 Concentration within acceptable GADSL limits
	44 Concentration within acceptable GADSL limits
e-plate Au (Hardgold) (electrodeposited Hardgold Coatings)	34 Not applicable
Ep-Ni	33 Other application (Surface not routinely touched or nickel release rate < 0.5µg/cm2/week)

# **HFLH Declaration Information**

Regulatory Revision IEC 61249-2-21

**Contained Substances Exceeding Threshold** 

None

### **China ROHS Declaration Information**

Part Number	0010897242							
Part Name	CGrid VT Bkwy Hdr 15 SAu 24Ckt 240110	<b>(e)</b>						
Part Information	on			Haz	zardous S	Substance	s	
Components			Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
CGrid VT Bkv	wy Hdr 15 SAu 24Ckt 240110		0	0	0	0	0	0

#### Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Components	Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
COMPONENT CGrid Bkwy Hsg 100Ckt	0	0	0	0	0	0
.440 X .0255 Sq Pin 15GOLD Plate	0	0	0	0	0	0
.440 x .0255 Sq Bandolier Pin Unplated	0	0	0	0	0	0

# **Process Information**

Component Plating / Surface Finish	N/A
Termination Base Alloy	N/A
Solder Alloy	N/A
Process Capability	SMC&WAVE
Maximum Exposure Time (seconds)	N/A
Maximum Process Temperature (C)	260
Maximum Cycles at Reflow Temperature	N/A
J-STD-020 Moisture Sensitivity Level	N/A

Mar 23, 2021