

# **Product Compliance Declaration**

Please see <u>www.molex.com</u> for the most up-to-date information.

**Contact Information** 

Name Molex Product Compliance E-Mail Product.Compliance@molex.com

**Part Information** 

Part Name SL FFC/FPC Opt G Female 30"SAu 10Ckt

#### **Product Composition**

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
SL FFC/FPC Opt G Female 30"SAu 10Ckt	Assembly		100	1.521481
SL FFC Housing 10Ckt	Component		57.2469	0.871
PBT+PC GF BLACK	Material		57.2469	0.871
PC+PBT	Substance		29.8181	0.453677
GF-Fibre	Substance		18.9164	0.287809
Flame Retardant, ISO 1043-4 FR(17)	Substance		5.2767	0.080284
Antimonytrioxide	Substance	1309-64-4	1.8419	0.028024
Pigment portion, not to declare	Substance	system	0.6969	0.010604
Further Additives, not to declare	Substance	system	0.6969	0.010604
FORMED FFC TERMINAL 30"SAu 403911213	Assembly		42.7531	0.650481
100 KK Crp Term 30"SAu	Assembly		42.7531	0.650481
.100 SL FFC Term Unplated	Component		40.7498	0.62
Phosphor Bronze 5% Unplated	Material		40.7498	0.62

Form Rev - F

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
Copper	Substance	7440-50-8	38.6512	0.58807
Tin	Substance	7440-31-5	2.0375	0.031
Phosphorus	Substance	7723-14-0	0.0611	0.00093
Gold Plating	Material		0.1487	0.002263
Cobalt	Substance	7440-48-4	0.0004	0.00006
Nickel	Substance	7440-02-0	0.0004	0.000006
Gold	Substance	7440-57-5	0.148	0.002252
Nickel Plating	Material		1.2488	0.019
Nickel	Substance	7440-02-0	1.2487	0.018998
Further Additives, not to declare	Substance	system	0.0001	0.000002
Tin Plating	Material		0.6059	0.009218
Tin	Substance	7440-31-5	0.6059	0.009218

#### **ROHS Declaration Information**

Regulatory Revision EU 2015/863

Compliance Status Compliant

**Contained Substances Exceeding Threshold** 

None

**Exemptions** 

None

#### **REACH-SVHC Declaration Information**

**Regulatory Revision** D(2020)4578-DC (25 June 2020)

# **Contained Substances Exceeding Threshold**

None

#### Form Rev - F

# **GADSL Declaration Information**

Regulatory Revision GADSL imported from IMDS

#### **Contained Substances Exceeding Threshold**

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
lead		*Note	500	Yes
lead	Phosphor Bronze 5% A (CA510)	*Note	250	Yes
Antimonytrioxide	PBT+PC GF BLACK	*Note	40,000	Yes
nickel powder [particle diameter < 1 mm]	e-plate Au (Hardgold) (electrodeposited Hardgold	*Note	2,500	Yes
nickel powder [particle diameter < 1 mm]	Ep-Ni	*Note	997,500	Yes
Cobalt	e-plate Au (Hardgold) (electrodeposited Hardgold	*Note 2,500		Yes
copper	Phosphor Bronze 5% A (CA510)	*Note 943,350 Y		Yes
glass, oxide, chemicals	PBT+PC GF BLACK	*Note	350,000	Yes

<sup>\*</sup>Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

#### **Exemptions**

Part Name	Exemption
	44 Concentration within acceptable GADSL limits
Phosphor Bronze 5% A (CA510)	44 Concentration within acceptable GADSL limits
e-plate Au (Hardgold) (electrodeposited Hardgold Coatings)	34 Not applicable
Ep-Ni	33 Other application (Surface not routinely touched or nickel release rate < 0.5µg/cm2/week)

## **HFLH Declaration Information**

Regulatory Revision IEC 61249-2-21

## **Contained Substances Exceeding Threshold**

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
Bromine and its compounds	PBT+PC GF BLACK	900	100,000	Yes
Bromine and Chlorine combined	PBT+PC GF BLACK	1,500	100,000	Yes

#### **China ROHS Declaration Information**

Part Number 0015474107

Part Name SL FFC/FPC Opt G Female 30"SAu 10Ckt

Part Information Lead Merce

## **Hazardous Substances**

Components	Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
SL FFC/FPC Opt G Female 30"SAu 10Ckt	0	0	0	0	0	0
SL FFC Housing 10Ckt	0	0	0	0	0	0
FORMED FFC TERMINAL 30"SAu 403911213	0	0	0	0	0	0
100 KK Crp Term 30"SAu	0	0	0	0	0	0
.100 SL FFC Term Unplated	0	0	0	0	0	0

#### **Process Information**

Component Plating / Surface Finish	N/A
Termination Base Alloy	N/A
Solder Alloy	N/A
Process Capability	N/A
Maximum Exposure Time (seconds)	N/A
Maximum Process Temperature (C)	N/A
Maximum Cycles at Reflow Temperature	N/A
J-STD-020 Moisture Sensitivity Level	N/A

Form Rev - F

#### Form Rev - F