

## Product Compliance Declaration

Please see [www.molex.com](http://www.molex.com) for the most up-to-date information.

### Contact Information

**Name** Molex Product Compliance **E-Mail** Product.Compliance@molex.com

### Part Information

**Part Number** 0022288051 **Part Weight** 0.387744G

**Part Name** KK 100 Hdr Assy RA Bkwy 05 Ckt Tin

### Product Composition

Name	Type	CAS Number	Proportion (% Total)	Mass (Grams)
KK 100 Hdr Assy RA Bkwy 05 Ckt Tin	Assembly		100	0.387744
.100 CTR BREAKAWAY- FLAT COMPONENT	Component		25.2083	0.097744
PA46 GF BLACK	Material		25.2083	0.097744
PA46	Substance		10.9404	0.042421
GF-Fibre	Substance		7.5625	0.029323
Flame Retardant, ISO 1043-4 FR(17)	Substance		4.9156	0.01906
Antimonytrioxide	Substance	1309-64-4	1.3865	0.005376
Carbon black	Substance	1333-86-4	0.126	0.000489
Further Additives, not to declare	Substance	system	0.2773	0.001075
.630 x .0255 Sq Bandolier Pin Tin	Assembly		74.7917	0.29
.630 x .0255 Sq Bandolier Pin Unplated	Component		73.5022	0.285
Cartridge Brass 70% Unplated	Material		73.5022	0.285
Copper	Substance	7440-50-8	51.4515	0.1995

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Name	Type	CAS Number	Proportion (% Total)	Mass (Grams)
Zinc (metal)	Substance	7440-66-6	22.0507	0.0855
Tin Plating	Material		0.8029	0.003113
Tin	Substance	7440-31-5	0.8029	0.003113
Nickel Plating	Material		0.4867	0.001887
Nickel	Substance	7440-02-0	0.4866	0.001887
Further Additives, not to declare	Substance	system	5E-05	2E-07

---

## ROHS Declaration Information

**Regulatory Revision** EU 2015/863

**Compliance Status** Compliant

### Contained Substances Exceeding Threshold

None

### Exemptions

None

---

## REACH-SVHC Declaration Information

**Regulatory Revision** D(2020)9139-DC (19 Jan 2021)

### Contained Substances Exceeding Threshold

None

---

## GADSL Declaration Information

**Regulatory Revision** GADSL imported from IMDS

### Contained Substances Exceeding Threshold

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
lead	Cartridge Brass 70% (CA260)	*Note	350	Yes

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
lead		*Note	500	Yes
Antimonytrioxide	PA46 GF BLACK	*Note	55,000	Yes
nickel powder [particle diameter < 1 mm]	Ep-Ni	*Note	997,500	Yes
copper	Cartridge Brass 70% (CA260)	*Note	700,000	Yes
glass, oxide, chemicals	PA46 GF BLACK	*Note	300,000	Yes

**\*Note:** For GADSL substance declarable/prohibited threshold values, please reference <http://www.gadsl.org/>

### Exemptions

Part Name	Exemption
Cartridge Brass 70% (CA260)	44 Concentration within acceptable GADSL limits
	44 Concentration within acceptable GADSL limits
Ep-Ni	33 Other application (Surface not routinely touched or nickel release rate < 0.5µg/cm2/week)


## HFLH Declaration Information

**Regulatory Revision** IEC 61249-2-21

### Contained Substances Exceeding Threshold

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
Bromine and its compounds	PA46 GF BLACK	900	195,000	Yes
Bromine and Chlorine combined	PA46 GF BLACK	1,500	195,000	Yes

## China ROHS Declaration Information

Part Number 0022288051		<b>Hazardous Substances</b>					
Part Name KK 100 Hdr Assy RA Bkwy 05 Ckt Tin							
Part Information							
Components		Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
KK 100 Hdr Assy RA Bkwy 05 Ckt Tin		○	○	○	○	○	○

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Components	Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
.100 CTR BREAKAWAY- FLAT COMPONENT	O	O	O	O	O	O
.630 x .0255 Sq Bandolier Pin Tin	O	O	O	O	O	O
.630 x .0255 Sq Bandolier Pin Unplated	O	O	O	O	O	O

## Process Information

Component Plating / Surface Finish	BSn-Ni
Termination Base Alloy	P-Bronze
Solder Alloy	N/A
Process Capability	WAVE
Maximum Exposure Time (seconds)	005
Maximum Process Temperature (C)	235
Maximum Cycles at Reflow Temperature	001
J-STD-020 Moisture Sensitivity Level	N/A

Mar 24, 2021

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.