

Product Compliance Declaration

Please see www.molex.com for the most up-to-date information.

Contact Information

Name Molex Product Compliance **E-Mail** Product.Compliance@molex.com

Part Information

Part Number 0026013116 **Part Weight** 2.164142G

Part Name MiniFit Jr RA DR /Pegs 15Au V2 6Ckt Tray

Product Composition

Name	Type	CAS Number	Proportion (% Total)	Mass (Grams)
MiniFit Jr RA DR /Pegs 15Au V2 6Ckt Tray	Assembly		100	2.164142
1.012 X .042 Sq Bando Pin 208 Plt	Assembly		34.8009	0.753142
1.012 X .042 Sq Bando Pin 999	Component		34.3785	0.744
Cartridge Brass 70% Unplated	Material		34.3785	0.744
Copper	Substance	7440-50-8	24.065	0.5208
Zinc (metal)	Substance	7440-66-6	10.3136	0.2232
Gold Plating	Material		0.0485	0.00105
Cobalt	Substance	7440-48-4	0.0001	0.000003
Nickel	Substance	7440-02-0	0.0001	0.000003
Gold	Substance	7440-57-5	0.0483	0.001045
Nickel Plating	Material		0.305	0.0066
Nickel	Substance	7440-02-0	0.3049	0.006599
Further Additives, not to declare	Substance	system	3E-05	7E-07

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Name	Type	CAS Number	Proportion (% Total)	Mass (Grams)
Tin Plating	Material		0.0689	0.001492
Tin	Substance	7440-31-5	0.0689	0.001492
0.634 X .042 Sq Bando Pin 208 Plt	Assembly		21.7638	0.471
0.634 X .042 Sq Bando Pin 999	Component		20.7935	0.45
Cartridge Brass 70% Unplated	Material		20.7935	0.45
Copper	Substance	7440-50-8	14.5554	0.315
Zinc (metal)	Substance	7440-66-6	6.238	0.135
Gold Plating	Material		0.1525	0.0033
Cobalt	Substance	7440-48-4	0.0004	0.000008
Nickel	Substance	7440-02-0	0.0004	0.000008
Gold	Substance	7440-57-5	0.1517	0.003284
Nickel Plating	Material		0.5961	0.0129
Nickel	Substance	7440-02-0	0.596	0.012899
Further Additives, not to declare	Substance	system	6E-05	0.000001
Tin Plating	Material		0.2218	0.0048
Tin	Substance	7440-31-5	0.2218	0.0048
MiniFit Jr RA Hdr Hsg 6Ckt	Component		43.4352	0.94
PA66 NATURAL	Material		43.4352	0.94
PA66	Substance		42.5665	0.9212
Further Additives, not to declare	Substance	system	0.8687	0.0188

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

ROHS Declaration Information

Regulatory Revision EU 2015/863

Compliance Status Compliant

Contained Substances Exceeding Threshold

None

Exemptions

None

REACH-SVHC Declaration Information

Regulatory Revision D(2020)9139-DC (19 Jan 2021)

Contained Substances Exceeding Threshold

None

GADSL Declaration Information

Regulatory Revision GADSL imported from IMDS

Contained Substances Exceeding Threshold

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
lead	Cartridge Brass 70% (CA260)	*Note	350	Yes
lead		*Note	500	Yes
nickel powder [particle diameter < 1 mm]	e-plate Au (Hardgold) (electrodeposited Hardgold	*Note	2,500	Yes
nickel powder [particle diameter < 1 mm]	Ep-Ni	*Note	997,500	Yes
Cobalt	e-plate Au (Hardgold) (electrodeposited Hardgold	*Note	2,500	Yes
copper	Cartridge Brass 70% (CA260)	*Note	700,000	Yes

*Note: For GADSL substance declarable/prohibited threshold values, please reference <http://www.gadsl.org/>

Part Name	Exemption
-----------	-----------

Exemptions

Part Name	Exemption
Cartridge Brass 70% (CA260)	44 Concentration within acceptable GADSL limits
	44 Concentration within acceptable GADSL limits
e-plate Au (Hardgold) (electrodeposited Hardgold Coatings)	34 Not applicable
Ep-Ni	33 Other application (Surface not routinely touched or nickel release rate < 0.5µg/cm2/week)


HFLH Declaration Information

Regulatory Revision IEC 61249-2-21

Contained Substances Exceeding Threshold

None

China ROHS Declaration Information

Part Number 0026013116		Hazardous Substances				
Part Name MiniFit Jr RA DR /Pegs 15Au V2 6Ckt Tray						
Part Information						
Components	Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
MiniFit Jr RA DR /Pegs 15Au V2 6Ckt Tray	O	O	O	O	O	O
1.012 X .042 Sq Bando Pin 208 Plt	O	O	O	O	O	O
1.012 X .042 Sq Bando Pin 999	O	O	O	O	O	O
0.634 X .042 Sq Bando Pin 208 Plt	O	O	O	O	O	O
0.634 X .042 Sq Bando Pin 999	O	O	O	O	O	O
MiniFit Jr RA Hdr Hsg 6Ckt	O	O	O	O	O	O

Process Information

Component Plating / Surface Finish	MSn-Ni
Termination Base Alloy	Brass

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Solder Alloy	N/A
Process Capability	WAVE
Maximum Exposure Time (seconds)	005
Maximum Process Temperature (C)	240
Maximum Cycles at Reflow Temperature	001
J-STD-020 Moisture Sensitivity Level	N/A

Feb 23, 2021

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.