

2222 Wellington Court Lisle, IL 60532 USA

Product Compliance Declaration

Please see <u>www.molex.com</u> for the most up-to-date information.

Contact Information				
Name	Molex Product Compliance	E-Mail	Product.Compliance@molex.com	
Part Informa	ation			
Part Number	0340812003	Part Weight	0.367G	
Part Name	MX150 RCPT 0.3 CABLE GOLD 16AWG B WIND			

Product Composition

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
MX150 RCPT 0.3 CABLE GOLD 16AWG B WIND	Assembly		100	0.367
MX150 RCPT 0.3 CABLE PREBLANK GOLD DWIND	Assembly		100	0.367
MX150 RCPT 0.3 CABLE PREBLANK WOP B WIND	Component		96.1853	0.353
HSM Copper Unplated	Material		96.1853	0.353
Copper	Substance	7440-50-8	94.3097	0.346116
Nickel	Substance	7440-02-0	0.9619	0.00353
Tin	Substance	7440-31-5	0.8657	0.003177
Phosphorus	Substance	7723-14-0	0.0481	0.000177
Gold Plating	Material		0.3815	0.0014
Cobalt	Substance	7440-48-4	0.001	0.000003
Nickel	Substance	7440-02-0	0.001	0.000003
Gold	Substance	7440-57-5	0.3796	0.001393
Tin Plating	Material		1.9074	0.007

Form Rev - F

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
Tin	Substance	7440-31-5	1.9074	0.007
Nickel Plating	Material		1.5259	0.0056
Nickel	Substance	7440-02-0	1.5257	0.005599
Further Additives, not to declare	Substance	system	0.0002	6E-07

HFLH Declaration Information

Regulatory Revision IEC 61249-2-21

Contained Substances Exceeding Threshold

Not reviewed

ROHS Declaration Information

Regulatory Revision EU 2015/863

Compliance Status Compliant

Contained Substances Exceeding Threshold

None

Exemptions

None

REACH-SVHC Declaration Information

Regulatory Revision D(2020)9139-DC (19 Jan 2021)

Contained Substances Exceeding Threshold

None

Form Rev - F

GADSL Declaration Information

Regulatory Revision GADSL imported from IMDS

Contained Substances Exceeding Threshold

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
lead		*Note	500	Yes
nickel powder [particle diameter < 1 mm]	e-plate Au (Hardgold) (electrodeposited Hardgold	*Note	2,500	Yes
nickel powder [particle diameter < 1 mm]	High Copper Alloy (NB109)	*Note	10,000	Yes
nickel powder [particle diameter < 1 mm]	Ep-Ni	*Note	997,500	Yes
silver	High Copper Alloy (NB109)	*Note	500	Yes
Cobalt	e-plate Au (Hardgold) (electrodeposited Hardgold	*Note	2,500	Yes
copper	High Copper Alloy (NB109)	*Note	977,000	Yes

*Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

Exemptions

Part Name	Exemption
	44 Concentration within acceptable GADSL limits
e-plate Au (Hardgold) (electrodeposited Hardgold Coatings)	34 Not applicable
High Copper Alloy (NB109)	34 Not applicable
Ep-Ni	33 Other application (Surface not routinely touched or nickel release rate < 0.5µg/ cm2/week)

Process Information

Component Plating / Surface Finish	N/A
Termination Base Alloy	N/A
Solder Alloy	N/A
Process Capability	N/A
Maximum Exposure Time (seconds)	N/A
Maximum Process Temperature (C)	N/A
Maximum Cycles at Reflow Temperature	N/A
J-STD-020 Moisture Sensitivity Level	N/A

Form Rev - F

Mar 24, 2021

Form Rev - F