

Product Compliance Declaration

Please see www.molex.com for the most up-to-date information.

Contact Information

Name Molex Product Compliance E-Mail Product.Compliance@molex.com

Part Information

Part Number 0345860001 Part Weight 0.064G

Part Name MX64 CAVITY SEAL PLUG

Product Composition

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
MX64 CAVITY SEAL PLUG	Component		100	0.064
PA66+PS GF STONE GRAY	Material		100	0.064
PS	Substance		24.5	0.01568
PA66	Substance		32	0.02048
GF-Fibre	Substance		32	0.02048
Zinc sulphide	Substance	1314-98-3	2	0.00128
Further Additives, not to declare	Substance	system	9.5	0.00608

ROHS Declaration Information

Regulatory Revision EU 2015/863

Compliance Status Compliant

Contained Substances Exceeding Threshold

None

Exemptions

None

REACH-SVHC Declaration Information

Regulatory Revision D(2020)9139-DC (19 Jan 2021)

Contained Substances Exceeding Threshold

None

GADSL Declaration Information

Regulatory Revision GADSL imported from IMDS

Contained Substances Exceeding Threshold

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
zinc sulphide	PA66+PS GF STONE GRAY	*Note	20,000	Yes

^{*}Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

Exemptions

None

Form Rev - F

HFLH Declaration Information

Regulatory Revision IEC 61249-2-21

Contained Substances Exceeding Threshold

None

Process Information

Component Plating / Surface Finish	N/A
Termination Base Alloy	N/A
Solder Alloy	N/A
Process Capability	N/A
Maximum Exposure Time (seconds)	N/A
Maximum Process Temperature (C)	N/A
Maximum Cycles at Reflow Temperature	N/A
J-STD-020 Moisture Sensitivity Level	N/A

Mar 23, 2021